KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1368783

Form CDP-4 April 2004 Form must be Typed

## **CLOSURE OF SURFACE PIT**

Operator Name:	License Number:
Operator Address:	
Contact Person:	Phone Number: ( ) -
Permit Number (API No. if applicable):	Lease Name & Well No.:
Type of Pit:	Pit Location (QQQQ):
Emergency Pit Burn Pit	
Settling Pit Drilling Pit	SecTwpR East West
Workover Pit Haul-Off Pit	Feet from North / South Line of Section
	Feet from East / West Line of Section
	County
Date of closure:	pit contents?

Submitted Electronically

For	KCC	Use:
-----	-----	------

Effective	Data.	
Ellective	Dale.	_

District	#		

SGA?	Yes	No

## CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1363390

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

## CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well. Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	· · · · · · · · · · · · · · · · · · ·
	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License#	
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment: Mud Rotary Cable	Depth to Bedrock: feet
	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe ( <i>if any</i> ): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;;;;;;	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate District office prior to spudding and again before plugging the w	
and placement is necessary prior to plugging. In all cases, notify District Office prior to	o any grouung.
<ol> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> </ol>	
	outing to the tap when the esthedic surface essing is set
<ol> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (for Act (form KSDNA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completie d. Submit plugging report (CP-4) within 60 days after final plugging is completed.</li> </ol>	

## Submitted Electronically

For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required: feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
Spud date: Agent:	Date Signature of Operator or Agent
opud duto / gont	



For	ксс	Use	ONLY

API # 15 -\_


### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section
Borehole Number:	feet from L E / W Line of Section
	SecTwpS. R E U W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.         Section corner used:       NE       NW       SE       SW

#### PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1363390

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Operator Name:       Lisense Number:         Operator Address:       Phone Number:         Contact Person:       Phone Number:         Lease Name & Woll No::       Phone Number:         Type of Pi:       Pit Location (OQOQ):         Type of Pit:       Pit sc:         Emergency Pit       Dunling Pit         If Existing, data constructed:       Pit data constructed:         // Workow? Pit       Dunling Pit         If the pit located in a Sensitive Ground Water Area?       Vess         Is the pit located in a Sensitive Ground Water Area?       Vess         Pit data line?       How is the pit line di a plastic liner is not used?         Pit dimensions (all but working pits):       Length (eet)	Submit in Duplicate				
Contract Person:       Phone Number:         Lesse Name & Well No::       Pit Location (QQQQ):         Type of Pit:       Burn Pit         Benergency Pit       Burn Pit         (If WP Supply API No or Nam Differ)       If Existing, date constructed:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       Pit copacity:         (If WP Supply API No or Nam Differ)       (bble)         (If WP Supply API No or Nam Differ)       (bble)         (If WP Supply API No or Nam Differ)       (bble)         (If WP Supply API No or Nam Differ)       (bble)         (If WP Supply API No or Nam Differ)       (bble)         (If WP Supply API No or Nam Differ)       (bble)         (If We Supply API No or Nam Differ)       (bble)         (If We Supply API No or Nam Differ)       (bble)         (If We Supply API No or Nam Differ)       (bc	Operator Name:			License Number:	
Leases Name & Weil No:       Pit Location (QOQQ):         Type of Pit:       Pit is:         Benefency Pit       Duffing Pit         If Existing, tate constructed:       Sec	Operator Address:				
Type of Pit:       Pit is:       Proposed       Existing         Setting Pit       Drilling Pit       H Existing, date constructed:       Feet from   North /  South Line of Section         Workower Pit       Head-Off Pit       Pit capacity:       Feet from   East /  West Line of Section         If Workower Pit       Head-Off Pit       Pit capacity:       Feet from   East /  West Line of Section         If workower Pit       Head-Off Pit       Pit capacity:       Feet from   East /  West Line of Section         Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mg/l         Is the bitom below ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       mg/l         It dimensions (all but working pits):       Length (feet)       Width (feet)       No Pit         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determin	Contact Person:			Phone Number:	
Emergency Pit Burn Pit Pit Bit Burn Pit Pit Dilling Pit H Existing, date constructed: Pit espacity:	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pri       Drilling Pri       II Existing, date constructed:       Feet from   North / ] South Line of Section         Workover Pri       Haul-Off Pri       Pri capacity:       Feet from ] East / ] West Line of Section         If the pit located in a Sensitive Ground Water Area?       West _ Despite API No. or Year Drilled]	Type of Pit:	Pit is:			
Workover Pit Haul-Off Pit   (If WP Suppy API No. or Year Dolled) Pit capacity:	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
(I'WP Sigply API No. or Mer Onlined)       Pit capacity:		If Existing, date co	nstructed:	Feet from North / South Line of Section	
Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mg/l         Is the pot torm below ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       No       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       No       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       No       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       No       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       No       No       Pit dimensions (all but working pits):       Length (feet)       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.       Distance to nearest water well within one-mile of pit:       Despth to shallowest fresh water feet.       Source of information:       Tope of maintenance and determining liner integrity.       Pitling.Workower and Haul-Off Pits ONLY:       Pitling.Workower and Haul-Off Pits ONLY:       Type of material utilized in drilligworkower:       Number of working pits to be utilized:       Abandonment procedure:       Does the slope from the tank battery allow all spilled fluids to flow into the pit?       Ye		Pit capacity:		Feet from East / West Line of Section	
Image: control level       Artificial Liner?       How is the pit lined if a plastic liner is not used?         Image: control level       Image: control level       Image: control level       Image: control level         Pit dimensions (all but working pits):       Length (feet)       Image: control level       Image: control level         Pit dimensions (all but working pits):       Length (feet)       Image: control level       Image: control level       Image: control level         Pit dimensions (all but working pits):       Length (feet)       Image: control level       Image: control level       Image: control level         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water       feet.       Source of information:         Image: control line in the pit is on lease:       Image: control line line integrity including any special monitoring.       KDWR         Producing Formation:       measured       well owner       electric log       KDWR         Producing Formation:       Number of working pits to be utilized:       Abandonment procedure:       Abandonment procedure:       Doil line in must be closed within 365 days of spud date.         Submitted Electronically       No       Drill pits must be closed within 365 days of spud date.       Image: control line in co			(bbls)	County	
Yes No   Pit dimensions (all but working pits): Length (feet)   Depth from ground level to deepest point: (feet)   If the pit is lined give a brief description of the liner   material, thickness and installation procedure.   Distance to nearest water well within one-mile of pit:	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Depth from ground level to deepest point:			٩o	How is the pit lined if a plastic liner is not used?	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet. Source of information:        feet       Depth of water wellfeet       Depth to shallowest fresh water feet. Source of information:        feet       Depth of water wellfeet       Dilling, Workover and Haul-Off Pits ONLY:         Producing Formation:       Type of material utilized in drilling/workover:	Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits	
material, thickness and installation procedure. liner integrity, including any special monitoring.   Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: measured well owner electric log KDWR   Emergency, Setting and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Orill pits must be closed within 365 days of spud date.	Depth fro	m ground level to dee	epest point:	(feet) No Pit	
Source of information:  feetbepth of water wellfeet  feet					
Producing Formation: Type of material utilized in drilling/workover:   Number of producing wells on lease: Number of working pits to be utilized:   Barrels of fluid produced daily: Abandonment procedure:   Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   Drill pits must be closed within 365 days of spud date.     Submitted Electronically     KCC OFFICE USE ONLY     Liner   Steel Pit					
Number of producing wells on lease:   Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No     Drill pits must be closed within 365 days of spud date.     Submitted Electronically     KCC OFFICE USE ONLY     Liner   Steel Pit	Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner   Steel Pit   RFAS	Producing Formation:		Type of materia	al utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Prill pits must be closed within 365 days of spud date.     Submitted Electronically     KCC OFFICE USE ONLY     Liner   Steel Pit	Number of producing wells on lease: Number of wor		Number of work	orking pits to be utilized:	
flow into the pit? Yes   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner Steel Pit   RFAC   RFAS	Barrels of fluid produced daily: Abandonme		Abandonment p	procedure:	
Submitted Electronically          KCC OFFICE USE ONLY			be closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
	Date Received: Permit Num	oer:	Permi		

Mail to: KCC - Conservation Division, 266 N Main St, Ste 220, Wichita, KS 67202-1513

	Mail to: KCC - Conservation Div	vision, 266 N Main St, Ste	e 220, Wichita, KS 67202-1513
--	---------------------------------	----------------------------	-------------------------------

### OIL & GAS CONSERVATION DIVISION CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

KANSAS CORPORATION COMMISSION

CORRECTION #1

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

### Submitted Electronically

I

1363390

July 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

Form KSONA-1

## Summary of Changes

API/Permit #: 15-189-22849-00-00

Doc ID: 1363390

Correction Number: 1

## Approved By: Rick Hestermann 08/17/2017

Field Name	Previous Value	New Value
Abandonment Procedure		Remove liquid contents with vac-truck and
Artificial Liner?		dispose at permitted No
Depth Of Water Well		500
Depth to Shallowest Fresh Water		120
Expected Spud Date	07/30/2017	08/23/2017
Feet to Nearest Water Well Within One-Mile of		1312
Pit Fresh Water Information Source: KDWR	No	Yes
Fresh Water Information Source: Well Owner	No	Yes
How Pit is Lined if Plastic Liner Not Used		native clay/soil
Is Bottom Below Ground Level?		Yes
Is Pit Proposed or Existing		Proposed

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 06/30/2017	Rick Hestermann 08/17/2017
KCC Only - Permit Date	06/30/2017	08/17/2017
No Pit	Yes	No
Number of Working Pits to be Used		1
Pit Capacity BBLS		102
Pit Deepest Depth		8
Pit Length		12
Pit Type		Drilling
Pit Width		6
RFAC		Yes
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Type of Drilling Equipment	59022 AirRotary	63390 MudRotary
Type of Material Used in Drilling / Workover		water and bentonite