Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

1369229

Form ACO-1 November 2016 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #                                    | API No.:   |  |  |  |  |
|--|--|--|--|--|--|
| Name:  | Spot Description:  |  |  |  |  |
| Address 1:   | SecTwpS. R 🗌 East 🗌 West                                 |  |  |  |  |
| Address 2:   | Feet from North / South Line of Section                  |  |  |  |  |
| City: State: Zip:+                                     | Feet from _ East / _ West Line of Section                |  |  |  |  |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner: |  |  |  |  |
| Phone: ()  | □NE □NW □SE □SW  |  |  |  |  |
| CONTRACTOR: License #                                  | GPS Location: Lat:, Long:                                |  |  |  |  |
| Name:  | (e.g. xx.xxxxx) (e.gxxx.xxxxx)                           |  |  |  |  |
| Wellsite Geologist:                                    | Datum: NAD27 NAD83 WGS84                                 |  |  |  |  |
| Purchaser:   | County:  |  |  |  |  |
| Designate Type of Completion:                          | Lease Name: Well #:                                      |  |  |  |  |
| New Well Re-Entry Workover                             | Field Name:  |  |  |  |  |
| □ Oil □ WSW □ SWD                                      | Producing Formation:                                     |  |  |  |  |
| Gas DH EOR   | Elevation: Ground: Kelly Bushing:                        |  |  |  |  |
| ☐ OG ☐ GSW   | Total Vertical Depth: Plug Back Total Depth:             |  |  |  |  |
| CM (Coal Bed Methane)                                  | Amount of Surface Pipe Set and Cemented at: Feet         |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):                    | Multiple Stage Cementing Collar Used? Yes No             |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:        | If yes, show depth set: Feet                             |  |  |  |  |
| Operator:  | If Alternate II completion, cement circulated from:      |  |  |  |  |
| Well Name:   | feet depth to:w/sx cmt.                                  |  |  |  |  |
| Original Comp. Date: Original Total Depth:             |  |  |  |  |  |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD   | Drilling Fluid Management Plan                           |  |  |  |  |
| ☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit)            |  |  |  |  |
| Committed at Provider                                  | Chloride content: ppm Fluid volume: bbls                 |  |  |  |  |
| Commingled Permit #:  Dual Completion Permit #:        | Dewatering method used:                                  |  |  |  |  |
| SWD Permit #:  | Location of fluid disposal if hauled offsite:            |  |  |  |  |
| EOR Permit #:  | Location of fluid disposal if fladied offsite.           |  |  |  |  |
| GSW Permit #:  | Operator Name:   |  |  |  |  |
| <u> </u>   | Lease Name: License #:                                   |  |  |  |  |
| Spud Date or Date Reached TD Completion Date or        | Quarter Sec TwpS. R East West                            |  |  |  |  |
| Recompletion Date Recompletion Date                    | County: Permit #:  |  |  |  |  |


#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

| KCC Office Use ONLY                             |  |  |  |  |
|---|--|--|--|--|
| Confidentiality Requested                       |  |  |  |  |
| Date:   |  |  |  |  |
| Confidential Release Date:                      |  |  |  |  |
| Wireline Log Received Drill Stem Tests Received |  |  |  |  |
| Geologist Report / Mud Logs Received            |  |  |  |  |
| UIC Distribution                                |  |  |  |  |
| ALT I III Approved by: Date:                    |  |  |  |  |

Page Two



| Operator Name:  |                      |                   |                                   |                   | Lease Na                | ıme: _                                |                |                   | Well #:                |                           |
|---|----------------------|-------------------|-----------------------------------|-------------------|-------------------------|---------------------------------------|----------------|-------------------|------------------------|---------------------------|
| SecTwp  | oS. F                | R                 | East                              | West              | County: _               |                                       |                |                   |                        |                           |
| INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| Final Radioactivit files must be sub  |                      |                   |                                   |                   |                         |                                       | gs must be ema | iled to kcc-wel   | l-logs@kcc.ks.gov      | v. Digital electronic log |
| Drill Stem Tests T  |                      |                   | Ye                                | es No             |                         | L                                     |                | on (Top), Depth   |                        | Sample                    |
| Samples Sent to   | Geological Sur       | vey               | Ye                                | es No             |                         | Nam                                   | е              |                   | Тор                    | Datum                     |
| Cores Taken<br>Electric Log Run<br>Geolgist Report /<br>List All E. Logs R  | _                    |                   | <ul><li> Y€</li><li> Y€</li></ul> | es No             |                         |                                       |                |                   |                        |                           |
|   |                      |                   | Repo                              |                   | RECORD conductor, surfa | Ne                                    | w Used         | on, etc.          |                        |                           |
| Purpose of Str  | ing Siz              | e Hole            |                                   | e Casing          | Weight                  |                                       | Setting        | Type of           | # Sacks                | Type and Percent          |
| Fulpose of Sti  | "' <sup>g</sup> D    | rilled            | Set                               | (In O.D.)         | Lbs. / F                | t.                                    | Depth          | Cement            | Used                   | Additives                 |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   | ADDITIONAL        | CEMENTING               | i / SQL                               | JEEZE RECORD   |                   |                        |                           |
| Purpose:  |                      | Depth<br>Bottom   | Type                              | of Cement         | # Sacks U               | Sacks Used Type and Percent Additives |                |                   |                        |                           |
| Perforate Protect Cas   | sing                 |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| Plug Back Plug Off Zo   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| 1 lug Oli 20  | JIIC .               |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| Did you perform   | a hydraulic fractu   | ring treatment o  | n this w                          | ell?              |                         |                                       | Yes            | No (If No,        | skip questions 2 ar    | nd 3)                     |
| 2. Does the volume  | e of the total base  | fluid of the hydr | aulic fra                         | cturing treatmen  | t exceed 350,00         | 00 gallo                              | ns? Yes        | No (If No,        | skip question 3)       | ·                         |
| 3. Was the hydrauli   | ic fracturing treatr | nent information  | submit                            | ted to the chemic | cal disclosure re       | egistry?                              | Yes            | No (If No,        | fill out Page Three    | of the ACO-1)             |
| Date of first Produc  | ction/Injection or F | Resumed Produc    | ction/                            | Producing Met     | hod:                    |                                       |                |                   |                        |                           |
| Injection:  |                      |                   |                                   | Flowing           | Pumping                 |                                       | Gas Lift C     | other (Explain)   |                        |                           |
| Estimated Produc<br>Per 24 Hours  | tion                 | Oil Bbls          | S.                                | Gas               | Mcf                     | Wat                                   | er Bl          | ols.              | Gas-Oil Ratio          | Gravity                   |
| DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:  |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| Vented  | Sold Use             | d on Lease        |                                   | Open Hole         | Perf.                   |                                       |                | nmingled          | Тор                    | Bottom                    |
| (If vente   | d, Submit ACO-18.    | )                 |                                   |                   |                         | (Submit                               | ACO-5) (Subi   | mit ACO-4)        |                        |                           |
| Shots Per   | Perforation          | Perforation       | 1                                 | Bridge Plug       | Bridge Plug             |                                       | Acid,          | Fracture, Shot, ( | Cementing Squeeze      | Record                    |
| Foot  | Тор                  | Bottom            |                                   | Туре              | Set At                  |                                       |                | (Amount and k     | Kind of Material Used) |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
|   |                      |                   |                                   |                   |                         |                                       |                |                   |                        |                           |
| TUBING RECORE   | ): Size:             |                   | Set At:                           |                   | Packer At:              |                                       |                |                   |                        |                           |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | RJ Energy, LLC         |
| Well Name | MURROW 3-A             |
| Doc ID    | 1369229                |

### Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight |     | Type Of<br>Cement |    | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|--------|-----|-------------------|----|----------------------------------|
| Surface              | 9.875                | 7                     | 17     | 20  | portland          | 5  |                                  |
| Production           | 5.625                | 2.875                 | 6.5    | 684 | portland          | 62 |                                  |
|                      |                      |                       |        |     |                   |    |                                  |
|                      |                      |                       |        |     |                   |    |                                  |

3643A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# 48-1214033

HURRICANE SERVICES INC.

104 Prairie Plaza Parkway Garnett, KS 66032 Ph: 785-448-3100 Fax: 785-448-3102

MC ID# 165290

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

| Customer:         | Invoice Date: | 8/17/2017 |
|-------------------|---------------|-----------|
| R J ENTERPRISES   | Invoice #:    | 0034137   |
| C/O ROGER KENT    | Lease Name:   | MURROW    |
| 22082 NEOSHO RD   | Well #:       | 3-A       |
| GARNETT, KS 66032 | County:       | LINN      |

|                          | - County |         |          |
|--------------------------|----------|---------|----------|
| Date/Description         | HRS/QTY  | Rate    | Total    |
| Ticket 50331 Longstring  | 0.000    | 0.000   | 0.00     |
| Heavy Eq mileage one way | 30.000   | 2.438   | 73.13    |
| Light Eq mileage one way | 30.000   | 1.125   | 33.75    |
| Bulk truck #241          | 1.000    | 225.000 | 225.00   |
| Cementer #230            | 1.000    | 506.250 | 506.25   |
| Top rubber plug 2 3/8"   | 2.000    | 15.000  | 30.00    |
| Thickset cement          | 62.000   | 16.200  | 1,004.40 |
| Bentonite Gel            | 200.000  | 0.225   | 45.00    |

1,917.53 Total

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.



# RJ Energy

22082 NE Neosho Rd Garnett. Kansas 66032

## Murrow 3-A

|           |             |            | Start 8-16-17                         |
|-----------|-------------|------------|---------------------------------------|
| 2         | soil        | 2          | Finish 8-17-17                        |
| 3         | clay/gravel | 5          |                                       |
| 99        | lime        | 104        |                                       |
| 164       | shale       | 268        |                                       |
| 27        | lime        | 295        |                                       |
| <b>57</b> | shale       | 352        |                                       |
| 29        | lime        | 381        |                                       |
| 41        | shale       | 422        |                                       |
| 21        | lime        | 443        |                                       |
| 7         | shale       | <b>450</b> |                                       |
| 7         | lime        | <b>457</b> | set 20' of 7'' w/5sxs<br>Ran 684' 2 ¾ |
| 95        | shale       | 552        | cemented to surface 62 sxs            |
| 2         | lime        | <b>554</b> |                                       |
| 84        | shale       | 638        |                                       |
| 6         | sands shale | 644        | odor                                  |
| 10        | oil sand    | 654        | good show                             |
| 4         | dk sand     | 658        | show                                  |
| 32        | shale       | 690        | TD                                    |