

SGA? Yes No

1369759

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

#### **CATHODIC PROTECTION BOREHOLE INTENT**

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas	
Expected Spud Date:	Spot Description:
,	Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment:	Depth to Bedrock:
☐ Air Rotary ☐ Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	□ Well   □ Farm Pond   □ Stream   □ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used:  Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
Alloue installation depths are,,,,,,	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior</li> </ol>	
	r to any grouting.
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compiled. Submit plugging report (CP-4) within 60 days after final plugging is completed.	form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Submitted Electronically	
For KCC Use ONLY	
	I .
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
Conductor pipe requiredfeet	
Conductor pipe requiredfeet	to the address below.
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet	to the address below.
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet  Approved by:	to the address below.
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet  Approved by:  This authorization expires:	to the address below.
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet  Approved by:  This authorization expires:	to the address below.  Permit Expired

C	٦.	~ 7	r

1	3	6	q	7	5	Q

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator	:			Location of V	Well: County:
•					feet from N / S Line of Section
					feet from E / W Line of Section
				Sec	Twp S. R
				la Osadia a	Daniela de Discontra
				Is Section:	Regular or Irregular
				If Section is	s Irregular, locate well from nearest corner boundary.
				Section corn	ner used: NE NW SE SW
				PLAT	
			_		unit boundary line. Show the predicted locations of
	lease roads,	tank batteries, pi		, as required by the Kan ach a separate plat if de	nsas Surface Owner Notice Act (House Bill 2032).
	2357 ft.		iou may alla	ion a separate plat il des	Silicu.
	:	:	: :	: :	
					LEGEND
	:		:	· · · · · · · · · · · · · · · · · · ·	
	:	:	: :	<b>:</b> :	O Well Location
					Tank Battery Location  Pipeline Location
	:	•	:	: :	Electric Line Location
					Lease Road Location
	:		: : : : : : : : : : : : : : : : : : :	· · · · · · · · · · · · · · · · · · ·	
30 ft.	1				
ou ii.	(0)		18		EXAMPLE
	:	:	10 <u> </u>	: :	7
			ı		
					-
					1980' FSL

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date continue Pit capacity:  Trea?  Yes	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Drilling  Type of  Number  Abando  Drill pits			over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  sking pits to be utilized:  procedure:  see closed within 365 days of spud date.	
	1/00		NIV.	
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Perm	t Date: Lease Inspection: Yes No	



#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #					
Name:	· — —				
Address 1:	•				
Address 2:	Lease Name: Well #:				
City:         +	the lease helessy				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:					
City: State: Zip:+	_				
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form me being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I					

For KCC Use ONLY	
API # 15	

## IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: Colorado Interstate Gas Co., LLC	Location of Well: County: Washington
Facility Name: NGPL AMA-438 Lines #2,3,4	2,430 feet from N / S Line of Section
Borehole Number: 1	30 feet from E / W Line of Section
	Sec. 18 Twp. 1 S. R. 3 V E W W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
DI	.AT
lease roads tank hatteries pinelines and electrical lines as requ	earest lease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032).
1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
73' closer, # 26 2357 FNL & # 3 is 2284 F/	parate plat it desired.
73' closer, # 26 2357 FNX 2 #3 15 2284 F1	VZ
	LEGEND
	O Well Location
	Tank Battery Location
· §	Pipeline Location
200	Electric Line Location
	Lease Road Location
8 1 2	
W 011	EXAMPLE : :
2640' 18	<del></del>
	1980'FSL
<u> </u>	i i i i i i i i i i i i i i i i i i i
77.0817	
3	
	SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Project Install Rectifier & Grd Bed Entity NGPL AFE				
	ft. North Anode header cable	lew deep w	VOIE 501	Page #2
N/S fence		ft. from fend	ce line 1 25 ft.	, ine #A
1	15 ft.		>25 ft.	67 ft.  Line #3  62 ft.
				Y
30 ft.  New Rectifier  Rectifier	27 ft.	•18 ft.		
2: Plenty Rd.	Negative to removed line #1	p wells	South A	
		Natur	al Gas Pip	eline Company of America LLC
	Latitude ~ 39.966724	09.	ation Date: 14.1989	Last Revision Date: 04.11.2011
	Longitude ~ -97.144081	12°   T1S-R	3E-Sec. 18 gton Co. KS	AMA-438

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.