

TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO.

64196

Well Name & No. Porracek #6 Test No. 1 Date 7-17-17
 Company Boice LLC Elevation 2680 KB 2672 GL
 Address 2020 N. Bramblewood, Wichita, KS 67216
 Co. Rep / Geo. Bryan Bynog Rig Porracek #2
 Location: Sec. 7 Twp. 4.2 Rge. 27W Co. Dodge State KS

Interval Tested 3515-3575 Zone Tested Truro + LKC "A"
 Anchor Length 60 Drill Pipe Run 2996 Mud Wt. 9.1
 Top Packer Depth 3510 Drill Collars Run 522 Vis 62
 Bottom Packer Depth 3515 Wt. Pipe Run - WL 6.8
 Total Depth 3575 Chlorides 2000 ppm System LCM 2H
 Blow Description FF - S. blow built to 1/4"

FST - No blow
FF - No blow
FST - No blow

Rec	Feet of	%gas	%oil	%water	%mud
<u>53</u>	<u>Mud</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud


Rec Total 53 BHT 112 Gravity _____ API RW _____ @ _____ °F Chlorides _____ ppm

(A) Initial Hydrostatic 1783 Test _____ T-On Location 18:54
 (B) First Initial Flow 19 Jars _____ T-Started 20:55
 (C) First Final Flow 25 Safety Joint _____ T-Open 00:23
 (D) Initial Shut-In 870 Circ Sub _____ T-Pulled ~~07:23~~ 04:23
 (E) Second Initial Flow 29 Hourly Standby _____ T-Out 07:10
 (F) Second Final Flow 38 Mileage 41RF Comments _____
 (G) Final Shut-In 862 Sampler _____
 (H) Final Hydrostatic 1755 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____ Sub Total _____
 Day Standby _____ Total _____
 Accessibility _____ MP/DST Disc't _____
 Sub Total _____

Initial Open 30
 Initial Shut-In 60
 Final Flow 60
 Final Shut-In 90

Approved By [Signature] Our Representative [Signature]

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Berexco LLC

9 - 4S. - 27 W Decatur Co

2020 N. Bramblewood
Wichita, KS 67206

Patracek #6

Job Ticket: 64196

DST#: 1

ATTN: Bryan Bynog

Test Start: 2017.07.17 @ 20:55:00

GENERAL INFORMATION:

Formation: **Toronto & Lansing "A"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:22:00

Time Test Ended: 07:10:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Martine Salinas

Unit No: 82

Interval: 3515.00 ft (KB) To 3575.00 ft (KB) (TVD)

Total Depth: 3575.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2680.00 ft (KB)

2672.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 8959

Inside

Press@RunDepth: 37.66 psig @ 3516.00 ft (KB)

Start Date: 2017.07.17

End Date:

2017.07.18

Capacity: 8000.00 psig

Last Calib.: 2017.07.18

Start Time: 20:55:00

End Time:

07:10:00

Time On Btm: 2017.07.18 @ 00:21:50


Time Off Btm: 2017.07.18 @ 04:24:30

TEST COMMENT: 30-IF-S.blow built to 1/4"

60-ISI-No blow

60-FF-No blow

90-FSI-No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1782.75	110.01	Initial Hydro-static
1	18.63	108.91	Open To Flow (1)
31	24.51	109.71	Shut-In(1)
91	870.47	110.45	End Shut-In(1)
91	28.76	110.23	Open To Flow (2)
151	37.66	110.90	Shut-In(2)
242	862.49	111.60	End Shut-In(2)
243	1755.31	111.94	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
53.00	100% Mud	0.26

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)


Serial #: 8959

Inside

Berexco LLC

Patracek #6


DST Test Number: 1



Trilobite Testing, Inc

Ref. No: 64196

Printed: 2017.07.18 @ 07:25:04



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 64197

Well Name & No. Petracek #6 Test No. 2 Date 7-18-17
 Company Berco LLC Elevation 2680 KB 2672 GL
 Address 2020 N. Bramblewood, Wichita, KS 67206
 Co. Rep / Geo. Pryan Bryng Rig Berco #2
 Location: Sec. 7 Twp. 45 Rge. 27W Co. Decatur State K1

Interval Tested 3576-9588 Zone Tested Lansing "B"
 Anchor Length 22' Drill Pipe Run 3059 Mud Wt. 9.1
 Top Packer Depth 3571 Drill Collars Run 522 Vis 64
 Bottom Packer Depth 3576 Wt. Pipe Run ✓ WL 6.8
 Total Depth 3578 Chlorides 2300 ppm System LCM 2F

Blow Description IF: S. blow built to P.O.B (12 inches) @ 1 min
ISE: blow back built to B.O.B (12 inches) @ 8 mins + died back to 10 1/2" @ shut in
FF: S. blow built to P.O.B (12 inches) @ 7 mins 15 secs
FSE: blow back built to B.O.B (12 inches) @ 9 mins 15 secs + died back to 11"

Rec	Feet of		%gas	%oil	%water	%mud
<u>116</u>	<u>HGOCM</u>	<u>18</u>	<u>39</u>		<u>43</u>	
<u>988</u>	<u>CGO</u>	<u>7</u>	<u>93</u>			
<u>0</u>	<u>1749' GIP</u>	<u>100</u>				

Rec Total 1104 BHT 114 Gravity 35.6 API RW @ °F Chlorides ppm

(A) Initial Hydrostatic 1809 Test _____ T-On Location 16:14
 (B) First Initial Flow 114 Jars _____ T-Started 17:29
 (C) First Final Flow 282 Safety Joint _____ T-Open 19:57
 (D) Initial Shut-In 514 Circ Sub _____ T-Pulled 23:27
 (E) Second Initial Flow 307 Hourly Standby _____ T-Out 05:26
 (F) Second Final Flow 400 Mileage 41RT Comments _____
 (G) Final Shut-In 527 Sampler _____
 (H) Final Hydrostatic 1829 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____ Sub Total _____
 Day Standby _____ Total _____
 Accessibility _____ MP/DST Disc't _____
 Sub Total _____

Approved By [Signature] Our Representative [Signature]

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Berexco LLC
2020 N. Bramblewood
Wichita, KS 67206
ATTN: Bryan Bynog


9 - 4S. - 27 W Decatur Co
Patracek #6
Job Ticket: 64197 **DST#: 2**
Test Start: 2017.07.18 @ 17:29:00

GENERAL INFORMATION:

Formation: **Lansing "B"**
Deviated: No Whipstock: ft (KB) Test Type: Conventional Bottom Hole (Reset)
Time Tool Opened: 19:57:40 Tester: Martine Salinas
Time Test Ended: 05:25:40 Unit No: 82
Interval: 3576.00 ft (KB) To 3598.00 ft (KB) (TVD) Reference Elevations: 2680.00 ft (KB)
Total Depth: 3598.00 ft (KB) (TVD) 2672.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Fair KB to GR/CF: 8.00 ft

Serial #: 8959 Inside
Press@RunDepth: 400.42 psig @ 3577.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2017.07.18 End Date: 2017.07.19 Last Calib.: 2017.07.19
Start Time: 17:29:00 End Time: 05:25:40 Time On Btm: 2017.07.18 @ 19:56:30
Time Off Btm: 2017.07.18 @ 23:30:50

TEST COMMENT: 30-IF-S.blow built to B.O.B. (12 inches) @ 1 min
60-ISI-Blow back built to B.O.B (12 inches) @ 8 mins & died back to 10 1/2 inches @ shut in
60-FF-S.blow built to B.O.B. (12 inches) @ 7mins 15 seconds
60-FSI-Blow back built to B.O.B (12 inches) @ 9 mins 15 seconds & died back to 11"



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1808.97	108.35	Initial Hydro-static
2	113.79	109.72	Open To Flow (1)
31	282.46	115.74	Shut-In(1)
91	514.38	113.78	End Shut-In(1)
91	306.56	113.75	Open To Flow (2)
151	400.42	115.86	Shut-In(2)
213	527.32	114.53	End Shut-In(2)
215	1828.53	113.88	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
116.00	HGOCM 18%G, 39%O, 43%M	0.57
988.00	CGO 7%G, 93%O	10.16
0.00	1749' GIP	0.00

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO.

64198

Well Name & No. Petracek #6 Test No. 3 Date 7-26-17
 Company Petrexco LLC Elevation 2630 KB 2672 GL
 Address 2020 N. Bramblewood Wichita, KS 67206
 Co. Rep / Geo. Peyton Pyping Rig Petrexco #2
 Location: Sec. 9 Twp. 4S Rge. 27W Co. Decatur State KS

Interval Tested 3610-3630 Zone Tested LKC "C,D+E"
 Anchor Length 20' Drill Pipe Run 3089 Mud Wt. 9.1
 Top Packer Depth 3605 Drill Collars Run 522 Vis 55
 Bottom Packer Depth 3610 Wt. Pipe Run --- WL 7.2
 Total Depth 3630 Chlorides 2300 ppm System LCM 1#
 Blow Description IF: Weak 3. blow and @ 1/2 min
ISE: No blow
FF: No blow
FSI: No blow

Rec	Feet of	%gas	%oil	%water	%mud
<u>5</u>	<u>OSM</u>	<u>3</u>		<u>97</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 5 BHT 111 Gravity _____ API RW _____ @ _____ °F Chlorides _____ ppm

(A) Initial Hydrostatic 1839 Test _____ T-On Location 06:40
 (B) First Initial Flow 18 Jars _____ T-Started 07:42
 (C) First Final Flow 17 Safety Joint _____ T-Open 10:08
 (D) Initial Shut-In 21 Circ Sub _____ T-Pulled 12:53
 (E) Second Initial Flow 18 Hourly Standby _____ T-Out 15:03
 (F) Second Final Flow 17 Mileage 41 RT Comments _____
 (G) Final Shut-In 20 Sampler _____
 (H) Final Hydrostatic 1814 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____ Sub Total _____
 Day Standby _____ Total _____
 Accessibility _____ MP/DST Disc't _____
 Sub Total _____

Approved By [Signature] Our Representative [Signature]

TriLOBITE Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss, suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test; tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Berexco LLC

9 - 4S. - 27 W Decatur Co

2020 N. Bramblewood
Wichita, KS 67206

Patracek #6

Job Ticket: 64198

DST#: 3

ATTN: Bryan Bynog

Test Start: 2017.07.20 @ 07:42:00

GENERAL INFORMATION:

Formation: **LKC "C, D & E"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:07:10

Time Test Ended: 15:02:39

Test Type: Conventional Bottom Hole (Reset)

Tester: Martine Salinas

Unit No: 82

Interval: 3610.00 ft (KB) To 3630.00 ft (KB) (TVD)

Reference Elevations: 2680.00 ft (KB)

Total Depth: 3630.00 ft (KB) (TVD)

2672.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 8959

Inside

Press@RunDepth: 17.45 psig @ 3611.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.07.20

End Date:

2017.07.20

Last Calib.: 2017.07.20

Start Time: 07:42:00


End Time:

15:02:39

Time On Btm: 2017.07.20 @ 10:07:00

Time Off Btm: 2017.07.20 @ 12:55:09

TEST COMMENT: 30-IF-Weak s. blow dead @ 9 1/2 mins
45-ISI- No blow
45-FF- No blow
45-FSI- No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1838.99	108.93	Initial Hydro-static
1	17.85	108.23	Open To Flow (1)
31	16.56	108.56	Shut-In(1)
76	20.78	109.04	End Shut-In(1)
76	17.55	109.05	Open To Flow (2)
121	17.45	109.68	Shut-In(2)
167	20.25	110.27	End Shut-In(2)
169	1813.96	111.11	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	OSM 3%O, 97%Mud	0.02

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)


Serial #: 8959

Inside

Berexco LLC

Patracek #6

DST Test Number: 3



Trilobite Testing, Inc

Ref. No: 64198

Printed: 2017.07.20 @ 15:16:49


Serial #: 8959

Inside

Berexco LLC

Patracek #6


DST Test Number: 2



Trilobite Testing, Inc

Ref. No: 64197

Printed: 2017.07.19 @ 05:45:51



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 64199

Well Name & No. Peticeck # Test No. 4 Date 7-20-17
 Company Peticeck LLC Elevation 2680 KB 2672 GL
 Address 2020 N. Bramblewood, Wichita, KS 67706
 Co. Rep / Geo. Rayon Payne Rig Peticeck #2
 Location: Sec. 7 Twp. 4S Rge. 27W Co. Decatur State KS


Interval Tested 3640-3655 Zone Tested LKC "G"
 Anchor Length 15 Drill Pipe Run 3120 Mud Wt. 9.0
 Top Packer Depth 3635 Drill Collars Run 522 Vis 60
 Bottom Packer Depth 3640 Wt. Pipe Run - WL 7.2
 Total Depth 3655 Chlorides 2460 ppm System LCM 1#
 Blow Description IF: 3 blow built to 2"
ESI: No blow
EF: 3 blow built to 4 1/2"
ESI: No blow

Rec	Feet of	%gas	%oil	%water	%mud
<u>34</u>	<u>OCWIM</u>	<u>11</u>	<u>41</u>	<u>48</u>	
<u>25</u>	<u>20</u>	<u>100</u>			

Rec Total 59 BHT 113 Gravity 35 API RW @ _____ °F Chlorides _____ ppm

(A) Initial Hydrostatic 1852 Test _____ T-On Location 22:40 7-20-17
 (B) First Initial Flow 18 Jars _____ T-Started 23:58
 (C) First Final Flow 32 Safety Joint _____ T-Open 05:16
 (D) Initial Shut-In 740 Circ Sub _____ T-Pulled 07:16
 (E) Second Initial Flow 38 Hourly Standby _____ T-Out 07:51 7-21-17
 (F) Second Final Flow 64 Mileage 41 RT Comments _____
 (G) Final Shut-In 737 Sampler _____
 (H) Final Hydrostatic 1824 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____ Sub Total _____
 Day Standby _____ Total _____
 Accessibility _____ MP/DST Disc't _____
 Sub Total _____

Approved By [Signature] Our Representative [Signature]
 TriLOBITE TESTING INC. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Berexco LLC
2020 N. Bramblewood
Wichita, KS 67206
ATTN: Bryan Bynog


9 - 4S. - 27 W Decatur Co
Patracek #6
Job Ticket: 64199 **DST#: 4**
Test Start: 2017.07.20 @ 23:58:00

GENERAL INFORMATION:

Formation: **LKC "G"**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 02:15:00
Time Test Ended: 09:50:10
Test Type: Conventional Bottom Hole (Reset)
Tester: Martine Salinas
Unit No: 82
Interval: **3640.00 ft (KB) To 3655.00 ft (KB) (TVD)**
Reference Elevations: 2680.00 ft (KB)
Total Depth: 3655.00 ft (KB) (TVD) 2672.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Fair KB to GRVCF: 8.00 ft

Serial #: 8959 Inside
Press@RunDepth: 64.32 psig @ 3641.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2017.07.20 End Date: 2017.07.21 Last Calib.: 2017.07.21
Start Time: 23:58:00 End Time: 09:50:10 Time On Btm: 2017.07.21 @ 02:14:50
Time Off Btm: 2017.07.21 @ 07:22:09

TEST COMMENT: 30-IF-S.blow built to 2"
60-ISI-No blow
90-FF-S.blow built to 4 1/2"
120-FSI-No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1852.30	108.52	Initial Hydro-static
1	18.26	108.07	Open To Flow (1)
31	31.99	109.21	Shut-In(1)
91	739.97	110.20	End Shut-In(1)
92	37.53	110.15	Open To Flow (2)
181	64.32	113.77	Shut-In(2)
306	737.20	113.75	End Shut-In(2)
308	1823.51	112.71	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
34.00	OCWM 11%O, 41%W, 48%M	0.17
25.00	CO 100%O	0.12

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)


Serial #: 8959

Inside

Berexco LLC

Patracek #6


DST Test Number: 4



Trilbite Testing, Inc

Ref. No: 64199

Printed: 2017.07.21 @ 10:08:38



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO.

64200

Well Name & No. Petrick #6 Test No. 5 Date 7-21-17
 Company Petrexco LLC Elevation 2680 KB 2672 GL
 Address 2026 N. Proubleyard, Wichita, KS 67746
 Co. Rep / Geo. Bryan Bynog Rig Parade #2
 Location: Sec. 9 Twp. 4.5 Rge. 29W Co. Decatur State KS

Interval Tested 3654-3725 Zone Tested LKC "H, T, + S"
 Anchor Length 71' Drill Pipe Run 2120 Mud Wt. 9.1
 Top Packer Depth 3649 Drill Collars Run 522 Vis 55
 Bottom Packer Depth 3654 Wt. Pipe Run — WL 7.6
 Total Depth 3725 Chlorides 2400 ppm System LCM 2H
 Blow Description F.S. Blow built to 3"
ISE: No Blow
F.S. Blow built to R.O.B. (12 inches) @
FSE: Plug back built to 1/4" + dia @


Rec	Feet of	%gas	%oil	%water	%mud
<u>75</u>	<u>Feet of H900M</u>	<u>13</u>	<u>27</u>	<u>60</u>	
<u>55</u>	<u>Feet of CGO</u>	<u>2</u>	<u>98</u>		
<u>D</u>	<u>Feet of 467' GTP</u>				

Rec Total 130 BHT 113 Gravity 39.2 API RW — @ — °F Chlorides — ppm

(A) Initial Hydrostatic 1832 Test — T-On Location 21:15 7-21-17
 (B) First Initial Flow 19 Jars — T-Started 21:37
 (C) First Final Flow 27 Safety Joint — T-Open 00:11
 (D) Initial Shut-In 697 Circ Sub — T-Pulled 05:11
 (E) Second Initial Flow 38 Hourly Standby — T-Out 07:51 7-22-17
 (F) Second Final Flow 68 Mileage 41BT Comments —
 (G) Final Shut-In 691 Sampler —
 (H) Final Hydrostatic 1814 Straddle — Ruined Shale Packer —
 Shale Packer — Ruined Packer —
 Extra Packer — Extra Copies —
 Extra Recorder — Sub Total —
 Day Standby — Total —
 Accessibility — MP/DST Disc't —
 Sub Total —

Initial Open 30
 Initial Shut-In 60
 Final Flow 90
 Final Shut-In 120
 Approved By Will E. Bynog Our Representative april

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Berexco LLC
2020 N. Bramblewood
Wichita, KS 67206
ATTN: Bryan Bynog

9 - 4S. - 27 W Decatur Co

Patracek #6

Job Ticket: 64200

DST#: 5

Test Start: 2017.07.21 @ 21:37:00

GENERAL INFORMATION:

Formation: **LKC "H, I, & J**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 00:11:00
Time Test Ended: 07:50:49

Test Type: Conventional Bottom Hole (Reset)
Tester: Martine Salinas
Unit No: 82

Interval: **3654.00 ft (KB) To 3725.00 ft (KB) (TVD)**
Total Depth: 3725.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2680.00 ft (KB)
2672.00 ft (CF)
KB to GR/CF: 8.00 ft


Serial #: 8959

Inside

Press@RunDepth: 67.87 psig @ 3655.00 ft (KB)
Start Date: 2017.07.21 End Date: 2017.07.22
Start Time: 21:37:01 End Time: 07:50:49

Capacity: 8000.00 psig
Last Calib.: 2017.07.22
Time On Btm: 2017.07.22 @ 00:10:40
Time Off Btm: 2017.07.22 @ 05:14:39

TEST COMMENT: 30-IF-S.blow built to 3"
60-IS- No blow
90-FF-S.blow built to B.O.B (12 inches) @ 43mins
120-FSI-Blow back built to 1/4" & died @ 1 hr 22mins



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1832.11	108.39	Initial Hydro-static
1	19.45	107.78	Open To Flow (1)
32	36.59	109.62	Shut-In(1)
91	697.48	110.45	End Shut-In(1)
92	37.76	110.19	Open To Flow (2)
181	67.87	111.85	Shut-In(2)
303	691.23	112.64	End Shut-In(2)
304	1813.94	113.08	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
75.00	HGOCM 13%G, 27%O, 60%M	0.37
55.00	CGO 2%G, 98%O	0.27
0.00	467' GIP	0.00

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

Serial #: 8959

Inside

Berexco LLC

Patracek #6

DST Test Number: 5

