







**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Vess Oil Corp.  
1700 Waterfront Parkway  
Building 500  
Wichit, KS 67206  
ATTN: Casey Coats/Roger Ma

**21/25S/5E Butler, KS**  
**Chesney A #241**  
Job Ticket: 63587      **DST#: 3**  
Test Start: 2017.08.16 @ 04:59:05

## Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	18000 ppm
Viscosity: 53.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.48 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 1200.00 ppm			
Filter Cake: inches			

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
520.00	Mud cut w ater 15% M & 85% W	4.238
530.00	Drilling mud 100% M	5.744
0.00	Tool Sample - mud cut w ater 7%M & 93%W	0.000

Total Length: 1050.00 ft      Total Volume: 9.982 bbl  
Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:  
Laboratory Name:      Laboratory Location:  
Recovery Comments:


Serial #: 9124

Inside

Vess Oil Corp.

Chesney A #241

DST Test Number: 3



Serial #: 8679

Outside

Vess Oil Corp.

Chesney A #241

DST Test Number: 3

