

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	OIL & GAS CONSERVATION DIVISION

SGA?

Yes No

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

DPERATOR: License#	Expected Spud Date:	day year	Spot Description:	
SECTION: Regular Irregular?		aay you.	Sec Twp S.	R E W
Is SECTION: Regular Irregular? Mote: Locate well on the Section Plat on reverse side)	DPERATOR: License#		feet from N /	S Line of Sectio
ddress 2:	lame:		feet from E /	W Line of Section
State: Zip: + County: Lease Name: Well #:	ddress 1:		Is SECTION: Regular Irregular?	
State: Zip: +	ddress 2:		— (Note: Locate well on the Section Plat on rev	verse side)
Lease Name: Well #:	ty: State:	Zip: +	,	*
Field Name: Well Drilled For: Well Class: Type Equipment: Target Formation(s): T	ontact Person:			
Stile a Prorected / Spaced Field? Storage	none:			_ *************************************
Target Formation(s): Nearest Lease or unit boundary line (in footage): Season: Storage Pool Ext. Gats Amount Season: Storage Pool Ext. Gats	ONTRACTOR: License#			Yes No
New Drilled For: Well Class: Type Equipment: Ground Surface Elevation: Seet M See				
Ground Surface Elevation:	Mall Daille d Fam. Mall Olassa	Two Continues of		
Gas Storage Pool Ext. Air Rotary Poo	Well Drilled For: Well Class:	Type Equipment:		
Selsmic # of Holes Other		= '		
Seismic # of Holes Other		′	·	
Depth to bottom of usable water: Depth to bottom of usable water:		Cable		
Surface Pipe by Alternate:			•	
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):	Other:			
Operator: Well Name: Original Completion Date: Original Total Depth:: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill Shaft be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water osurface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Prior KCC Use ONLY API #15 - File Corrification of Compliance with the Kansas Surface Owner Notification A	If OWWO: old well information as follow	ws:		
Projected Total Depth:				
Formation at Total Depth: Water Source for Dilling Operations: Water Source for Dilling Operation Source for Dilling Dilling Dilling Operation Source for Dilling Dilling Operation Operation Source for Dilling Dilling Dilling Dilling Operation Operation Operation Source for Dilling	•			
Water Source for Drilling Operations: West Source for Drilling Operations: West Source for Drilling Operations: West Farm Pond Other: DWR Permit #: West DWR DWR				
Ves. true vertical depth: Ves. No Well Farm Pond Other: DWR Permit #: DWR Perm	Original Completion Date: C	originai lotai Depth:		
Nest, true vertical depth:	Directional Deviated or Horizontal wellbore?	Yes No		
Note: Apply for Permit with DWR Note: Apply for Permit with DWR Will Cores be taken? Yes If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.	•		DVVR Permit #.	7,
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Completion Form ACC-1 with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File careage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 1. Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.			_	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** For KCC Use ONLY API # 15		lling, completion and eventual		
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemmber to: For KCC Use ONLY API # 15 - Conductor pipe required feet feet per ALT. I I I I Approved by: Approved by: This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) This authorization void if drilling not started within 12 months of approval date.)	t is agreed that the following minimum requ	irements will be met:		
Remember to: For KCC Use ONLY API # 15	2. A copy of the approved notice of inter	nt to drill shall be posted on ea as specified below shall be s plus a minimum of 20 feet into	set by circulating cement to the top; in all cases surface pipe so the underlying formation. district office on plug length and placement is necessary prior	
API # 15	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Eastern	notified before well is either pluoroduction pipe shall be cemelen Kansas surface casing order	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternative states and the surface of th	of spud date.
Conductor pipe required	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Eastern must be completed within 30 days of the	notified before well is either pluoroduction pipe shall be cemelen Kansas surface casing order	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternal be plugged. In all cases, NOTIFY district office prior to any	of spud date.
Conductor pipe required	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Eastern must be completed within 30 days of the	notified before well is either pluoroduction pipe shall be cemelen Kansas surface casing order	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternal be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface C	of spud date. ate II cementing y cementing.
Minimum surface pipe required	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of the	notified before well is either plooreduction pipe shall be cement and say surface casing order the spud date or the well shall	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill;	of spud date. ate II cementing y cementing.
Approved by: This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) The actege attribution plat according to field profation voiders, Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 -	notified before well is either plooreduction pipe shall be cement and say surface casing order the spud date or the well shall	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	of spud date. ate II cementing y cementing.
This authorization expires:	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of r ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	notified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall feet	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternative be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dates	of spud date. ate II cementing y cementing. Owner Notification
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of the second	notified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall feet feet per ALT I II	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration or	of spud date. ate II cementing y cementing. Owner Notification e; ders;
(This addition void it drilling not started within 12 months of approval date.)	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of r Ubmitted Electronically For KCC Use ONLY API # 15	notified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall feet feet per ALT I II	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternative be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date - File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover	of spud date. ate II cementing y cementing. Owner Notification e; ders; or or re-entry;
	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of r ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	notified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall shallfeet feet per ALT I II	nted from below any usable water to surface within 120 DAYS r #133,891-C, which applies to the KCC District 3 area, alternative be plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date - File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover Submit plugging report (CP-4) after plugging is completed	of spud date. ate II cementing y cementing. Dwner Notification e; ders; or re-entry; I (within 60 days);
	through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of r ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	notified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall feet feet per ALT I III	r#133,891-C, which applies to the KCC District 3 area, alternative by the plugged. In all cases, NOTIFY district office prior to any series of the KCN District 3 area, alternative by the plugged. In all cases, NOTIFY district office prior to any series of the plugged. In all cases, NOTIFY district office prior to any series of the plugged. In all cases, NOTIFY district office prior to any series of the plugged. File Certification of Compliance with the Kansas Surface of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt versions.	of spud date. ate II cementing y cementing. Dwner Notification e; ders; or re-entry; I (within 60 days); vater. zed expiration date)

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: County	:				
_ease:										fe	et from	N /	S Line	of Section
Vell Numbe	er:									fe	et from	E /	W Line	of Section
Field:	ield:					Se	C	Twp	;	S. R		E	W	
Number of A							10 1	Section:	Regular	r or	Irregulai	r		
									Irregular, Ic					dary.
							Se	ction corne	er used:	NE	NW	SE S	SW	
	0/		(1/2		f ((-		PLAT		d 1' OI					
					•				dary line. Sh sas Surface					
		,		•				plat if desi				•	,	
Г		:	:	:		:	:	;	7					
			:	:			:	<u> </u>	_ 382 ft		LEGI	END		
	••••	•	•	· ···········	•••••	•	•	•		0	Well I	ocation		
				:						\Box		Battery L	ocation	
	•••••		•	•	•••••			•			-	ne Locati		
		<u>:</u>	:	:		<u>:</u>	:	:				ic Line L		
		:	:	:		:	:	:			Lease	Road Lo	ocation	
		:	<u>:</u>	:		:	:	:						
				:					E	XAMPL	E		:	
		:	:		5	:	:	:		:				
		:				:	:	:		········ :		•••••	:	
	•••••	······· :	:	· · · · · · · · · · · · · · · · · · ·	•••••	······· :	:	· · · · · · · · · · · · · · · · · · ·		:			:	
				:			:					•••••		
	•••••	· 	· 	· 		· · · · · · · · · · · · · · · · · · · ·	· 	· 		i	0-7			1980' FSL
		:	:	• • •		:	:	: : :		······			: 	
		:	:	:		:	:	: 		:			:	
		:	:	:		:	:	: :					:	
		:	:	:		:	:	:	SE	WARD CO.	3390' FF			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373348

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:						
Operator Address:								
Contact Person:		Phone Number:						
Lease Name & Well No.:			Pit Location (QQQQ):					
Type of Pit:	Pit is:	- Francisco						
Emergency Pit Burn Pit Settling Pit Drilling Pit	Proposed If Existing, date cor	Existing	SecTwpREast West					
Workover Pit Haul-Off Pit			Feet from North / South Line of Section					
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section					
		(bbls)	County					
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?					
, , , ,	Length (feem ground level to dee	•	Width (feet) N/A: Steel Pits (feet) No Pit					
If the pit is lined give a brief description of the lin material, thickness and installation procedure.		Describe proce	dures for periodic maintenance and determining cluding any special monitoring.					
Distance to nearest water well within one-mile o	f pit:	Depth to shallo Source of inforr	west fresh water feet. nation:					
feet Depth of water well	feet	measured	well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:						
Producing Formation:		Type of material utilized in drilling/workover:						
Number of producing wells on lease:		Number of working pits to be utilized:						
Barrels of fluid produced daily:		Abandonment p	procedure:					
Does the slope from the tank battery allow all sp flow into the pit? Yes No	oilled fluids to	Drill pits must be closed within 365 days of spud date.						
Submitted Electronically								
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS								
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No					



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373348

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. It (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, and	d email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

BLACKROCK RESOURCES, LLC WRIGHT LEASE NE. 1/4, SECTION 25, T.12S, R37W LOGAN COUNTY, KANSAS



- * Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- section of land containing are across.

 Approximate section lines were determined using the normal standard of care of cilifield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillate location in the normal processarily located and the exact location of the drillate location is processarily located. And the exact location of the drillate location is plot and all other nor guaranteed. Therefore, the operator securing this service and accepting this plot and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc., its plot and applications for a securing this service and said entities released from any liability from incidental or consequential damages.

November 7, 2017