

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373672

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:			Spot Description:			
	month	day year	Sec Twp S	s. R		
ODEDATOR: License#			(0/0/0/0)	/ S Line of Section		
			feet from E	/ W Line of Section		
			Is SECTION: Regular Irregular?			
		Zip: +	(Note: Locate well on the Section Plat on re	verse side)		
Contact Person:		·	County:			
hone:			Lease Name:	Well #:		
			Field Name:			
			Is this a Prorated / Spaced Field?	Yes No		
lame:			Target Formation(s):			
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):			
Oil Enh R	ec Infield	Mud Rotary	Ground Surface Elevation:	feet MS		
Gas Storag		= '	Water well within one-quarter mile:	Yes N		
Dispos		Cable	Public water supply well within one mile:	Yes N		
Seismic ; # of			Depth to bottom of fresh water:			
Other:			Depth to bottom of usable water:			
			Surface Pipe by Alternate: I II			
If OWWO: old well i	nformation as follows	::	Length of Surface Pipe Planned to be set:			
Operator:			Length of Conductor Pipe (if any):			
•			. Projects d Total Double			
		ginal Total Depth:	•	Formation at Total Depth:		
Original Completion Dat	<u> </u>	ginar rotar Boptin.	Water Source for Drilling Operations:			
Directional, Deviated or Hor	izontal wellbore?	Yes No	Well Farm Pond Other:			
f Yes, true vertical depth:			DWR Permit #:			
Bottom Hole Location:			(Note: Apply for Permit with DWR	7)		
			Will Cores be taken?	Yes N		
			If Yes, proposed zone:			
			FIDAVIT			
-			ugging of this well will comply with K.S.A. 55 et. seq.			
Charles and a second of the College California.	ing minimum require	ements will be met:				
it is agreed that the followi		arto enudding of well-				
it is agreed that the following a spropria. Notify the appropria	te district office pric	or to spacially of well;	h drilling rig:			
 Notify the appropria A copy of the appropria 	ved notice of intent	to drill shall be posted on each	• •			
 Notify the appropria A copy of the appropria The minimum amou 	ved notice of intent to int of surface pipe a	to drill shall be posted on each s specified below shall be set	t by circulating cement to the top; in all cases surface pipe	shall be set		
 Notify the appropria A copy of the appropria The minimum amounthrough all unconso 	ved notice of intent to int of surface pipe a lidated materials plu	to drill shall be posted on each is specified below shall be set us a minimum of 20 feet into th	t by circulating cement to the top; in all cases surface pipe solution to the top; in all cases surface pipe solution.			
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole 	ved notice of intent of unt of surface pipe a lidated materials plu e, an agreement bet	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dis	t by circulating cement to the top; in all cases surface pipe so the underlying formation. Strict office on plug length and placement is necessary prio			
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dist 	ved notice of intent of ant of surface pipe a lidated materials plue, an agreement bet trict office will be no	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispetified before well is either plugger.	t by circulating cement to the top; in all cases surface pipe some underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in;	r to plugging;		
 Notify the appropria A copy of the appro The minimum amou through all unconso If the well is dry hole The appropriate dist If an ALTERNATE II 	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, pro	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatied before well is either pluggoduction pipe shall be cemented.	t by circulating cement to the top; in all cases surface pipe some underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and the company usable water to surface within 120 DAYS.	r to plugging; S of spud date.		
 Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hold The appropriate dist If an ALTERNATE II or pursuant to Appenia 	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern F	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe some underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in;	r to plugging; Sof spud date. ate II cementing		
 Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hold The appropriate dist If an ALTERNATE II or pursuant to Appenia 	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern F	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe so the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing		
 Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hold The appropriate dist If an ALTERNATE II or pursuant to Appenia 	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern F	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe so the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing		
 Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appendent 	ved notice of intent of surface pipe as didated materials plue, an agreement bet trict office will be no COMPLETION, propendix "B" - Eastern within 30 days of the	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe so the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing		
 Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appendent 	ved notice of intent of surface pipe as didated materials plue, an agreement bet trict office will be no COMPLETION, propendix "B" - Eastern within 30 days of the	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe so the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern the plugged. In all cases, NOTIFY district office prior to an	r to plugging; Sof spud date. ate II cementing		
 Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appendent 	ved notice of intent of surface pipe as didated materials plue, an agreement bet trict office will be no COMPLETION, propendix "B" - Eastern within 30 days of the	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispatified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternice plugged. In all cases, NOTIFY district office prior to an Remember to:	or to plugging; Sof spud date. ate II cementing y cementing.		
Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the distified before well is either pluggoduction pipe shall be cemented Kansas surface casing order #1 e spud date or the well shall be	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It ict office on plug length and placement is necessary prioused or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternice plugged. In all cases, NOTIFY district office prior to an Remember to: - File Certification of Compliance with the Kansas Surface	or to plugging; Sof spud date. ate II cementing y cementing.		
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15	ved notice of intent of surface pipe and idated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the ideally	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispetified before well is either pluggoduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternice plugged. In all cases, NOTIFY district office prior to an Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	or to plugging; Sof spud date. ate II cementing y cementing.		
Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY	ved notice of intent of surface pipe and idated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the ideally	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dispetified before well is either pluggoduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternia e plugged. In all cases, NOTIFY district office prior to an interpretable Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification		
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dissortified before well is either pluggoduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be shall be specified.	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It into the control of the control	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification		
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ved notice of intent of surface pipe as lidated materials plue, an agreement bet trict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dissortified before well is either pluggeduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be shall be specified before well. feetfeetfeet per ALTIIII	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It ict office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternia e plugged. In all cases, NOTIFY district office prior to an interpretable Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; Sof spud date. ate II cementing y cementing. Owner Notification de; rders;		
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe required Approved by:	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dissortified before well is either pluggeduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be shall be specified before well. feetfeetfeet per ALTIIII	the priculating cement to the top; in all cases surface pipe is the underlying formation. It interest office on plug length and placement is necessary prioused or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or	or to plugging; Sof spud date. ate II cementing y cementing. Owner Notification de; rders; er or re-entry;		
1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearus to expense of the completed Ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the disperience of the shall be cemented that we have a surface casing order # to spud date or the well shall be compared to the shall be compared to	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It interest office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternice plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove	or to plugging; Sof spud date. ate II cementing y cementing. Owner Notification e; rders; er or re-entry; d (within 60 days);		
1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearus to expense of the completed Ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	ved notice of intent of surface pipe as lidated materials plue, an agreement bettrict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the nically	to drill shall be posted on each as specified below shall be set us a minimum of 20 feet into the tween the operator and the dissortified before well is either pluggeduction pipe shall be cemented Kansas surface casing order # e spud date or the well shall be shall be specified before well. feetfeetfeet per ALTIIII	t by circulating cement to the top; in all cases surface pipe is the underlying formation. It interest office on plug length and placement is necessary prious ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternice plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is completed.	or to plugging; of of spud date. ate II cementing y cementing. Owner Notification oe; ders; or or re-entry; d (within 60 days); water.		

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1560 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		· · · · · · · · · · · · · · · · · · ·	
Emergency Pit Burn Pit	Proposed Existing		Sec. Twp. R. East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County	
la the with exerted in a Constitute Consum d Western A	7002 Van N	,		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
	Yes N			
, , ,	Length (fee	,	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the lin	om ground level to dee	· ·	dures for periodic maintenance and determining	
material, thickness and installation procedure.	1161	liner integrity, including any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
			Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No	



1373672


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	the batteries, pipelines, and electrical lines. The locations shown on the plant the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted out (House Bill 2032), I have provided the following to the surface potential of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax, an	nd email address.		
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1			
Submitted Electronically			





Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 22, 2017

Scott Corsair American Warrior, Inc. PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Van 1-28 SW/4 Sec.28-20S-22W Ness County, Kansas

Dear Scott Corsair:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.