

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373865

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | month day | year | Spot Description: | |
|--|--|--|--|---|
| | monur day | your | Sec Twp S. | R [_] E [] V |
| OPERATOR: License# | | | feet from N | \vdash |
| ame: | | | feet from E / | W Line of Section |
| ddress 1: | | | Is SECTION: Regular Irregular? | |
| .ddress 2: | | | (Note: Locate well on the Section Plat on rev | verse side) |
| | State: Zip | | County: | |
| | | | Lease Name: | _ Well #: |
| none: | | | Field Name: | |
| ONTRACTOR: License# | | | Is this a Prorated / Spaced Field? | Yes N |
| lame: | | | Target Formation(s): | |
| Well Drilled For: | Well Class: | Type Equipment: | Nearest Lease or unit boundary line (in footage): | |
| Oil Enh F | Rec Infield | Mud Rotary | Ground Surface Elevation: | feet MS |
| Gas Stora | | Air Rotary | Water well within one-quarter mile: | Yes N |
| Dispo | | Cable | Public water supply well within one mile: | Yes N |
| Seismic ;# o | | | Depth to bottom of fresh water: | |
| <u> </u> | | | Depth to bottom of usable water: | |
| | | | Surface Pipe by Alternate: I II | |
| If OWWO: old well | information as follows: | | Length of Surface Pipe Planned to be set: | |
| Operator: | | | Length of Conductor Pipe (if any): | |
| • | | | Projected Total Depth: | |
| Original Completion Da | ate: Original | Total Depth: | Formation at Total Depth: | |
| | | | Water Source for Drilling Operations: | |
| irectional, Deviated or Ho | | Yes No | Well Farm Pond Other: | |
| | | | DWR Permit #: | |
| | | | (Note: Apply for Permit with DWR |]) |
| .CC DK1 #: | | | Will Cores be taken? | Yes N |
| | | | If Yes, proposed zone: | |
| | offirms that the drilling or | | FIDAVIT | |
| 'ha undaraignad harabu | animis mai me uniing, co | impletion and eventual pit | ugging of this well will comply with K.S.A. 55 et. seq. | |
| , | 0. | | | |
| is agreed that the follow | ving minimum requiremen | | | |
| is agreed that the follow 1. Notify the appropria | ving minimum requiremen ate district office <i>prior</i> to s | spudding of well; | | |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appropria | ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri | spudding of well; ill shall be posted on each | | hall be and |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo | ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri unt of surface pipe as spe | spudding of well; Ill <i>shall be</i> posted on each ecified below <i>shall be set</i> | by circulating cement to the top; in all cases surface pipe ${\bf s}$ | hall be set |
| is agreed that the follow Notify the appropria A copy of the appropria The minimum amo through all unconse | ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri unt of surface pipe as spe olidated materials plus a r | spudding of well; Ill shall be posted on each ecified below shall be set minimum of 20 feet into the | by circulating cement to the top; in all cases surface pipe ${\bf s}$ e underlying formation. | |
| is agreed that the follow Notify the appropria A copy of the appropria The minimum amo through all unconso If the well is dry ho | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a rile, an agreement betweer | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the in the operator and the dist | by circulating cement to the top; in all cases surface pipe ${\bf s}$ | |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a rile, an agreement betweer strict office will be notified | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg | by circulating cement to the top; in all cases surface pipe s e underlying formation. trict office on plug length and placement is necessary prior | to plugging; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang | to plugging; of spud date. ate II cementing |
| is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the App | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS | to plugging; of spud date. ate II cementing |
| is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the App | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang | to plugging; of spud date. ate II cementing |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang | to plugging; of spud date. ate II cementing |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang | to plugging; of spud date. ate II cementing |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang | to plugging; of spud date. ate II cementing |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1 | by circulating cement to the top; in all cases surface pipe s e underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS [133,891-C, which applies to the KCC District 3 area, alternate plugged. <i>In all cases, NOTIFY district office</i> prior to any | to plugging; of spud date. ate II cementing cementing. |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the the operator and the dist before well is either plugg cion pipe shall be cemente as surface casing order #1 and date or the well shall be | by circulating cement to the top; in all cases surface pipe see underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: | to plugging; of spud date. ate II cementing cementing. |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa within 30 days of the spunically | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist l before well is either plugg cion pipe shall be cemente as surface casing order #1 ud date or the well shall be | by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; | of spud date. ate II cementing or cementing. |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the spunically | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg tion pipe shall be cemente as surface casing order #1 and date or the well shall be | by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dates | to plugging; of spud date. ate II cementing cementing. Dwner Notification |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompositions 1. Notify the appropriate approximate appropriate appropriate appropriate approximate appropriate appropriate approximate approximat | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a role, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa within 30 days of the spunically | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the note of the properties of the proper | by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District of the KCC District of the KCC District of the KCC District of the MCC District of the KCC District of the KCC District of the KCC District of the KCC District of the MCC DISTRICT OF The KCC DISTRICT OF The KCC DISTRICT OF THE MCC DISTRI | to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders; |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Without the Completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required | ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the spunically | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the note of the properties of the proper | by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District office and the KCC District office and the KCC District office and the KCC District office area plugged. In all cases, NOTIFY district office area plugged. In all cases are plugged. In all cases, NOTIFY district office area plugged. In all cases are plugged. In | to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders; or or re-entry; |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Without the Completed IDMITTED Electron For KCC Use ONLY API # 15 Conductor pipe required I Minimum surface pipe recompleted Approved by: This authorization expires | ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansat within 30 days of the spunically | spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the name of the operator and the dist before well is either pluggion pipe shall be cemente as surface casing order #1 and date or the well shall be the operator of the well shall be feet feet feet per ALT. I I II | by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District of the KCC District of the KCC District of the KCC District of the MCC District of the KCC District of the KCC District of the KCC District of the KCC District of the MCC DISTRICT OF The KCC DISTRICT OF The KCC DISTRICT OF THE MCC DISTRI | to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders; or re-entry; I (within 60 days); |

please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1980' FSL

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | _ |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR of acreage: | io contain |
| | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |
| | |
| PLA | т |
| | |

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).


You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | Ou | billit ili Duplicat | |
|---|--------------------------------|--|--|
| Operator Name: | | | License Number: |
| Operator Address: | | | |
| Contact Person: | | | Phone Number: |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: | Pit is: | | |
| Emergency Pit Burn Pit | Proposed Existing | | SecTwp R |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section |
| (п ил Зарріу ягт но. от теат Біппец) | | (bbls) | County |
| Is the pit located in a Sensitive Ground Water Area? Yes No | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? Yes No | Artificial Liner? | lo | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits |
| Depth fro | m ground level to dee | epest point: | (feet) No Pit |
| If the pit is lined give a brief description of the lin material, thickness and installation procedure. | | | edures for periodic maintenance and determining ncluding any special monitoring. |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo | west fresh water feet. |
| feet Depth of water well | feet | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: |
| Producing Formation: | | Type of material utilized in drilling/workover: | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | |
| Submitted Electronically | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | |
| Date Received: Permit Numb | oer: | Pormi | it Date: Lease Inspection: Ves No |



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373865 Form KSONA-1

January 2014 Form Must Be Typed Form must be Signed **CERTIFICATION OF COMPLIANCE WITH THE** All blanks must be Filled

KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R |
| Address 1: | County: |
| Address 2: | Lease Name: Well #: |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of |
| Contact Person: | the lease below: |
| Phone: () Fax: () | |
| Email Address: | |
| Surface Owner Information: | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| owner(s) of the land upon which the subject well is or will be le | act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address. |
| KCC will be required to send this information to the surface ow | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. |
| Submitted Electronically | |

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

Operator: __

Lease: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ___

SEWARD CO.

3390' FEL

1980' FSL

| Well Number: | feet from N / S Line of Section feet from E / W Line of Section |
|---|--|
| Field: | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| PL Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep | ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032). |
| | LEGEND |
| | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |
| 25 | EXAMPLE |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 27, 2017

Chris Leiker Black Stone Petroleum LLC 1041 N. WHITE TAIL CT. WICHITA, KS 67206

Re: Drilling Pit Application Moore 1 NW/4 Sec.25-18S-16W Rush County, Kansas

Dear Chris Leiker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.