

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373975

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day ye	Sec Twp S. R [E [] V
DPERATOR: License#	feet from N / S Line of Sectio
ame:	
ddress 1:	ls SECTION: Regular Irregular?
ddress 2:	
ity: State:	+——— County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipm	Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
Oil Enh Rec Infield Mud Ro Gas Storage Pool Ext. Air Rota	Mater well within one-quarter mile:
Gas Storage Pool Ext. Air Rota Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : IT ID
Original Completion Date: Original Total Depth: _	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
	(Note: Apply for Permit with DWR)
	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me	(Note: Apply for Permit with DWR) Will Cores be taken? Yes Note:
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; basted on each drilling rig;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operator	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface care	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; Il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate Il cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. The asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. Affice well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. Asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mei 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the completed Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. st: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. st: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be mei. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the complete of the conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operators. The appropriate district office will be notified before well in the first of the spund date or the spund of the spund date or the spund of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; stall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; II be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pod. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the completed within 30 days of the spud date or the conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; state on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approach before dispecting or injection cell written.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							Lo	cation of We	ell: Cou	nty:
Lease:							_			feet from N / S Line of Section
Well Numb	er:						_			feet from E / W Line of Section
Field:							_ Se	c	Twp.	S. R 🗌 E 📗 W
Number of QTR/QTR/							15	Section:	Regu	ular or Irregular
							Se	Section is I		r, locate well from nearest corner boundary. NE NW SE SW
			atteries, pi		d electrica	the neares I lines, as i	required b		as Surfa	Show the predicted locations of ce Owner Notice Act (House Bill 2032).
						:				LEGEND
1740 ft			•							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		<u>:</u> :					:	:		EXAMPLE :
		: 		2	o 			: :		
					••••					1980' FSL
		: :		······································				: 		
		:		• •			:			SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
		• ,	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1373975

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License # Name: Address 1: Address 2: City: State: Zip: +	Well Location: SecTwpS. R East West County: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice Advanced	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Cut (House Bill 2032), I have provided the following to the surface exacted: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar I have not provided this information to the surface owner(s). I ackCC will be required to send this information to the surface own task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. Exhowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: OWENS PETROLEUM, LLC Lease: Collins Well Number: 11-C Field: Humboldt-Chanute Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE _ SW _ NE _ NW	Location of Well: County: Woodson 825				
Show locati the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical l	LEGEND O Well Location Tank Battery Location Pipeline Location				
28	EXAMPLE 1980' FSL				

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 27, 2017

Bryson Owens Owens Petroleum LLC 1274 202ND RD YATES CENTER, KS 66783-5411

Re: Drilling Pit Application Collins 11-C NW/4 Sec.28-25S-17E Woodson County, Kansas

Dear Bryson Owens:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.