

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1374042

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:	
	monur day	your	Sec Twp S.	R [_] E [] V
OPERATOR: License#			feet from N	\vdash
ame:			feet from E /	W Line of Section
ddress 1:			Is SECTION: Regular Irregular?	
.ddress 2:			(Note: Locate well on the Section Plat on rev	verse side)
	State: Zip		County:	
			Lease Name:	_ Well #:
none:			Field Name:	
ONTRACTOR: License#			Is this a Prorated / Spaced Field?	Yes N
lame:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Stora		Air Rotary	Water well within one-quarter mile:	Yes N
Dispo		Cable	Public water supply well within one mile:	Yes N
Seismic ;# o			Depth to bottom of fresh water:	
<u> </u>			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I II	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
•			Projected Total Depth:	
Original Completion Da	ate: Original	Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
irectional, Deviated or Ho		Yes No	Well Farm Pond Other:	
			DWR Permit #:	
			(Note: Apply for Permit with DWR])
.CC DK1 #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
	offirms that the drilling or		FIDAVIT	
'ha undaraignad harabu	animis mai me uniing, co	impletion and eventual pit	ugging of this well will comply with K.S.A. 55 et. seq.	
,	0.			
is agreed that the follow	ving minimum requiremen			
is agreed that the follow 1. Notify the appropria	ving minimum requiremen ate district office <i>prior</i> to s	spudding of well;		
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria	ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri	spudding of well; ill shall be posted on each		hall be and
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amo 	ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri unt of surface pipe as spe	spudding of well; Ill <i>shall be</i> posted on each ecified below <i>shall be set</i>	by circulating cement to the top; in all cases surface pipe ${\bf s}$	hall be set
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amo through all unconse 	ving minimum requiremen ate district office <i>prior</i> to so oved notice of intent to dri unt of surface pipe as spe olidated materials plus a r	spudding of well; Ill shall be posted on each ecified below shall be set minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe ${\bf s}$ e underlying formation.	
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amo through all unconso If the well is dry ho 	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a rile, an agreement betweer	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the in the operator and the dist	by circulating cement to the top; in all cases surface pipe ${\bf s}$	
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a rile, an agreement betweer strict office will be notified	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg	by circulating cement to the top; in all cases surface pipe s e underlying formation. trict office on plug length and placement is necessary prior	to plugging;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang	to plugging; of spud date. ate II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the App	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS	to plugging; of spud date. ate II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the App	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang	to plugging; of spud date. ate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang	to plugging; of spud date. ate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang	to plugging; of spud date. ate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe se underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternative production of the triangle of triang	to plugging; of spud date. ate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg ion pipe shall be cemente as surface casing order #1	by circulating cement to the top; in all cases surface pipe s e underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS [133,891-C, which applies to the KCC District 3 area, alternate plugged. <i>In all cases, NOTIFY district office</i> prior to any	to plugging; of spud date. ate II cementing cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the sput	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the the operator and the dist before well is either plugg cion pipe shall be cemente as surface casing order #1 and date or the well shall be	by circulating cement to the top; in all cases surface pipe see underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to:	to plugging; of spud date. ate II cementing cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rele, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa within 30 days of the spunically	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist l before well is either plugg cion pipe shall be cemente as surface casing order #1 ud date or the well shall be	by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	of spud date. ate II cementing or cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the spunically	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the n the operator and the dist before well is either plugg tion pipe shall be cemente as surface casing order #1 and date or the well shall be	by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface (Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dates	to plugging; of spud date. ate II cementing cementing. Dwner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recommendations 1. Notify the appropriate appropri	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a role, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa within 30 days of the spunically	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the note of the properties of the proper	by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District of the KCC District of the KCC District of the KCC District of the MCC District of the KCC District of the KCC District of the KCC District of the KCC District of the MCC DISTRICT OF The KCC DISTRICT OF The KCC DISTRICT OF THE MCC DISTRI	to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Without the Completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted Minimum surface pipe recompleted 1. Notify the appropriate is appropriate in the propriate in the propriate is appropriate in the propriate in the propriate is appropriate in the propriate in the pr	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansal within 30 days of the spunically	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the note of the properties of the proper	by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District office and the KCC District office and the KCC District office and the KCC District office area plugged. In all cases, NOTIFY district office area plugged. In all cases are plugged. In all cases, NOTIFY district office area plugged. In all cases are plugged. In	to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders; or or re-entry;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Without the Completed IDMITTED Electron For KCC Use ONLY API # 15 Conductor pipe required I Minimum surface pipe recompleted Approved by: This authorization expires	ving minimum requiremen ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as specificated materials plus a rile, an agreement betweer strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansat within 30 days of the spunically	spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the name of the operator and the dist before well is either pluggion pipe shall be cemente as surface casing order #1 and date or the well shall be the operator of the well shall be feet feet feet per ALT. I I II	by circulating cement to the top; in all cases surface pipe see underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the KCC District of the KCC District of the KCC District of the KCC District of the MCC District of the KCC District of the KCC District of the KCC District of the KCC District of the MCC DISTRICT OF The KCC DISTRICT OF The KCC DISTRICT OF THE MCC DISTRI	to plugging; of spud date. ate II cementing y cementing. Dwner Notification e; ders; or re-entry; I (within 60 days);

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1	137	7 /	Λ	1	2
		<i>•</i>	w	4	_

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

erator:						_ Lo	cation of W	ell: Cour	ınty:
se:									feet from N / S Line of Section
Number:									feet from E / W Line of Section
t:			_ Se	Sec Twp S. R					
mber of Acres attr						- IS 3	Section:	Regu	ular or Irregular
	Š					If S	Section is to ction corne	_	r, locate well from nearest corner boundary. NE NW SE SW
				-				-	. Show the predicted locations of ace Owner Notice Act (House Bill 2032).
lease roa	aus, tarik d	atteries, pr	pelines and			a separate	plat if desi		ice Owner Notice Act (House Bill 2032).
	:	:	:		:	:			LEGEND
••••	:	:	:			·······			O Well Location Tank Battery Location Pipeline Location
		:	:	•••••	:				Electric Line Location Lease Road Location
	:		:	•••••	:				EXAMPLE : :
	<u>:</u> <u>:</u> :	<u>:</u> : :	2	9	<u>:</u> : :	<u>:</u> : :	<u> </u>	- 330	
	·	:	·	••••	·	: : :			
	:	:	:	•••••	:	:			1980' FSL
	: :	 :	: 	••••	: :	: :			
	:	:	:		:	:			SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cons	structed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes N	lo	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to deep	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inforr	west fresh water feet.			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No			



1374042

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	sheet listing all of the information to the left for each surface owner. Surface					
Address 1:						
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City: State: Zip:+						
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form					
CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.					
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.					
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.					
Submitted Electronically						

shown on this
t be legally
ndawner,
for access.


ay not set tooc toent t

and may contact departmen

port for

*Ingress plot is opened f

JASON OIL COMPANY, LLC SCHOENBERGER LEASE E. 1/2. SECTION 29. T145. R14W RUSSELL COUNTY, KANSAS




- * Controlling data is based upon the best ways and photographs available to us and upon a regular section of land confolding 640 acres.
- Security of retrieval containing and cereal, a special process a fundament of core of cilified surveyors procisions in the state of Kansas. The section opinions which except the pracine seption lines, were for recessorily footbed, and the except function of the drills the special processorily for the description of the drills and the section of the drills the special processories for the drills and the section of the drills the special processor of the drills and the section of the

November 27, 2017

CENTRAL KANSAS OILFIELD SERVICES, INC. 1820)792-1977

2



Kansas
Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 29, 2017

SHELDON WEIGEL Jason Oil Company, LLC 3718- 183RD ST PO BOX 701 RUSSELL, KS 67665-0701

Re: Drilling Pit Application SCHOENBERGER A 2 SE/4 Sec.29-14S-14W Russell County, Kansas

Dear SHELDON WEIGEL:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.