

Kansas Corporation Commission Oil & Gas Conservation Division

1374287

Form CP-1
March 2010
This Form must be Typed
Form must be Signed
All blanks must be Filled

WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

| OPERATOR: License #: | | API No. 1 | API No. 15 If pre 1967, supply original completion date: | | | | | |
|--|---|---|---|-------------------------|-----------------|--|--|--|
| Name: | | If pre 196 | | | | | | |
| Address 1: | | Spot Des | Spot Description: | | | | | |
| Address 2: | | _ | Sec Twp | ρ S. R | East West | | | |
| City: State: | | | Feet from | North / South | Line of Section | | | |
| Contact Person: | | | Feet from East / West Line of Section | | | | | |
| Phone: () | | Footages | Calculated from Neares | _ | ner: | | | |
| Filone. () | | 0.0000000000000000000000000000000000000 | NE NW | SE SW | | | | |
| | | | me: | | | | | |
| | | Lease Na | ine. | vven # | | | | |
| Check One: Oil Well Gas Well OG | D&A Cat | thodic Water | Supply Well Of | ther: | | | | |
| SWD Permit #: | ENHR Permit #: | | _ Gas Storage | Permit #: | | | | |
| Conductor Casing Size: | _ Set at: | | Cemented with: | | Sacks | | | |
| Surface Casing Size: | _ Set at: | | Cemented with: | | Sacks | | | |
| Production Casing Size: | _ Set at: | | Cemented with: | | Sacks | | | |
| Elevation: (G.L. / K.B.) T.D.: Condition of Well: Good Poor Junk in Hole Proposed Method of Plugging (attach a separate page if addit Is Well Log attached to this application? Yes No | Casing Leak at:tional space is needed): | | | itone Corral Formation) | | | | |
| Plugging of this Well will be done in accordance with K. Company Representative authorized to supervise plugging | | | | | | | | |
| Address: | (| City: | State: | Zip: | _+ | | | |
| Phone: () | | | | | | | | |
| Plugging Contractor License #: | | Name: | | | | | | |
| Address 1: | <i>F</i> | Address 2: | | | | | | |
| City: | | | State: | Zip: | + | | | |
| Phone: () | | | | | | | | |
| Proposed Date of Plugging (if known): | | | | | | | | |

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent



1374287

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) C | B-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R 🗌 East 🗌 West |
| Address 1: | |
| Address 2: | |
| City: | the lease helpw |
| Contact Person: | _ |
| Phone: () Fax: () Email Address: | |
| Surface Owner Information: | |
| Name: | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads | Cathodic Protection Borehole Intent), you must supply the surface owners and a tank batteries, pipelines, and electrical lines. The locations shown on the plat red on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| owner(s) of the land upon which the subject well is or will | ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form orm being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address. |
| KCC will be required to send this information to the surface |). I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this dress of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 hand form and the associated Form C-1, Form CB-1, Form T-1, or Form | dling fee with this form. If the fee is not received with this form, the KSONA-1 oCP-1 will be returned. |
| Submitted Electronically | |

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 3041

| Sec. | Twp. | Range | | County | State | On Location | Finish | |
|------------------------------|---|--------------|--|---------------|--|---|------------|--|
| Date 12-3-16 33 | 20 | 22 | Ne | 35 | KS | ands. | 6:00 pra | |
| The Table 1 | | | Locati | on Ness | Cota Ks | · 5 to 20 | | |
| Lease Barrickle | S | Well No. 2 - | 33 | Owner Z S | 31. 15. | bE, stat | ~ <i>'</i> | |
| Contractor WW 12 | 1- | 100 | | To Quality Oi | Iwell dementing, Inc. | - 17 | | |
| Type Job Sinface | | | You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. | | | | | |
| Hole Size 1214" | T.D. | 1430' | | Charge To | sole Ca | wa Ope | rating | |
| Csg. 8 5/8 H | Depth | 1430' | | Street | 1 | | 0 | |
| Tbg. Size | Depth | | | City | | State | | |
| Tool | Depth | | | | | nd supervision of owner | | |
| Cement Left in Csg. 38,33 | Shoe J | 6.86 tolo | ro, _ | Cement Amo | ount Ordered 500 | 65/35 3% | cc 3% (m) | |
| Meas Line | Displac | e 8914 | BLS | 120 C | om 30% CC | 2% (sel | | |
| | PMENT | - S | | Common 4 | 125 | | 41 | |
| Pumptrk No. Cementer Helper | N. ()C | | | Poz. Mix | 75 | | , | |
| Bulktrk / \ Driver | lick | | | Gel. 12 | | | | |
| Bulktrk 19 No. Driver Driver | one | | | Calcium 2 | ef . | | | |
| JOB SERVICE | S & RÈMA | ARKS | ., | Hulls | | | | |
| Remarks: Cement did | _ C; | culate | | Salt | | | | |
| Rat Hole | | | | Flowseal | | | | |
| Mouse Hole | | | | Kol-Seal | | | | |
| Centralizers 7 9 11 13 | 15 | 17 19 0 | 21 | Mud CLR 48 | unioni de la compania | | | |
| Baskets 23 25 | 3 | 1.00 | | CFL-117 or 0 | D110 CAF 38 | | | |
| D/V or Port Collar | -40 | | | Sand | and the state of t | | | |
| | | | | Handling | | | | |
| | | | b / | Mileage | | | | |
| April 1997 | | | | | FLOAT EQUIPM | ENT | | |
| | | | | Guide Shoe | 1 weld | · •• | · · | |
| | /// | | | Centralizer | 10 | | | |
| | | | | Backets | Baffle plate | ۷ | | |
| | 111111111111111111111111111111111111111 | | 100 | AFU Inserts | Rubber pl | var | | |
| | | | VL | Float Shoe | | | 7 | |
| | | | 7 | Latch Down | | | - | |
| | | | Y | | a # | , | | |
| | | | A Jan | | | (J. 22) | | |
| | | | | Pumptrk Cha | rge Long Si | whoce | | |
| | | 30 30 | | Mileage / | 8 Jong SV | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| | | | | | | Tax | | |
| | | 31 | | | | Discount | | |
| X Signature | // | / | | | | Total Charge | - | |
| on Link | 1 | | | <u>l</u> | | | | |

QUALITY OILWELL CEMENTING, INC. Federal Tax 1.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 3044

| Lease Back Abou Well No. 2 33 Owner Supervision of owner agent or contractor. Contractor W W # 12 To Quality Oliwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. Charge To Cha | | Sec. | Twp. | Range | | County | V State | On Location | Finish | |
|--|------------------------|-----------|-------------|---|-----------|--------------|---|--|----------|--------------|
| Location NU-S Chu K 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | Date 12-10-16 | 33 | 20 | 22 | Ne 5 | 5 | N 2 | | | <u> </u> |
| Contractor W W # 12 Type Job V COLUMN 12 | | | | | Location | on Ness | City, Ks- | 5 to 20 Rd | , E- | to ZeRo |
| Contractor U U 12 Type Job / Coduction Type Job / C | Lease Barcick | low | | Well No. 2 | 33 | Owner / | 5. 16 E , S/ | th-0 | | -0.11 -1700g |
| Commenter and helper to assist owner or contractor to do work as tisted. Charge | - 11 | 12 | | | | To Quality O | ilwell Cementing, Inc eby requested to ren | c. t cementing equipment | and furn | nish |
| Hole Size Osg. 57 7 | | | cementer an | cementer and helper to assist owner or contractor to do work as listed. | | | | | | |
| Street Tool Depth City State The above was done to satisfaction and supervision of owner agent or contractor. Cement Left in Csg. 4/1 60 Shoe Joint 4/1 60 Cement Amount Ordered 8/0 Common Meas Line Displace EQUIPMENT Common Pumptrk 1 No. Comment Plant Common Pumptrk 2 No. Driver Common Pumptrk 3 No. Driver Common Pumptrk 4 No. Driver Common Pumptrk 5 No. Driver Common Pumptrk 6 No. Driver Common Pumptrk 7 No. Driver Common Pumptrk 8 REMARKS Hulis Remarks: | my my (m 11 | | T.D. | 4362' | | | riple Cro | oun operat | WY | |
| Tool Depth The above was done to satisfaction and supervision of owner agent or contractor. Cement Left in Csg. 4/ 60 Shoe Joint 4/ 60 Cement Amount Ordered 30 Com 10 Shot 54 Shoe Joint 4/ 60 Cement Amount Ordered 30 Com 10 Shot 54 Shot 54 Shoe Joint 4/ 60 Cement Amount Ordered 30 Com 10 Shot 54 Shot | 2011 - In II | Sept | Depth | 传言 | 4342 | Street | 1 | | | |
| Cement Left in Csg. 4/ 60 Shoe Joint 4/ 60 Cement Amount Ordered 30 Com 1/ 5 Sh 5/ 6 S | Tbg. Size | | Depth | | | City | | State | | |
| Meas Line Displace Common | Tool | | Depth | | | The above wa | as done to satisfaction | and supervision of owner | agent or | contractor. |
| EQUIPMENT Common Pumptrik No. Cementer Poz. Mix Bulktrk No. Deriver Gel. Bulktrk No. Deriver Gel. JOB SERVICES & REMARKS Hulls Remarks: Rat Hole Flowseal Mouse Hole Kol-Seal Centralizers Hole Hole Flowseal Handling Mileage FLOAT EQUIPMENT Float Shoe Latch Down Land Plus Hole Pumptrk Charge Mileage Tax Discount Discount Discount Discount Discount Discount Discount Discount Hole Pumptrk Charge Mileage Tax Discount Discount Hole Pumptrk Charge Mileage Tax Discount Discount | Cement Left in Csg. | 1.60 | Shoe J | loint 4/ . 6 | »O" | Cement Am | ount Ordered \ \ \ \ \ (| 7 Com 10% | Salt | 5% |
| Pumptrk No. Commenter Poz. Mix Helper Poz. Mix Helper Poz. Mix | Meas Line | | Displac | e 993/4 | BUS | Gil sonite | - 500 gal | mud Clear 48 | 20 | BC KC |
| Pumptrk No. Diriver Poz. Mix Bulkfrk No. Diriver Gel. Bulkfrk No. Diriver Calcium JOB SERVICES & REMARKS Hulls Remarks: Rat Hole Flowseal Mouse Hole Kol-Seal Centralizers 2 | | | IENT | | | Common | J | (8) | | |
| Bulkfrk) No. Driver 1/2 Gel. Bulkfrk) No. Driver 1/2 Galcium JOB SERVICES & REMARKS Hulls Remarks: Rat Hole Mouse Hole Centralizers 2 // 6 5 0 13 //6 Mud CLR 48 Centralizers 3 // CFL-117 or CD110 CAF 38 Baskets DIV or Port Collar Drive on helpon be at the service of the service | Pumptrk) 0 Helpe | er (| only | | | Poz. Mix | | | | |
| Bulkfrk P. Modern C. Calcium JOB SERVICES & REMARKS Hulls Remarks: Rat Hole Flowseal Mouse Hole Centralizers 2 // 6 8 / 0 13 / 6 Mud CLR 48 Baskets Baske | Bulktrk) Drive | r Im | | | | Gel. | | | | |
| Remarks: Rat Hole Mouse Hole Centralizers 2 4 6 3 0 3 6 Mud CLR 48 Baskets 3 17 CFL-117 or CD110 CAF 38 DIV or Port Collar property Sand Handling Mileage FLOAT EQUIPMENT Guide Shoe Short John Wash Durns Hole Centralizer 7 Baskets 2 AFU Inserts Float Shoe Latch Down Funds to Africance Mileage Tax Discount | Bulktrk P.M. No. Drive | | | | | Calcium | | | | |
| Rat Hole Mouse Hole Centralizers 2.4/ 6.5/0.13/b Baskets Baske | JOB SE | ERVICES | & REMA | ARKS | | Hulls | | | | |
| Mouse Hole Centralizers 2.4, 6.8, 10.13 / 6. Mud CLR 48 Baskets Baskets D/V or Port Collar Property Sand Handling Mileage FLOAT EQUIPMENT Guide Shoe Centralizer AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount | Remarks: | | | | | Salt | | ш | | |
| Centralizers 2.4. 6.8.0.13.16 Baskets DN or Port Collar Dine on Sand Handling Handling Mileage FLOAT EQUIPMENT Guide Shoe Centralizer AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount | Rat Hole | | | | | Flowseal | | | 7 | |
| Baskets D/V or Port Collar pine on heart Sand Handling Handling FLOAT EQUIPMENT Guide Shoe Centralizer 7 Released pluar bisplaced wigg 4 Mileses Float Shoe Latch Down Lack plua to //p Pumptrk Charge Mileage Tax Discount | Mouse Hole | | | | | Kol-Seal | | | | |
| DIV or Port Collar Property Sand Handling Handling FLOAT EQUIPMENT Guide Shoe Centralizer Released Diver Displaced wig 99 3/4 Baskets AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount | Centralizers 2,4,6 | 816 |), 1 | 3,16 | | Mud CLR 4 | | | | |
| Handling Mileage FLOAT EQUIPMENT Guide Shoe Centralizer 77 Released Diver D'splayed w/99 44 Baskets 2 AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount | Baskets 3 | 17 | 1 | | | CFL-117 or | CD110 CAF 38 | | | |
| Mileage FLOAT EQUIPMENT Guide Shoe Centralizer 7 Released Divar + Displaced w/99 4/4 Baskets 2 AFU Inserts Float Shoe Latch Down Latch Down Pumptrk Charge Mileage Tax Discount | D/V or Port Collar | ori | hallo | m break | | Sand | | | | |
| FLOAT EQUIPMENT Guide Shoe Shut down wash pumptions Centralizer Centralizer Centralizer Centralizer Centralizer Centralizer AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount | Ciccidation of |) Company | 5 | o all | 4.2 | Handling | | | | |
| Shut down wash pump those Centralizer 7 Released pluar this placed w/99 1/4 Baskets AFU Inserts Float Shoe Lift pressure see the Latch Down Pumptrk Charge Mileage Tax Discount | Clear 48 | DOWN | 2 // | 1.17 | S.C. Lord | Mileage | | | | |
| Shut dolon wash ound the Centralizer 7 Released Dlug + Displayed w/9934 Baskets 2 BLS Released shell AFU Inserts Float Shoe Lift pressure 800 B Latch Down Funptrk Charge Mileage Tax Discount | Place Robbi | ماد | _(ت | 46 | 6/ | | FLOAT EQUIP | MENT | | |
| Released Dhar + Displaced w/99344 Baskets 2 BLS Released had AFU Inserts Float Shoe Lift Dressure 800 B Latch Down Lard Dhug to 100 F Pumptrk Charge Mileage Tax Discount | to Casing + r | m) | 150 | SX Ceme | nt. | Guide Shoe | Packer | Shoe | | |
| BLS Released AFU Inserts Float Shoe Lift pressure see E Latch Down Land plug to 1/20 Pumptrk Charge Mileage Tax Discount | Shut dolors. | was | 0 | imo + 12 | 10 K | Centralizer | 7 | | | |
| Float Shoe Lift pressure 805 E Latch Down Land plug to 1/00 F Pumptrk Charge Mileage Tax Discount | Released Dluer | + " | Displ | aged w | 1993/4 | Baskets | 2 | | | |
| Lift pressure see Latch Down Land plug to 1/200 Pumptrk Charge Mileage Tax Discount | BLS Releas | ed 📰 s | deg L | 1 - | - 22 | AFU Inserts | S | | | |
| Lift Dressure Sees B Latch Down Land Dlug to 1/200 B Pumptrk Charge Mileage Tax Discount | | | | | 177 | Float Shoe | | | 3 1 | |
| Pumptrk Charge Mileage Tax Discount | Lift Dress | und | 800 | . B | W. | Latch Down | n 1. | | | |
| Pumptrk Charge Mileage Tax Discount | | genne, ' | | a 197 | | | 4 11 1 | | | P |
| Mileage Tax Discount | Land Dlug | 40 " | 1/00 | 1 | | 1.0 | | | | |
| Tax Discount | 1 1 | S | | | | Pumptrk Cl | harge | | | |
| Discount | | | | | | Mileage | X | ************************************** | | |
| | I M | | | | 1 | | | Tax | | |
| X Signature Total Charge | 7 |) | | 2 | | | 41 | Discoun | L | |
| | X Signature | | // | | | | | Total Charge | | |

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 29, 2017

Doyle Williams Triple Crown Operating LLC 2201 S. UTICA PL STE 100 TULSA, OK 74114-7099

Re: Plugging Application API 15-135-25917-00-00 BARRICKLOW 2-33 NE/4 Sec.33-20S-22W Ness County, Kansas

Dear Doyle Williams:

The Conservation Division has received your Well Plugging Application (CP-1).

Under K.A.R. 82-3-113(b)(2), you must notify DISTRICT 1 of your proposed plugging plan at least 5 days before plugging the well. DISTRICT 1's phone number is (620) 682-7933. Failure to notify DISTRICT 1, or failure to file a Well Plugging Record (CP-4) after the well is plugged will result in a penalty recommendation.

Under K.A.R. 82-3-600, you must file an Application for Surface Pit (CDP-1) if you wish to use a workover pit while plugging the well. Failure to timely file a CDP-1, failure to timely remove fluids, or failure to timely file Closure of Surface Pit (CDP-4) or Waste Transfer (CDP-5) forms will result in a penalty recommendation.

This receipt does NOT constitute authorization to plug this well if you do not otherwise have the legal right to do so.

This receipt is VOID after May 29, 2018. If the well is not plugged by then, you will have to submit a new CP-1 if you wish to plug the well.

The May 29, 2018 deadline does NOT override any compliance deadline given to you by Legal, District, or other Commission Staff. Failure to comply with any given deadline will still result in the Commission assessing penalties, or taking other legal action.

Sincerely, Production Department Supervisor

cc: DISTRICT 1