



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suemaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63321

DST#: 1

ATTN: Bob Petersen

Test Start: 2017.10.30 @ 16:15:00

GENERAL INFORMATION:

Formation: **LKC "A"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 19:03:00

Time Test Ended: 01:48:30

Test Type: Conventional Bottom Hole (Initial)

Tester: James Winder

Unit No: 76

Interval: 3926.00 ft (KB) To 3948.00 ft (KB) (TVD)

Reference Elevations: 2774.00 ft (KB)

Total Depth: 3948.00 ft (KB) (TVD)

2769.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 8017

Outside

Press@RunDepth: 243.15 psig @ 3927.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.10.30

End Date:

2017.10.31

Last Calib.: 2017.10.31

Start Time: 16:15:05

End Time:

01:48:30

Time On Btm: 2017.10.30 @ 19:02:45

Time Off Btm: 2017.10.30 @ 23:07:45


TEST COMMENT: 45 - IF: Blow built to BOB (11") at 19 1/4 min.

60 - IS: No blow back

45 - FF: Blow built to BOB at 23 1/2 min.

90 - FS: No blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1934.35	104.06	Initial Hydro-static
1	24.94	103.54	Open To Flow (1)
46	163.64	115.63	Shut-In(1)
107	1231.10	114.64	End Shut-In(1)
108	162.63	114.29	Open To Flow (2)
152	243.15	118.88	Shut-In(2)
244	1221.18	117.28	End Shut-In(2)
245	1915.00	116.72	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
300.00	SMCW 94%w, 6%m	2.58
220.00	MW 60%w, 40%m	3.09

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Suemaer Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63321

DST#: 1

ATTN: Bob Petersen


Test Start: 2017.10.30 @ 16:15:00

GENERAL INFORMATION:

Formation: **LKC "A"**
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole (Initial)
 Time Tool Opened: 19:03:00
 Tester: James Winder
 Time Test Ended: 01:48:30
 Unit No: 76
Interval: 3926.00 ft (KB) To 3948.00 ft (KB) (TVD)
 Reference Elevations: 2774.00 ft (KB)
 Total Depth: 3948.00 ft (KB) (TVD)
 2769.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 KB to GR/CF: 5.00 ft

Serial #: 6625 Inside
 Press@RunDepth: psig @ 3927.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.10.30 End Date: 2017.10.31 Last Calib.: 2017.10.31
 Start Time: 16:15:05 End Time: 01:48:45 Time On Btm:
 Time Off Btm:

TEST COMMENT: 45 - IF: Blow built to BOB (11") at 19 1/4 min.
 60 - IS: No blow back
 45 - FF: Blow built to BOB at 23 1/2 min.
 90 - FS: No blow back



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery		
Length (ft)	Description	Volume (bbl)
300.00	SMCW 94%w, 6%m	2.58
220.00	MW 60%w, 40%m	3.09

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Suemaaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63321

DST#: 1

ATTN: Bob Petersen

Test Start: 2017.10.30 @ 16:15:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

68000 ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.80 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 700.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
300.00	SMCW 94%w , 6%m	2.578
220.00	MW 60%w , 40%m	3.086

Total Length: 520.00 ft Total Volume: 5.664 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW = .400 ohms @ 19.4 deg F

Chlorides = 68,000 ppm

Pressure vs. Time




Serial #: 6625

Inside

Suennaur Exploration & Production LLC

Godfrey #1-32

DST Test Number: 1





TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suemaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63322

DST#: 2

ATTN: Bob Petersen

Test Start: 2017.10.31 @ 10:50:00

GENERAL INFORMATION:

Formation: **LKC "C"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:07:00

Time Test Ended: 19:05:45

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 76

Interval: 3950.00 ft (KB) To 3970.00 ft (KB) (TVD)

Reference Elevations: 2774.00 ft (KB)

Total Depth: 3970.00 ft (KB) (TVD)

2769.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 8017 Outside

Press@RunDepth: 174.97 psig @ 3951.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.10.31

End Date:

2017.10.31

Last Calib.: 2017.10.31

Start Time: 10:50:05

End Time:

19:05:44

Time On Btm: 2017.10.31 @ 13:06:45

Time Off Btm: 2017.10.31 @ 16:41:00


TEST COMMENT: 45 - IF: Blow built to BOB (11") at 21 1/2 min.

60 - IS: No blow back

15 - FF: Blow built to 6"

90 - FS: Weak surface blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1945.45	101.86	Initial Hydro-static
1	20.22	100.82	Open To Flow (1)
46	145.96	117.56	Shut-In(1)
106	1180.22	116.20	End Shut-In(1)
107	150.58	115.81	Open To Flow (2)
121	174.97	119.59	Shut-In(2)
213	1209.53	118.26	End Shut-In(2)
215	1907.83	116.95	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
365.00	MCW 75%w, 25%m	3.49

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suemaaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63322

DST#: 2

ATTN: Bob Petersen

Test Start: 2017.10.31 @ 10:50:00

GENERAL INFORMATION:


Formation: **LKC "C"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 13:07:00
 Time Test Ended: 19:05:45
 Interval: **3950.00 ft (KB) To 3970.00 ft (KB) (TVD)**
 Total Depth: 3970.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 76
 Reference Elevations: 2774.00 ft (KB)
 2769.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 6625

Inside

Press@RunDepth: psig @ 3951.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.10.31 End Date: 2017.10.31 Last Calib.: 2017.10.31
 Start Time: 10:50:05 End Time: 19:06:14 Time On Btm:
 Time Off Btm:

TEST COMMENT: 45 - IF: Blow built to BOB (11") at 21 1/2 min.
 60 - IS: No blow back
 15 - FF: Blow built to 6"
 90 - FS: Weak surface blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
365.00	MCW 75%w, 25%m	3.49

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Suemaaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63322

DST#: 2

ATTN: Bob Petersen

Test Start: 2017.10.31 @ 10:50:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

58000 ppm

Viscosity: 60.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.00 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 800.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
365.00	MCW 75%w , 25%m	3.489

Total Length: 365.00 ft Total Volume: 3.489 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW = .224 ohms @ 38.7 deg F

Chlorides = 58,000 ppm




Serial #: 6625

Inside

Suennaur Exploration & Production LLC

Godfrey #1-32

DST Test Number: 2





TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suema Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63323

DST#: 3

ATTN: Bob Petersen

Test Start: 2017.11.01 @ 03:51:00

GENERAL INFORMATION:

Formation: **LKC "E"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 06:08:30
 Time Test Ended: 10:53:15
 Interval: **3988.00 ft (KB) To 3994.00 ft (KB) (TVD)**
 Total Depth: 3994.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 76
 Reference Elevations: 2774.00 ft (KB)
 2769.00 ft (CF)
 KB to GR/CF: 5.00 ft


Serial #: 8017

Outside

Press@RunDepth: 18.82 psig @ 3989.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.11.01 End Date: 2017.11.01 Last Calib.: 2017.11.01
 Start Time: 03:51:05 End Time: 10:53:14 Time On Btm: 2017.11.01 @ 06:08:15
 Time Off Btm: 2017.11.01 @ 09:01:45

TEST COMMENT: 30 - IF: 1/4" Blow at open, built slightly, died back to surface blow
 45 - IS: No blow back
 30 - FF: No blow
 60 - FS: No blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1980.07	102.63	Initial Hydro-static
1	16.63	102.23	Open To Flow (1)
32	18.60	106.06	Shut-In(1)
76	24.60	107.85	End Shut-In(1)
81	18.31	108.03	Open To Flow (2)
111	18.82	109.16	Shut-In(2)
173	26.67	111.03	End Shut-In(2)
174	1967.00	110.44	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	Mud 100%	0.01

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Suemaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63323

DST#: 3

ATTN: Bob Petersen


Test Start: 2017.11.01 @ 03:51:00

GENERAL INFORMATION:

Formation: **LKC "E"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 06:08:30
 Time Test Ended: 10:53:15
 Interval: **3988.00 ft (KB) To 3994.00 ft (KB) (TVD)**
 Total Depth: 3994.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 76
 Reference Elevations: 2774.00 ft (KB)
 2769.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 6625 Inside
 Press@RunDepth: psig @ 3989.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.11.01 End Date: 2017.11.01 Last Calib.: 2017.11.01
 Start Time: 03:51:05 End Time: 10:53:44 Time On Btm:
 Time Off Btm:

TEST COMMENT: 30 - IF: 1/4" Blow at open, built slightly, died back to surface blow
 45 - IS: No blow back
 30 - FF: No blow
 60 - FS: No blow



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery		
Length (ft)	Description	Volume (bbl)
2.00	Mud 100%	0.01

* Recovery from multiple tests

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Suemaaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63323

DST#: 3

ATTN: Bob Petersen

Test Start: 2017.11.01 @ 03:51:00

Tool Information

Drill Pipe:	Length: 3800.00 ft	Diameter: 3.80 inches	Volume: 53.30 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.75 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 179.00 ft	Diameter: 2.25 inches	Volume: 0.88 bbl	Weight to Pull Loose: 65000.00 lb
			<u>Total Volume: 54.18 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3988.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	6.00 ft			
Tool Length:	35.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			3960.00	
Shut In Tool	5.00			3965.00	
Hydraulic tool	5.00			3970.00	
Jars	5.00			3975.00	
Safety Joint	3.00			3978.00	
Packer	5.00			3983.00	29.00 Bottom Of Top Packer
Packer	5.00			3988.00	
Packer - Shale	0.00			3988.00	
Stubb	1.00			3989.00	
Recorder	0.00	6625	Inside	3989.00	
Recorder	0.00	8017	Outside	3989.00	
Perforations	2.00			3991.00	
Bullnose	3.00			3994.00	6.00 Bottom Packers & Anchor

Total Tool Length: 35.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Suemaour Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63323

DST#: 3

ATTN: Bob Petersen

Test Start: 2017.11.01 @ 03:51:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2.00	Mud 100%	0.010

Total Length: 2.00 ft Total Volume: 0.010 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:




Serial #: 6625

Inside

Suennaur Exploration & Production LLC

Godfrey #1-32

DST Test Number: 3



Triobite Testing, Inc

Ref. No: 63323

Printed: 2017.11.01 @ 11:17:12



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suemaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63324

DST#: 4

ATTN: Bob Petersen

Test Start: 2017.11.02 @ 06:15:00

GENERAL INFORMATION:


Formation: **LKC "J"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 08:22:30
 Time Test Ended: 14:29:30
 Interval: **4068.00 ft (KB) To 4105.00 ft (KB) (TVD)**
 Total Depth: 4105.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 76
 Reference Elevations: 2774.00 ft (KB)
 2769.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 8017

Outside

Press@RunDepth: 159.63 psig @ 4069.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.11.02 End Date: 2017.11.02 Last Calib.: 2017.11.02
 Start Time: 06:15:05 End Time: 14:29:29 Time On Btm: 2017.11.02 @ 08:21:45
 Time Off Btm: 2017.11.02 @ 11:56:00

TEST COMMENT: 30 - IF: Blow built to BOB (11") at 10 1/4 min.
 60 - IS: Blow back built to 3"
 30 - FF: Blow built to BOB at 10 min.w
 90 - FS: Blow back built to 6"



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2057.18	104.79	Initial Hydro-static
1	37.62	105.52	Open To Flow (1)
30	114.62	117.15	Shut-In(1)
90	1186.17	116.20	End Shut-In(1)
91	121.42	115.35	Open To Flow (2)
121	159.63	118.97	Shut-In(2)
214	1084.15	119.82	End Shut-In(2)
215	2042.40	119.84	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
195.00	GMO 43%o, 31%m, 26%g	1.10
205.00	CGO 70%o, 28%g, 2%m	2.88
0.00	GIP = 475'	0.00

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Suemaour Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

ATTN: Bob Petersen

Job Ticket: 63324

DST#: 4

Test Start: 2017.11.02 @ 06:15:00

GENERAL INFORMATION:

Formation: **LKC "J"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 08:22:30

Time Test Ended: 14:29:30

Interval: 4068.00 ft (KB) To 4105.00 ft (KB) (TVD)

Total Depth: 4105.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 76

Reference Elevations: 2774.00 ft (KB)

2769.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6625

Inside

Press@RunDepth: psig @ 4069.00 ft (KB)

Start Date: 2017.11.02

End Date:

2017.11.02

Start Time: 06:15:05

End Time:

14:29:44

Capacity: 8000.00 psig

Last Calib.: 2017.11.02

Time On Btm:


Time Off Btm:

TEST COMMENT: 30 - IF: Blow built to BOB (11") at 10 1/4 min.

60 - IS: Blow back built to 3"

30 - FF: Blow built to BOB at 10 min.w

90 - FS: Blow back built to 6"



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
195.00	GMO 43%o, 31%m, 26%g	1.10
205.00	CGO 70%o, 28%g, 2%m	2.88
0.00	GIP = 475'	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Suemaaur Exploration & Production LLC

32/6s/28w Sheridan KS

529 N. Carancahua STE 1100
Corpus Christi, TX 78401

Godfrey #1-32

Job Ticket: 63324

DST#: 4

ATTN: Bob Petersen

Test Start: 2017.11.02 @ 06:15:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

37 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1200.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
195.00	GMO 43%o, 31%m, 26%g	1.105
205.00	CGO 70%o, 28%g, 2%m	2.876
0.00	GIP = 475'	0.000

Total Length: 400.00 ft Total Volume: 3.981 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Gravity = 37 api @ 60 deg F



Serial #: 6625

Inside

Suenaar Exploration & Production LLC

Godfrey #1-32

DST Test Number: 4

