



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Concorde Resources Corp

27-15-34 Logan Ks

111 S. Main St.
Eufaula, Ok 74432

Reta 2-27

Job Ticket: 63860

DST#: 1

ATTN: Larry Nicholson

Test Start: 2017.07.29 @ 09:04:20

GENERAL INFORMATION:

Formation: **LKC C**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:53:50

Time Test Ended: 15:50:50

Test Type: Conventional Bottom Hole (Initial)

Tester: Brandon Turley

Unit No: 79

Interval: 3923.00 ft (KB) To 3948.00 ft (KB) (TVD)

Reference Elevations: 2987.00 ft (KB)

Total Depth: 3948.00 ft (KB) (TVD)

2977.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 10.00 ft

Serial #: 8166 Outside

Press@RunDepth: 64.32 psig @ 3928.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.07.29 End Date: 2017.07.29

Last Calib.: 2017.07.29


Start Time: 09:04:25 End Time: 15:50:49

Time On Btm: 2017.07.29 @ 10:52:50

Time Off Btm: 2017.07.29 @ 13:55:50

TEST COMMENT: IF: 1/4 blow built to 2.
IS: No return.
FF: Surface blow built to 2.
FS: No return.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1882.93	107.85	Initial Hydro-static
1	25.88	107.43	Open To Flow (1)
31	46.04	110.64	Shut-In(1)
92	1152.68	111.75	End Shut-In(1)
92	53.33	111.47	Open To Flow (2)
121	64.32	112.96	Shut-In(2)
182	1150.17	113.12	End Shut-In(2)
183	1822.00	112.63	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
95.00	ocmw 2%o 68%w 30%m	1.33
32.00	go 40%g 60%o	0.45

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Concorde Resources Corp

27-15-34 Logan Ks

111 S. Main St.
Eufaula, Ok 74432

Reta 2-27

Job Ticket: 63860

DST#: 1

ATTN: Larry Nicholson

Test Start: 2017.07.29 @ 09:04:20

GENERAL INFORMATION:

Formation: **LKC C**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:53:50

Time Test Ended: 15:50:50

Test Type: Conventional Bottom Hole (Initial)

Tester: Brandon Turley

Unit No: 79

Interval: 3923.00 ft (KB) To 3948.00 ft (KB) (TVD)

Reference Elevations: 2987.00 ft (KB)

Total Depth: 3948.00 ft (KB) (TVD)

2977.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 10.00 ft

Serial #: 8875

Inside

Press@RunDepth: psig @ 3928.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.07.29

End Date: 2017.07.29

Last Calib.: 2017.07.29


Start Time: 09:04:34

End Time: 15:50:58

Time On Btm:

Time Off Btm:

TEST COMMENT: IF: 1/4 blow built to 2.
IS: No return.
FF: Surface blow built to 2.
FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
95.00	ocmw 2%o 68%w 30%m	1.33
32.00	go 40%g 60%o	0.45

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Concorde Resources Corp

27-15-34 Logan Ks

111 S. Main St.
Eufaula, Ok 74432

Reta 2-27

Job Ticket: 63860

DST#: 1

ATTN: Larry Nicholson

Test Start: 2017.07.29 @ 09:04:20

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

21 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

26000 ppm

Viscosity: 58.00 sec/qt

Cushion Volume:

bbf

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2500.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbf
95.00	ocmw 2%o 68%w 30%m	1.333
32.00	go 40%g 60%o	0.449

Total Length: 127.00 ft Total Volume: 1.782 bbf

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: 24@90=21

.21@86=26000

