

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1375494

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month d	ay year	Spot Description:	
	montn a	ay year	Sec Twp	S. R
DERATOR: License#			(Q/Q/Q/Q) feet from	N / S Line of Section
			feet from	E / W Line of Section
			Is SECTION: Regular Irregular?	
			· — —	
· · · · · · · · · · · · · · · · · · ·		Zip: +	(Note: Locate well on the Section Plat	•
•			County:	
			Lease Name:	
ONTD A OTOD. I is a second	u.		Field Name:	
JONTRACTOR: License	F		io tino a i rotatoa / opasoa i tota	Yes No
iaiiie			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh	Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Disp	• =	Cable	Public water supply well within one mile:	Yes N
Seismic ; #	of Holes Other	_	Depth to bottom of fresh water:	
Other:				
			Surface Pipe by Alternate: I II	
If OWWO: old wel	I information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Desire et al Tatal Desiths	
Original Completion D	ate: Origin	nal Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
Directional, Deviated or He	orizontal wellbore?	Yes No	Well Farm Pond Other:	
Yes, true vertical depth:			DWR Permit #:	
			- (Note: Apply for Permit with DI	WR 🗌)
(CC DKT #:			- Will Cores be taken?	Yes N
			If Yes, proposed zone:	
		AF	FIDAVIT	
	affirms that the drilling	completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
he undersigned hereby				
-	wing minimum requirem	ents will be met:		
t is agreed that the follow				
t is agreed that the follows: 1. Notify the appropr	iate district office <i>prior</i>	to spudding of well;	ch drilling rig;	
t is agreed that the follows: 1. Notify the appropriate appropria	iate district office <i>prior</i> roved notice of intent to	to spudding of well; drill shall be posted on eac	ch drilling rig; of by circulating cement to the top; in all cases surface p	ipe s <i>hall be</i> set
t is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus	to spudding of well; drill shall be posted on eac specified below shall be se a minimum of 20 feet into t	t by circulating cement to the top; in all cases surface $\mathfrak p$ he underlying formation.	
 is agreed that the follows Notify the appropriate A copy of the approp	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betw	to spudding of well; drill shall be posted on eac specified below shall be se a minimum of 20 feet into t een the operator and the di	of by circulating cement to the top; in all cases surface put the underlying formation. Strict office on plug length and placement is necessary	
Notify the appropr A copy of the appr The minimum amount through all uncons If the well is dry ho The appropriate d	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betwistrict office will be notif	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disted before well is either plug	et by circulating cement to the top; in all cases surface public underlying formation. Strict office on plug length and placement is necessary aged or production casing is cemented in;	prior to plugging;
 is agreed that the follows: Notify the appropriate appropriate downward in the constant of the const	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betwistrict office will be notif II COMPLETION, prod	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement	et by circulating cement to the top; in all cases surface p he underlying formation. strict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 I	prior to plugging; DAYS of spud date.
 is agreed that the follows: Notify the appropriate appropriate downward in the constant of the const	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Ka	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	It by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary aged or production casing is cemented in; led from below any usable water to surface within 120 It #133,891-C, which applies to the KCC District 3 area, a	prior to plugging; DAYS of spud date. Iternate II cementing
Notify the appropr A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate d If an ALTERNATE Or pursuant to Appropri	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Ka	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	et by circulating cement to the top; in all cases surface p he underlying formation. strict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 I	prior to plugging; DAYS of spud date. Iternate II cementing
1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Ap	iate district office <i>prior</i> roved notice of intent to punt of surface pipe as solidated materials plus ple, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Ka	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	It by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary aged or production casing is cemented in; led from below any usable water to surface within 120 It #133,891-C, which applies to the KCC District 3 area, a	prior to plugging; DAYS of spud date. Iternate II cementing
 agreed that the follows Notify the approprime A copy of the apprime The minimum and through all unconsisted If the well is dry how The appropriate d If an ALTERNATE Or pursuant to Apmust be completed 	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus bole, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the state of the sta	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	It by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary aged or production casing is cemented in; led from below any usable water to surface within 120 It #133,891-C, which applies to the KCC District 3 area, a	prior to plugging; DAYS of spud date. Iternate II cementing
 agreed that the follows Notify the approprime A copy of the apprime The minimum and through all unconses If the well is dry how The appropriate d If an ALTERNATE Or pursuant to Apmust be complete 	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus bole, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the state of the sta	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	It by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gged or production casing is cemented in; led from below any usable water to surface within 120 It #133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior	prior to plugging; DAYS of spud date. Iternate II cementing
is agreed that the follows: 1. Notify the appropriate of the appropri	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus bole, an agreement betwistrict office will be notif II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the state of the sta	to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the differ before well is either pluguetion pipe shall be cement the sas surface casing order #	At by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gged or production casing is cemented in; ed from below any usable water to surface within 120 is \$133,891-C\$, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior in the Remember to:	prior to plugging; DAYS of spud date. Iternate II cementing to any cementing.
1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete Ubmitted Electro For KCC Use ONLY	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus pole, an agreement betw istrict office will be notif II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the sprincally	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the direct before well is either pluguation pipe shall be cement ansas surface casing order from the spud date or the well shall be	At by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to \$\frac{1}{2}\$	prior to plugging; DAYS of spud date. Iternate II cementing to any cementing.
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete Ubmitted Electro For KCC Use ONLY API # 15 -	iate district office <i>prior</i> roved notice of intent to bount of surface pipe as solidated materials plus oble, an agreement betweet istrict office will be notiful COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the sprically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	At by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to \$133,891-C\$, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior in the Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill;	prior to plugging; DAYS of spud date. Iternate II cementing to any cementing.
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete Ibmitted Electro For KCC Use ONLY API # 15 -	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus pole, an agreement betw istrict office will be notif II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the sprincally	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior in the Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to I	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing.
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate of the completer Ibmitted Electro For KCC Use ONLY API # 15 Conductor pipe required	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus oble, an agreement betweet istrict office will be notiful COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the sprically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged in all cases.	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing. face Owner Notification Drill; d date;
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus oble, an agreement betweet istrict office will be notiful COMPLETION, producing pendix "B" - Eastern Kard within 30 days of the sonically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall be	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the KCC District 3 area, as the plugged of the plu	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing. face Owner Notification Drill; d date; on orders;
1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	iate district office <i>prior</i> roved notice of intent to bount of surface pipe as solidated materials plus oble, an agreement betweet istrict office will be notiful II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged in all cases.	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing. face Owner Notification Drill; d date; on orders; rkover or re-entry;
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expires	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus bele, an agreement betweet istrict office will be notiful II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the separate prically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; and from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File District office the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged. File Certification of Compliance with the Kansas Surface plugged.	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing. face Owner Notification Drill; d date; on orders; rkover or re-entry; pleted (within 60 days);
is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be completed Ubmitted Electro For KCC Use ONLY API # 15	iate district office <i>prior</i> roved notice of intent to bunt of surface pipe as solidated materials plus bele, an agreement betweet istrict office will be notiful II COMPLETION, prod pendix "B" - Eastern Kad within 30 days of the separate prically	to spudding of well; drill shall be posted on ead specified below shall be se a minimum of 20 feet into t een the operator and the di ied before well is either plug uction pipe shall be cement nsas surface casing order # spud date or the well shall b	the by circulating cement to the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary gred or production casing is cemented in; led from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the Complete of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior of the KCC District 3 area, as the plugged of the plu	prior to plugging; DAYS of spud date. Ilternate II cementing to any cementing. face Owner Notification Drill; d date; on orders; rkover or re-entry; bleted (within 60 days); salt water.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3831 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		,	License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(II WI Supply All Five. St. Teal Brilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	Date: Lease Inspection: Yes No



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	



TOPO U.S. 100K v5.01

© Courtesy Of National Oceanic And Atmospheric Administration / National Ocean Service 2013. © Garmin Ltd. and Its Subsidiaries 2013. © Navteq 2010. All Rights Reserved. © Navteq All Rights

GARMIN.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

December 07, 2017

Jason Kent RJ Energy, LLC 22082 NE NEOSHO RD GARNETT, KS 66032-1918

Re: Drilling Pit Application Flat Rock (Beard) 3 NW/4 Sec.33-22S-16E Coffey County, Kansas

Dear Jason Kent:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.

82-3-607.



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS.

(a)	Each operator shall perform one of the following when disposing of dike or	
pit	contents:	
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;	
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;	
or		
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area	
on		
lease	acreage owned by the same landowner or to another producing	
	or unit operated by the same operator, if prior written permission	
from	the landowner has been obtained; or	

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Eac	h violation of this regulation shall be punishable by the following:
(1	1) A \$ ²	1,000 penalty for the first violation;
(2	2) a \$2	2,500 penalty for the second violation; and
(3	a \$5	5,000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.