

# For KCC Use: Effective Date: District # SGA? Yes No KANSAS CC OIL & GAS NOTICE

# Kansas Corporation Commission Oil & Gas Conservation Division

1375801

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

| Expected Spud Date:  | Spot Description:  |
|--|--|
| monur day year   |  |
| PERATOR: License#  | feet from N / S Line of Sectio   |
| ame:   | feet from L E / W Line of Section  |
| ddress 1:  | s SECTION: Regular Irregular?  |
| ddress 2:  |  |
| ity:   | County:  |
| Contact Person:  | Lease Name: Well #:  |
| hone:  | Field Name:  |
| CONTRACTOR: License#   | - Is this a Prorated / Spaced Field? Yes No  |
| lame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
|  | Ground Surface Elevation:feet MS   |
| Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable   | Public water supply well within one mile:  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
|  | Surface Pipe by Alternate: II II   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:  |
| Operator:  | Length of Conductor Pipe (if any):   |
| Well Name:   | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth:  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes No   | Well Farm Pond Other:  |
| f Yes, true vertical depth:  | DWR Permit #:  |
| Bottom Hole Location:  | (4) (4) (4) (5) (6) (7) (7)  |
| COO DICT II  | ( <b>Note</b> : Apply for Permit with DWR )  |
| CCC DKT #:   | Will Cores be taken?   |
| CCC DKT #:   |  |
|  | Will Cores be taken?  If Yes, proposed zone:   |
| A  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT   |
| $oldsymbol{A}$<br>The undersigned hereby affirms that the drilling, completion and eventual  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT   |
| A  The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set   |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the constants.   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging;   |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus to the surface of      | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;   |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  If the total property of the total property of the underlying formation.  In the underlying formation of the total property of the underlying formation.  If Yes In the underlying rig;  If Yes In the underl |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;   |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the surface well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date.  If Yes In  |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the constant of the surface will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date.  If Yes In  |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall   | If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specific office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  | If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging;  Listrict office on plug length and placement in;  Let from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus to the set of the set            | Yes   N  |
| The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15 -   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the construct      | If Yes, proposed zone:  FFIDAVIT  Dolugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging;  If yet go in the property of the complete shall be set the underlying formation.  If yes in the complete shall be set the surface pipe shall be set the underlying formation.  If yes in the complete shall be set the underlying formation is necessary prior to plugging;  If yes in the complete set the surface pipe shall be set the underlying formation is necessary prior to plugging;  If yes in the complete set is necessary pr |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the constant of the well is district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15 -   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall approximate the surface of the well shall be constructed.  2. A copy of the appropriate district office pipe as specified below <i>shall be</i> surface.  4. If the well is dry hole, an agreement between the operator and the construction of the surface of the su | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated price pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the unimpost of the well is dry hole, an agreement between the operator and the construction of the properties of the specific of the plus of the specific of th      | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be approved by the surface pipe required feet feet feet feet feet feet feet fe  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Drugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 4485 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

1375801

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                                | License Number:                      |  |  |
|---|--------------------------------|--------------------------------------|--|--|
| Operator Address:   |                                |                                      |  |  |
| Contact Person:   |                                | Phone Number:                        |  |  |
| Lease Name & Well No.:  |                                | Pit Location (QQQQ):                 |  |  |
| Type of Pit:  | Pit is:                        |                                      |  |  |
| Emergency Pit Burn Pit  | Proposed                       | Existing                             | SecTwpR East West  |  |
| Settling Pit Drilling Pit   | If Existing, date constructed: |                                      | Feet from North / South Line of Section                                  |  |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)  | Pit capacity:                  |                                      | Feet from East / West Line of Section                                    |  |
|   |                                | (bbls)                               | County   |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes 1                     | No                                   | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?              | 0                                    | How is the pit lined if a plastic liner is not used?                     |  |
| Pit dimensions (all but working pits):  | Length (fee                    | et)                                  | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to dee         | pest point:                          | (feet) No Pit  |  |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe pro liner integrity |                                | liner integrity, in                  | cluding any special monitoring.  |  |
|   |                                | Depth to shallow<br>Source of inforr | west fresh water feet.<br>nation:  |  |
|   |                                | measured                             | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |                                | Drilling, Worko                      | over and Haul-Off Pits ONLY:   |  |
|   |                                | Type of materia                      | l utilized in drilling/workover:   |  |
| Number of producing wells on lease: Number of   |                                | Number of work                       | lumber of working pits to be utilized:                                   |  |
| Barrels of fluid produced daily: Abando   |                                | Abandonment p                        | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits                                   |                                | Drill pits must b                    | Orill pits must be closed within 365 days of spud date.                  |  |
|   |                                |                                      |  |  |
| Submitted Electronically  |                                |                                      |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                                |                                      |  |  |
| Date Received: Permit Numl  | ber:                           | Permi                                | t Date: Lease Inspection: Yes No   |  |



# Kansas Corporation Commission Oil & Gas Conservation Division

)1 Form KSONA-1

January 2014

Form Must Be Typed

Form must be Signed

All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C   | athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |
|---|---|--|
| OPERATOR: License #   | Well Location:  |  |
| Name:   | SecTwpS. R East _ West  |  |
| Address 1:  | County:   |  |
| Address 2:  | Lease Name: Well #:   |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |
| Contact Person:   |   |  |
| Phone: ( ) Fax: ( )   |   |  |
| Email Address:  |   |  |
| Surface Owner Information:  |   |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an addition  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |
| City:   |   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                       |  |
| owner(s) of the land upon which the subject well is or will be lo   | ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.                        |  |
| KCC will be required to send this information to the surface ow   | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form. |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 | fee with this form. If the fee is not received with this form, the KSONA-1<br>1 will be returned.   |  |
| Submitted Electronically  |   |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: Laymon Oil II LLC  | Location of Well: County: Woodson  |
|--|--|
| Lease: Glades  |  |
| Well Number: 111-17  | 4,485 feet from N / X S Line of Section 1,745 feet from E / W Line of Section                        |
| Field: Vernon  | Sec. 9 Twp. 24 S. R. 16 X E W  |
| Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW - SE - NW - NE | Is Section: Regular or Irregular   |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.