## CORRECTION #1

For KCC	Use:
Effective	Date:
District #	ł
SGA?	Yes No

Spud date: \_

\_ Agent: \_

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1376255

- If well will not be drilled or permit has expired (See: authorized expiration date)

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

DPERATOR: License#   Lies from   N /   S   Line of Section   Name:   leet from   N /   S   Line of Section   Radfress 2   leet from   E /   W   Line of Section   Radfress 2   leet from   Radf	Form KS	ONA-1, Certificati	on of Compl		s Surface Owner Notification Act, MUST be submitted with this form.
OPERATOR: Licenses* Nume:    Address 1:	Expected Spud Date:				Spot Description:
Comparable   Com		month	day	year	Sec Twp S. R Tw
Name:	ODEDATOR: Linear #				(0/0/0/0)
Address 1:					
Addross 2:  City: State: Zip: +					
County:  Cou					13 SECTION. Tregular Integular:
Contrac Person:	·				(Note: Locate well on the Section Plat on reverse side)
Phone:  CONTRACTOR: License#   Service   Servi	•		•		County:
CONTRACTOR: License#   Name:   Fried Name:					Lease Name: Well #:
Name:    Weil Drilled For:   Weil Class:   Type Equipment.	r none.				Field Name:
Well Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation:   Ground Gurface Elevation:   Grou	CONTRACTOR: License#				Is this a Prorated / Spaced Field?
Ground Surface Elevation:   feet MSL   Ground Surface Pipe Planned to be set:   feet MSL   fe	Name:				Target Formation(s):
Gound Surface Elevation:	Well Drilled For:	Well Class	· Tyn	e Fauinment:	Nearest Lease or unit boundary line (in footage):
Gas   Storage   Pool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   No   Disposal   Wildcat   Cable   Depth to bottom of usable water:   Depth to Depth to   D				7	Ground Surface Elevation:feet MSL
Seismic			-	<b>=</b>	Water well within one-quarter mile:
Seismic:		· =	_	╡ ***	
Depth to bottom of usable water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   Length of Surface Pipe by Alternate:   I   I   Length of Surface Pipe Pipe by Alternate:   I   I   Length of Surface Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pip			_	Cable	
Surface Pipe by Alternate:			•		·
If OWWC: old well information as follows:   Coperator:	Other:				
Operator:  Well Name:  Original Completion Date:  Original Case Surface Date Date Date:  Original Case Surface Original Case Surface Date	If OWWO: old well	information as fol	ows:		
Well Name: Original Completion Date: Origina					
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permit with DWR Permit with DWR   )  Will Cores be taken?   Well Farm Pond Other: DWR Permi	Operator:				
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Source for Source on Drilling Operations:   Water Source for Source on Drilling Operation Operations:   Water Source on Drilling Operation of Source on Drilling Operations:   Water Source on Drilling Op					-
Well       Farm Pond   Other:     DWR Permit #:   DWR Permit #:   DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:     DWR Permit #:   DWR	Original Completion Da	ate:	Original Tota	I Depth:	
If Yes, true vertical depth: Bottom Hole Location:    World   Supply for Permit with DWR   Will Cores be taken?   Will cores and taken.   Will cores and taken.   Will cores and taken.   Will cores and taken					
Bottom Hole Location:					Well Farm Pond Other:
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	•				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API #15 -  Conductor pipe required					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  Conductor pipe required	NCC DKT #:				Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File careage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);					If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File careage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);				٨Ε	EIDAV/IT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Circification of Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	The undersigned hereby	offices that the	rilling comp		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1	-				ugging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	It is agreed that the follow	ing minimum red	quirements w	vill be met:	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain write an experience in the total cried to the underlying formation.	<ol> <li>Notify the appropri</li> </ol>	ate district office	<i>prior</i> to spu	dding of well;	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15 -  Conductor pipe required  feet  Minimum surface pipe required  feet per ALT. I I II  Approved by:  This authorization expires:  This authorization expires:  Aproved by:  This authorization expires:  This authorization expires:  This authorization agreement before dealer to bridge or production casing is cemented in;  The underlying formation of plug length and placement is necessary prior to plugging;  This authorization expires:  This authoriz				•	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  For KCC Use ONLY  API # 15 -  Conductor pipe required  feet  Minimum surface pipe required  feet per ALT.					
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15					
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15					
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY				1 0	0 1
For KCC Use ONLY  API # 15					·
For KCC Use ONLY  API # 15				-	·
For KCC Use ONLY  API # 15	•	•	•		
For KCC Use ONLY  API # 15					
For KCC Use ONLY  API # 15	Submitted Electron	nically			
For KCC Use ONLY  API # 15		nouny			
API # 15	For KCC Use ONLY				
Conductor pipe required					·
Conductor pipe required					
Minimum surface pipe requiredfeet per ALTIIIIIFile acreage attribution plat according to field proration orders;  Approved by:	Conductor pipe required		1	eet	
Approved by:	Minimum surface pipe red	guired	fee	et per ALT.	
This authorization expires:					
Inis authorization expires:					
(This authorization void if drilling not started within 12 months of approval date.)	1			o of opproval data	Obtain written approval before disposing or injecting salt water.

SEWARD CO. 3390' FEL

For KCC Use ONLY	
ΔPI # 15 -	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
ield:	SecTwp S. R L E L W
Number of Acres attributable to well:	is section.     ixequial of     inequial
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
	Section control used. NE NV SE SV
	PLAT
Show location of the well. Show footage to the near	rest lease or unit boundary line. Show the predicted locations of
	as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	h a separate plat if desired. t.
335 π	<u>.                                    </u>
	2002 #
• • • • • • • • • • • • • • • • • • •	2003 ft. <b>LEGEND</b>
	· ········ O Well Location
	Tank Battery Location
: : : :	· · · · · · · · · · · · · · · · · · ·
	: : Electric Line Location
	Lease Road Location
	· · · · · · · · · · · · · · · · · · ·
	EXAMPLE : :
· · · · · · · · · · · · · · · · · · ·	
33	
: : : : : : : : : : : : : : : : : : : :	
	. · 1980'FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1376255

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

		onnit in Dupiicat		
Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
Oupply ALTINO. OF Teal Diffield)		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	lo		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
material, thickness and installation procedure.		into integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inforr	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must b	be closed within 365 days of spud date.	
	-			
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	it Date: Lease Inspection: Yes No	

## CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1376255

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	Sec TwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

December 14, 2017

Jeff Wood Landmark Resources, Inc. 4900 WOODWAY DR SUITE 880 HOUSTON, TX 77056

Re: Drilling Pit Application API 15-171-21214-00-00 Logan 1-33 NE/4 Sec.33-16S-34W Scott County, Kansas

Dear Jeff Wood:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.

82-3-607.

Kansas
Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

## HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

**DISPOSAL OF DIKE AND PIT CONTENTS.** 

(a)	Each operator shall perform one of the following when disposing of dike or
pit	contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area
on	
lease	acreage owned by the same landowner or to another producing
	or unit operated by the same operator, if prior written permission
from	the landowner has been obtained; or

	(D) removal of the contents to a permitted off-site disposal area	
approved		
	by the department.	
(b)	Each violation of this regulation shall be punishable by the following	:
(1)	A \$1,000 penalty for the first violation;	
(2)	a \$2,500 penalty for the second violation; and	
(3)	a \$5,000 penalty and an operator license review for the third violatic	n.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.

## **Summary of Changes**

Lease Name and Number: Logan 1-33

API/Permit #: 15-171-21214-00-00

Doc ID: 1376255

Correction Number: 1

Approved By: Rick Hestermann 12/15/2017

Field Name	Previous Value	New Value
Artificial Liner?	No	
Depth Of Water Well	208	
Depth to Shallowest Fresh Water	170	
Feet to Nearest Water Well Within One-Mile of	2859	
Pit Fresh Water Information Source: KDWR	Yes	No
How Pit is Lined if Plastic Liner Not Used	native clay	
Is Bottom Below Ground Level?	Yes	
Is Pit Proposed or Existing	Proposed	
KCC Only - Approved By	Rick Hestermann 12/14/2017	Rick Hestermann 12/15/2017
KCC Only - Approved Date	12/14/2017	12/15/2017

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Date Received	12/13/2017	12/14/2017
KCC Only - Lease Inspection	Yes	No
Pit Capacity BBLS	71	
Pit Deepest Depth	4	
Pit Length	10	
Pit Type	Drilling	
Pit Width	10	
Steel Pit	No	Yes

## **Summary of Attachments**

Lease Name and Number: Logan 1-33

API: 15-171-21214-00-00

Doc ID: 1376255

Correction Number: 1

Approved By: Rick Hestermann 12/15/2017

Attachment Name

No Earthen Pits

Haul Off Pit Application