

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#
Name:
Address 1:
Address 2:
City: State: Zip:
Contact Person:
Phone:
Contact Person Email:
Field Contact Person:
Field Contact Person Phone:

API No. 15-
Spot Description:
Sec. Twp. S. R.
GPS Location: Lat: Long:
Datum:
County: Elevation:
Lease Name: Well #:
Well Type:
SWD Permit #: ENHR Permit #:
Gas Storage Permit #:
Spud Date: Date Shut-In:

Table with 7 columns: Conductor, Surface, Production, Intermediate, Liner, Tubing. Rows include Size, Setting Depth, Amount of Cement, Top of Cement, Bottom of Cement.

Casing Fluid Level from Surface: How Determined? Date:
Casing Squeeze(s): to w / sacks of cement, to w / sacks of cement. Date:
Do you have a valid Oil & Gas Lease?
Depth and Type: Junk in Hole at Tools in Hole at Casing Leaks:
Type Completion: ALT. I ALT. II Depth of: DV Tool: Port Collar:
Packer Type: Size: Inch Set at: Feet
Total Depth: Plug Back Depth: Plug Back Method:

Geological Date:

Table with 4 columns: Formation Name, Formation Top, Formation Base, Completion Information. Rows 1 and 2.

UNDER PENALTY OF PERJURY I HEREBY ATTEST THAT THE INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE


Submitted Electronically

Do NOT Write in This Space - KCC USE ONLY
Date Tested: Results: Date Plugged: Date Repaired: Date Put Back in Service:
Review Completed by: Comments:
TA Approved: Yes Denied Date:

Mail to the Appropriate KCC Conservation Office:



Table with 2 columns: Office Address, Phone. Rows for District Office #1, #2, #3, #4.

Group: MyWells Well: Rich Smith # 4-20 (acquired on: 12/28/17 11:07:11)




Filter Type High Pass Automatic Collar Count Yes Time 6.199 sec
 Manual Acoustic Velo 1173.78 ft/s Manual JTS/sec 18.7266 Joints 118.293 Jts
 Depth 3707.31 ft

[0.5 to 1.5 (Sec)]



Analysis Method: Automatic

Group: MyWells Well: Rich Smith # 4-20 (acquired on: 12/28/17 11:07:11)




Change in Pressure -0.05 psi PT12865
 Change in Time 2.00 min Range 0 - ? psi

Group: MyWells Well: Rich Smith # 4-20 (acquired on: 12/28/17 11:07:11)

Production					
Current	Potential	Casing Pressure	Producing		
Oil - *-	- *- BBL/D	9.2 psi (g)			
Water - *-	- *- BBL/D	Casing Pressure Buildup	Annular		
Gas - *-	- *- Mscf/D	-0.1 psi	Gas Flow	0 Mscf/D	
		2.00 min	% Liquid	100 %	
IPR Method	Vogel	Gas/Liquid Interface Pressure			
PBHP/SBHP	- *-	11.7 psi (g)			
Production Efficiency	0.0				
		Liquid Level Depth			
Oil 40 deg.API		3707.31 ft			
Water 1.05 Sp.Gr.H2O					
Gas 0.80 Sp.Gr.AIR		Pump Intake Depth			
		4488.00 ft			
Acoustic Velocity	1196.1 ft/s	Formation Depth			
		4488.00 ft			
Formation Submergence			Pump Intake		
Total Gaseous Liquid Column HT (TVD)	781 ft		275.6 psi (g)		
Equivalent Gas Free Liquid HT (TVD)	781 ft		Producing BHP		
			275.6 psi (g)		
Acoustic Test			Static BHP		
			- *- psi (g)		

Group: MyWells Well: Rich Smith # 4-20 (acquired on: 12/28/17 11:07:11)



Acoustic Velocity 1196.1 ft/s Joints counted 109
 Joints Per Second 19.0826 jts/sec Joints to liquid level 118.293
 Depth to liquid level 3707.31 ft Filter Width 16.7266 20.7266
 Automatic Collar Count Yes Time to 1st Collar 0.276 5.988

January 16, 2018

Melody C. Fletcher
Oil Producers Inc. of Kansas
1710 WATERFRONT PKWY
WICHITA, KS 67206-6603

Re: Temporary Abandonment
API 15-129-21605-00-00
RICH SMITH 4-20
SW/4 Sec.20-33S-42W
Morton County, Kansas

Dear Melody C. Fletcher:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 01/16/2019.

- * If you return this well to service or plug it, please notify the District Office.
- * If you sell this well you are required to file a Transfer of Operator form, T-1.
- * If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 01/16/2019.

You may contact me at the number above if you have questions.

Very truly yours,

Michael Maier"