KOLAR Document ID: 1379723

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:						
Name:	Spot Description:						
Address 1:	SecTwpS. R East _ West						
Address 2:	Feet from North / South Line of Section						
City: State: Zip:+	Feet from _ East / _ West Line of Section						
Contact Person:	Footages Calculated from Nearest Outside Section Corner:						
Phone: ()	□NE □NW □SE □SW						
CONTRACTOR: License #	GPS Location: Lat:, Long:						
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)						
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84						
Purchaser:	County:						
Designate Type of Completion:	Lease Name: Well #:						
New Well Re-Entry Workover	Field Name:						
□ Oil □ WSW □ SWD	Producing Formation:						
Gas DH EOR	Elevation: Ground: Kelly Bushing:						
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:						
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet						
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet						
Operator:	If Alternate II completion, cement circulated from:						
Well Name:	feet depth to:w/sx cmt.						
Original Comp. Date: Original Total Depth:							
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan						
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)						
Committed at Provider	Chloride content: ppm Fluid volume: bbls						
☐ Commingled Permit #:	Dewatering method used:						
SWD Permit #:	Location of fluid disposal if hauled offsite:						
EOR Permit #:	Location of fluid disposal if fladied offsite.						
GSW Permit #:	Operator Name:						
<u> </u>	Lease Name: License #:						
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West						
Recompletion Date Recompletion Date	County: Permit #:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I III Approved by: Date:

KOLAR Document ID: 1379723

Page Two

Operator Name: _			Lease Name: Well #:							
Sec Twp.	S. R.	Ea	ast West	County:						
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log		
Drill Stem Tests Ta			Yes No		_	Formation (Top), Depth and Datum				
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		R			New Used	on, etc.				
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I				
Purpose:		epth Ty	pe of Cement	Cement # Sacks Used Type and Percent Additives						
Protect Casi										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,		
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·					
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)					
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 (1200) 10.	JIEG.			. 30.0.71						

Form	ACO1 - Well Completion
Operator	ONEOK NGL Pipeline, LLC
Well Name	KS-KC-02 1
Doc ID	1379723

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16	10	8	20	Portland	23	0

Job #:	10-16-7284	Anode Bed No.			Location: OneOK KS-KC-02	
Load Date:	9/20/2017	Total Volts:	12.2	Total Amps:	Total Resistance Ω:	
		_			<u></u>	

Top of Conducrete tagged at: 53' (ft.)

Commissioning Date:

Commissio	ning Date:			1								Anode Output (amps)			
		Resistance		Anode	Resistance	Depth		Resistance	-	Anode				No	
Depth (ft.)	Anode #	(ohms)	(ft.)	#	(ohms)	(ft.)	#	(ohms)	(ft.)	#	(ohms)	Anode #	Depth (ft.)	Conducrete	With Conducrete
5			130		4.0	255			380						
10			135		4.0	260			385			1	227'	4.20	4.30
15			140		3.7	265			390			2	213'	4.80	5.50
20			145		3.3	270			395			3	199'	4.40	4.40
25	1.2		150		3.2	275			400			4	185'	4.20	5.00
30	1.3		155		4.1	280			405			5	171'	4.70	5.70
35	1.5		160		4.4	285			410			6	157'	4.60	5.30
40	1.8		165		4.4	290			415			7	143'	4.30	4.60
45	1.5		170		4.7	295			420			8	129'	3.40	4.20
50	1.2		175		4.5	300			425			9	115'	4.10	4.80
55	1.1		180		4.5	305			430			10	101'	4.00	4.40
60	1.1		185		4.1	310			435			11	87'	3.00	3.10
65	1.2		190		3.7	315			440			12	73'	2.60	3.00
70	1.2		195		4.1	320			445			13			
75	1.6		200		4.8	325			450			14			
80	1.8		205		4.9	330			455			15			
85	1.6		210		4.8	335			460			16			
90	1.6		215		4.2	340			465			17			
95	1.8		220		2.1	345			470			18			
100	2.1		225		2.2	350			475			19			
105	2.6		230		2.0	355			480			20			
110	2.6		235		2.1	360			485						
115	2.8		240		2.0	365			490						
120	3.4		245			370			495						
125	3.8		250			375			500						

Notes:			#'s Bentonite Used:	1128# PORTLAND	
Гор of <mark>Conducrete</mark> tagged at:	75'	on date:	9/21/2017		

			TYPI	E 5 SAE	PAGE	1	OF	1
CLIENT: ONEOK			PROJECT NAME:	Groundbed Insta	ıllation C	ATE DRILLED	 : <u>TBD </u>	
SITE: Multple			LOCATION	: Kansas				
OTHER ID# COMPANY		FAC	CILITY:		GPS			
	Pump and We	ell	RIG:		BOREHOL	E:10 inch		
LOGGED BY: <u>Brewer</u>			DRILLING METHOD:	Wet Rotary or Dr	r <u>y</u> FLUI	IC <u>Water if wet i</u>	rotary	
	TYP		INTERVAL	MATERIAL	JOIN	T LENGTH	DIAM	ETER
CASING:	SDR		0-20"	PVC			1(0"
Casing data			tland cement.	Total of 1128 pour	nds used.			
Plug	Portland plu	g to 53° bgs		1	1			
					+		+	
		3 - 20 	P	O I L A S I N G O R T L A 1 1 2 8 #	N D V I R O			
Initial Depth to Wa		 - 240		A N	O D E S T E M			
Comments		Not to scale	!					

Comments