KOLAR Document ID: 1379773

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received Drill Stem Tests Received									
Geologist Report / Mud Logs Received									
UIC Distribution									
ALT I III Approved by: Date:									

KOLAR Document ID: 1379773

Page Two

Operator Name:				Lease Name: Well #:								
Sec Tw	rpS	S. R	Eas	st West	County:							
	l, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,		
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log		
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample		
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum		
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No								
			Rej	CASING	RECORD [Nev		on, etc.				
Purpose of St	tring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'			
Purpose: Perforate		Depth Top Bottom	Тур	Type of Cement # Sacks Us			sed Type and Percent Additives					
Protect Ca												
Plug Off Z												
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three			
Date of first Produ Injection:	ction/Injectio	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>				
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf Water Bbls. Gas-Oil Ratio					Gravity		
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:		
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom		
,	ed, Submit AC							·				
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)			
TUBING RECORI	D: S	size:	Set A	: -	Packer At:							

Form	ACO1 - Well Completion
Operator	ONEOK NGL Pipeline, LLC
Well Name	KS-KC-03 1
Doc ID	1379773

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16	10	8	20	Portland	38	0

Job #:	10-16-7284	Anode Bed No.			Location: OneOK	KS-KC-03	
Load Date:	9/20/2017	Total Volts:	14.3	Total Amps:	Total Re	esistance Ω:	•
		_					

Top of Conducrete tagged at: 100 (ft.)

Notes:

Commissioning Date:

												Anode Output (amps)			
		Resistance	Depth	Anode			Anode			Anode			(6.)	No	
Depth (ft.)	Anode #	(ohms)	(ft.)	#	(ohms)	(ft.)	#	(ohms)	(ft.)	#	(ohms)	Anode #	Depth (ft.)	Conducrete	With Conducrete
5			130		1.3	255		2.2	380						1
10			135		2.0	260		2.6	385			1	287	4.40	5.70
15			140		2.1	265		3.0	390			2	273	3.60	5.00
20			145		1.9	270		3.2	395			3	259	3.60	4.30
25	1.0		150		1.8	275		3.3	400			4	245	2.90	3.80
30	1.6		155		1.7	280		3.6	405			5	231	2.30	4.30
35	1.5		160		1.2	285		4.2	410			6	217	3.30	4.60
40	2.0		165		1.0	290		4.4	415			7	203	3.20	4.30
45	1.9		170		1.9	295		4.1	420			8	189	2.90	4.60
50	1.7		175		1.8	300		3.9	425			9	175	2.60	4.40
55	1.4		180		2.2	305			430			10	161	2.90	3.80
60	1.2		185		2.1	310			435			11	147	2.20	3.00
65	0.7		190		2.2	315			440			12	133	2.10	3.00
70	0.8		195		2.3	320			445			13			
75	1.3		200		3.0	325			450			14			
80	1.5		205		2.8	330			455			15			
85	1.1		210		2.7	335			460			16			
90	1.5		215		2.9	340			465			17			
95	1.6		220		2.9	345			470			18			
100	1.9		225		2.8	350			475			19			
105	1.6		230		3.0	355			480			20			
110	1.7		235		3.1	360			485						
115	1.5		240		3.3	365			490						
120	1.1		245		3.1	370			495						
125	0.4		250		2.4	375			500						

Top of Conducrete tagged at:	101'	on date:	8/21/2017

#'s Bentonite Used:

1880# PORTLAND CEMENT

			T)(D)								
			IYP	E 5 SAE	PAGE	1	OF	1			
CLIENT: ONEOK			PROJECT NAME:	Groundbed Insta	allation [DATE DRILLED	: TBD				
SITE: Multple			LOCATION: Kansas								
OTHER ID# COMPANY			CILITY:		GPS	-					
	Pump and We	ell	RIG:		BOREHOL	E:10 inch					
LOGGED BY: Brewer			DRILLING METHOD:	Wet Rotary or D	ry FLU	IC Water if wet	rotary				
	TYP	'E	INTERVAL	MATERIAL	JOIN ⁻	T LENGTH	DIAM	ETER			
CASING:	SDR		0-20"	PVC				0"			
Casing data	20' casing g	routed with Po	rtland cement.	Total of 1880 pour	nds used.		-				
Plug	Portland plu	g to 101' bgs									
CONSTRUCT		3 - 20	P	<i>x</i> = =	N D		38 sacks				
		 - 300			O D E S T E M						
Initial Depth to Wa	tor:	<u> </u>									
Static Depth to Wa											
Comments		Not to scale	j								
			-								

Comments