



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Vincent Oil Corporation
 200 W Douglas Ave #725
 Wichita, KS 67202
 ATTN: Tom Dudgeon

34-28S-23W Ford
Keough 7-34
 Job Ticket: 57831 **DST#: 4**
 Test Start: 2017.09.21 @ 23:27:14

GENERAL INFORMATION:

Formation: **Mississippi**
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole (Reset)
 Time Tool Opened: 02:47:44
 Tester: Leal Cason
 Time Test Ended: 09:23:59
 Unit No: 74
Interval: 5258.00 ft (KB) To 5284.00 ft (KB) (TVD)
 Reference Elevations: 2547.00 ft (KB)
 Total Depth: 5284.00 ft (KB) (TVD) 2535.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 12.00 ft


Serial #: 8159

Inside

Press@RunDepth: 54.84 psig @ 5259.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2017.09.21 End Date: 2017.09.22 Last Calib.: 2017.09.22
 Start Time: 23:27:15 End Time: 09:23:59 Time On Btm: 2017.09.22 @ 02:46:29
 Time Off Btm: 2017.09.22 @ 07:24:44

TEST COMMENT: IF: Fair Blow , BOB in 8 minutes
 IS: No Blow Back
 FF: Strong Blow , BOB in 1 minute
 FS: No Blow Back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2647.43	109.20	Initial Hydro-static
2	19.06	108.55	Open To Flow (1)
31	29.29	109.23	Shut-In(1)
92	1285.27	111.71	End Shut-In(1)
94	32.70	111.40	Open To Flow (2)
151	54.84	113.62	Shut-In(2)
278	1286.03	115.57	End Shut-In(2)
279	2530.87	116.10	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
0.00	3934 GIP	0.00
90.00	GOCM 20%G 20%O 60%M	1.26

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corporation

34-28S-23W Ford

200 W Douglas Ave #725
Wichita, KS 67202

Keough 7-34

Job Ticket: 57831

DST#: 4

ATTN: Tom Dudgeon

Test Start: 2017.09.21 @ 23:27:14

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 10.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 11.57 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 7700.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
0.00	3934 GIP	0.000
90.00	GOCM 20%G 20%O 60%M	1.262

Total Length: 90.00 ft Total Volume: 1.262 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



Serial #: 6806

Outside Vincent Oil Corporation

Keough 7-34

DST Test Number: 4

