

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	---	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 108-17
Doc ID	1386274

Tops

Name	Top	Datum
Soil	0	9
Shale	9	170
Lime	170	226
Shale	226	248
Lime	248	325
Shale	325	329
Lime	329	450
Shale	450	460
Lime	460	480
Shale	480	520
Lime	520	560
Shale	560	580
Lime	580	630
Black Shale	630	633
Lime	633	675
Shale	675	865
Lime	865	1048
Shale	1048	1050
5' Lime	1050	1053
Black Shale	1053	1055
Upper Squirrel Sand	1055	1070
Shale	1070	1102
Cap Rock	1102	1103
Shale	1103	1105

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 108-17
Doc ID	1386274

Tops

Name	Top	Datum
Cap Rock	1105	1106
Lower Squirrel Sand	1106	1120
Shale	1120	1220

THE NEW KLEIN LUMBER COMPANY

201 W. MADISON
 P.O. BOX 805
 IOLA, KS 66749
 PHONE: (620) 365-2201

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

CUST # 3447
 TERMS: NET 10TH OF MONTH

ORDER # 384136
 DATE : 11/11/17
 CLERK: SE
 TERM # 553

TIME : 9:33

 * ORDER *

QUANTITY	UM	PC	ITEM	DESCRIPTION	LOC	PRICE/PER	EXTENSION
200	EA	PC		PORTLAND CEMENT		10.99 /EA	2,198.00
			Gladue 104- 1D sacks				
			Gladue 107- 1D sacks				
			Gladue 108- 1D sacks				
ORDERORDER**ORDER**ORDER**							
DEPOSIT AMT							00
BALANCE DUE							2390.33
TAXABLE							2198.00
NON-TAXABLE							0.00
SUB-TOTAL							2198.00
TAX AMOUNT							192.33
TOTAL ORDER							2390.33

X No Signature Required

Received By



Hammerson Ready Mix

1300 2200 Rd.
Gas, KS 66742
620-365-7200

PLANT 01	TIME 15:23	DATE 11/28/17	ACCOUNT LAYMON	TRUCK 104	DRIVER COREY	TICKET 11805
-------------	---------------	------------------	-------------------	--------------	-----------------	-----------------

CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758	DELIVERY ADDRESS 180TH AND BISON <i>Well Grades 108-17</i>
--	--

PURCHASE ORDER	SALES ORDER 952	TAX WOODSON	CREDIT CO	SLUMP 8.00 in
----------------	--------------------	----------------	--------------	------------------

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
8.50 yd	WELL MUD	WELL (10 SACKS PER YARD)	17.00	8.50		
8.50 ea	HAUL & MI	HAUL & MIX	17.00	8.50		
8.50 ea	HOT WATER	HOT WATER	17.00	8.50		
8.50 cy	CALCIUM	1% CALCIUM	17.00	8.50		

UNLOADED <i>3.50</i>	ARRIVE JOB SITE :	START DISCHARGE :	FINISH DISCHARGE <i>5:00</i>	ARRIVE PLANT :
-------------------------	----------------------	----------------------	---------------------------------	-------------------

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water. If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention. KEEP OUT OF REACH OF CHILDREN

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES →
RECEIVED IN GOOD CONDITION BY <i>X</i> <i>[Signature]</i>

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line. If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.



Hammerson Ready Mix

1300 2200 Rd.
Gas, KS 66742
620-365-7200

PLANT 01	TIME 15:38	DATE 11/28/17	ACCOUNT LAYMON	TRUCK 104	DRIVER COREY	TICKET 11806
-------------	---------------	------------------	-------------------	--------------	-----------------	-----------------

CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEDSHO FALLS, KS 66758	DELIVERY ADDRESS 180TH AND BISON <i>Well @ 6/ades 108-17</i>
--	--

PURCHASE ORDER	SALES ORDER 952	TAX WOODSON	CREDIT CO	SLUMP 8.00 in
----------------	--------------------	----------------	--------------	------------------

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
8.50 yd	WELL MUD	WELL (10 SACKS PER YARD)	17.00	17.00		
8.50 ea	HAUL & MI	HAUL & MIX	17.00	17.00		
8.50 ea	HOT WATER	HOT WATER	17.00	17.00		
8.50 cy	CALCIUM	1% CALCIUM	17.00	17.00		

LOADED	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
	:	:	:	:

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP. EXTRA CHARGE FOR OVER 30 MINUTES →
--

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water. If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention. KEEP OUT OF REACH OF CHILDREN

RECEIVED IN GOOD CONDITION
BY **X** *[Signature]*

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line. If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.

3.20

200