KOLAR Document ID: 1390094

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□ NE □ NW □ SE □ SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Describ #6	Chloride content:ppm Fluid volume: bbls
□ Commingled Permit #: □ Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of huld disposal if hadied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date Recompletion Date	Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1390094

Page Two

Operator Name:					Lease Nam	ne:			Well #:		
Sec Tw	pS. F	R [East	West	County:						
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log	
Drill Stem Tests Taken Yes (Attach Additional Sheets)			es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample		
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum	
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No							
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.			
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	OF MENTING /						
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives		
Perforate Protect Ca Plug Back	Top	Bottom	Type of Cement #		# Sacks Use	cks osed Type		туре а			
Plug Off Z											
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,	
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)			
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity	
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity	
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:	
Vented Sold Used on Lease					Dually Comp. Commingled Submit ACO-5) (Submit ACO-4)		-	Тор	Bottom		
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (SUDI	mit ACO-4)			
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record	
TUBING RECOR	D: Size:		Set At:		Packer At:						

Form	ACO1 - Well Completion		
Operator	TDR Construction, Inc.		
Well Name	SOUTH BECKMEYER 65		
Doc ID	1390094		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Common	3	50/50 POZ
Production	5.625	2.875	8	797	Common	130	50/50 POZ

WELL LOG

Thickness of Strata	Formation	Total Depth		
0-24	Soil-Clay	24		
10	Shale	34		
4	Lime	38		
3	Shale	41		
15	Lime	56		
7	Shale	63		
10	Lime	73		
3	Shale	76		
1	Lime	77		
2	Shale	79		
19	Lime	98		
45	Shale	143		
19	Lime	162		
72	Shale	234		
22	Lime	256		
26	Shale	282		
7	Lime	289		
22	Shale	311		
2	Lime	313		
18	Shale	331		
2	Lime	333		
15	Shale	348		
24	Lime	372		
9	Shale	381		
20	Lime	401		
4	Shale	405		
4	Lime	409		
3	Shale	412		
6	Lime	418		
125	Shale	543		
10	Sand	553		
5	Sandy Shale	558		
39	Shale	597		
8	Lime	605		
6	Shale	611		
3	Lime	614		
10	Shale	624		
8	Shale & Lime	632		
12	Shale	644		
3	Lime	647		

Lease Owner: TDR

Franklin County, KS Town Oilfield Service, Inc. Commenced Spudding: (913) 294-2125 Commenced Spudding: 1/30/18

1/30/18

16 Shale 663 4 Lime 667 12 Shale 679 2 Lime 681 6 Shale 687 1 Lime 688 6 Shale 694 6 Sandy Shale 700 3 Sand 703			663
12 Shale 679 2 Lime 681 6 Shale 687 1 Lime 688 6 Shale 694 6 Sandy Shale 700			
2 Lime 681 6 Shale 687 1 Lime 688 6 Shale 694 6 Sandy Shale 700			
6 Shale 687 1 Lime 688 6 Shale 694 6 Sandy Shale 700	12	Shale	679
6 Shale 687 1 Lime 688 6 Shale 694 6 Sandy Shale 700	2		681
1 Lime 688 6 Shale 694 6 Sandy Shale 700	6		687
6 Shale 694 6 Sandy Shale 700			
6 Sandy Shale 700			
o Gaild 700			
2 Sand 705			
2 Sandy Lime 716			
2 Sand 718			
102 Shale 820-TD	102	Shale	820-TD

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D²x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

Log Book

Well No.	25	
Farm South	n Becl	chey es
KS	Fra	nklin
(State)		(County)
32	15	21
(Section)	(Township)	(Range)
	Constal Well Owner)	don

15-059-27171

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

501+4						
Belenger Farm: Franklin County	CA	SING A	ND TUBING	MEASL	REMENTS	
State; Well No. 65	Feet	ln.	Feet	ln.	Feet	ln.
Elevation 1022	Tlda	件	BER	الا		
Commenced Spuding /- 30 20/8						
Finished Drilling 2018	707.	5	Flor	1	/	
Driller's Name					7/0	
Driller's Name Ryan March	820	10		1	18	
Driller's Name						
Tool Dresser's Name						
Tool Dresser's Name	45-	\vdash				
Tool Dresser's Name						
Contractor's Name						
32 15 2						- 4
(Section) (Township) (Range)		\vdash		\dashv		
Distance from line,/65ft.		+		$-\ $		
Distance from E line, 825 ft.				-		
3 5 125						
9 hrs						
578 65 eluste						
		Ш				
CASING AND TUBING			5			
RECORD						
·-				_		
10" Set 10" Pulled						
8" Set 8" Pulled				-		
76%" Set 6%" Pulled		-		\dashv		
4" Set 4" Pulled —][_		

2" Pulled =

-1-

11.	. 7.	
40	21.	
80	- 00	

		Total	
Thickness of Strata	Formation	Total Depth	Remarks
3	Shale	412	
6	Lime	418	Heitha
125	Shale	543	
10	59-5	553	Groken-and of Stow
5	sund shell	558	
39	Shale	597	
8	Lime	605	
6	Shile	611	
3	Line	614	
10	Shale	624	
8	Shale & Lime	632	
12	Shale	644	
3	Lime	647	1
16	Shale	663	
-4	Line	667	1
12	Shale	679	
7	Lime	681	
(0	56212	687	-
1	Circ	1558	
ها _	Shale	694	
6	52 mely 3/2/2	700	
3	sand	703	ador-not much Ol
2	Sand	705	broken- gold oil show
9	Sand	714	solly - was set set intion
2	Sandy Unie	716	1007
2	5= 0-2	718	Solid your shoules
103	Shale	520	TD -

-4-

Thickness of Strata	Formation	Total Depth	Remarks
0-24	50:1-clay	24	
10	shale/	34	
4	Lime	38	
3	Shale	41	
15	Lime	56	
7	Shalt	63	
10	Lime	73	
3	5hale	76	
1	Lime	77	
2	Shale	79	
19	Lime	98	shells
45	Shele	143	
19	Lime	162	
72	Shale	234	
_22	Lime	256	
26	Shape of	282	
	Lime	259	3
22	Shile	3/1	redbed
2	Lyne	3/3	
	Shale	331	
	Lime	333	
	Shale	348	
24	Line	372	
	Shale	381	
20	LIME	401	
-4	Shale	405	
_4	LIME	409	

Town Oilfield Service

PO Box 339 Louisburg, KS 66053 913-294-2125

Γicket#	
Location	
Foreman	

Field Ticket & Treatment Report

			Cement				
Date	Customer#	Well Name	& Number	Section	Township	Range	County
2-5	-18	5. Becks	never 65	<u> </u>	32 15	21	FR
Custon	ner		Mail	ing Addre	SS		
			City		State	Zip C	Code
Job Tý	long strug	ole Size <u>5 3/</u>	Hole Depth	80x) C	asing Size &	weigh	12 1/2
Casing	Depth 717	Drill Pipe	_Tubing	Other			
Displa	cement	Displacement	t PSİ	_ Mix PSI	R	ate	
Remar	ks						
Quanti	ity or Units	Description	n of Service (or Product	Unit l	Price	Total
Quanti	ity or Units		n of Service (Total 700
Quant	ity or Units	Pump Cha	arge				700
Quant	ity or Units		arge ruck				700
Quant		Pump Cha Cement T Water Tru	arge ruck ick				700 250 125
Quant	ity or Units	Pump Cha Cement T Water Tru	arge ruck				700 250 125
Quant		Pump Cha Cement T Water Tru Cement Gel	arge ruck ick		10)	700 250 125
Quant		Pump Cha Cement T Water Tru Cement Gel	ruck nck		10)	700 250 125 1300
Quant		Pump Cha Cement T Water Tru Cement Gel	ruck nck		10)	700 250 125 1300

	0		
Authorization	andre Ti	tleDar	te