KOLAR Document ID: 1393482

For KCC Use:

Effective	Date

District	#	

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

Form C-1 March 2010 /ped ined illed

Yes

No

ш

\$

District #			Form must be Typed
	ust be approved by KCC five	TENT TO DRILL (5) days prior to commencing well	Form must be Signed All blanks must be Filled
Expected Spud Date:	day year	Surface Owner Notification Act, MUST be submitted Spot Description:	S. R EW
Name:		Is SECTION: Regular Irregular?	E / W Line of Section
Address 2:	Zip: +	(Note: Locate well on the Section Pla County: Lease Name:	Well #:
CONTRACTOR: License# Name:		Field Name: Is this a Prorated / Spaced Field? Target Formation(s):	Yes No
Well Drilled For: Well Class: Oil Enh Rec Infield Gas Storage Pool Ext. Disposal Wildcat	Type Equipment:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water:	feet MSL Yes No Yes No
Seismic ; # of Holes Other Other:	s:	Depth to bottom of usable water: Surface Pipe by Alternate:II Length of Surface Pipe Planned to be set:	
Operator: Well Name: Original Completion Date: Or		Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth:	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Yes No	Water Source for Drilling Operations:	

Will Cores be taken? If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

Bottom Hole Location:

KCC DKT #:

For KCC Use ONLY		
API # 15		
Conductor pipe required	feet	
Minimum surface pipe required	_ feet per ALT.	
Approved by:		
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)		
Spud date: Agent:		

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;

(Note: Apply for Permit with DWR

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: ____ Signature of Operator or Agent:

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KOLAR Document ID: 1393482

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

	Su	bmit in Duplicat	e
Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		·
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
		No	
Pit dimensions (all but working pits):	-		Width (feet)N/A: Steel Pits
Depth fro	m ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.			
Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		ver and Haul-Off Pits ONLY:	
Producing Formation: Type of material utilized in drilling/workover:		l utilized in drilling/workover:	
Number of producing wells on lease:		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment procedure:		procedure:	
Does the slope from the tank battery allow all spilled fluids to		e closed within 365 days of spud date.	
Submitted Electronically			
Date Received: Permit Num	per:	Permi	Liner Steel Pit RFAC RFAS

KOLAR Document ID: 1393482

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

	Form KSONA-1
	January 2014
F	orm Must Be Typed
Fo	rm must be Signed
All bla	anks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:			
Address 2:			
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

tion moy toct

on!y use. rood



e Controlling data is based yoon the best maps and photographs available to us and woon a repular section of land containing GHD acres.

31 FAS

EAS

8

Croft

(TAE)

29

Amenially light of a section lines were astromined Using the normal standard of care of allfield surveyors proprising in the state of Konsos. The section conners, which estadion the problet section lines, were not necessarily (control and the sect location of the drillsite (cotion in the section is not guaranteed. Therefore, the operator socuring this service and accepting this plat and all other parties relying therefore, the operator socuring (his service and accepting this plat and all other parties relying therefore, the operator socuring (how the services in the services in the operator and who have normalized acception of a social definition of the drills release from any liability from includes from all losses, costs and expenses and sold entitles released from any liability * Elevations derived from National Geoderic Vertical Datum.

2

Springvale

2

¥.

Ē

FAB

Å

퇈

February 13, 2018 Date

9

Cr.

ob i

Sawyer

San

(201)

IJ

Ð ŝ

FAS 544

A.

SCAL


2002

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977


5

ž

Coate



KCC DOCKET NO. 18-CONS-XXXX-CHOR GRIFFIN MANAGEMENT LLC DONNA 1H PROPOSED FACILITY PLAT



STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D. Shari Feist Albrecht, Chair | Jay Scott Emler, Commissioner | Dwight D. Keen, Commissioner

May 02, 2018

Wayne Smith Griffin, Charles N. PO BOX 347 PRATT, KS 67124-0347

Re: Drilling Pit Application Donna 1H SW/4 Sec.29-29S-15W Pratt County, Kansas

Dear Wayne Smith:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.