



Time 5.806 sec
 Joints 105.314 Jts
 Depth 3338.45 ft

Liquid level calculated with user supplied Acoustic Velocity

Acoustic Velocity 1150 ft/s




Analysis Method: Acoustic Velocity



Change in Pressure -7.24 psi PT12363
 Change in Time 1.75 min Range 0 - ? psi

Production Current	Potential	Casing Pressure	Static
Oil - *-	- *- BBL/D	93.1 psi (g)	
Water - *-	- *- BBL/D	Casing Pressure Buildup	Oil Column Height
Gas - *-	- *- Mscf/D	-7.243 psi	MD 0 ft
		1.75 min	
IPR Method	Vogel	Gas/Liquid Interface Pressure	Water Column Height
PBHP/SBHP	- *-	- *- psi (g)	MD - *- ft
Production Efficiency	0.0		
Oil 40 deg.API		Liquid Level Depth	
Water 1.05 Sp.Gr.H2O		3338.45 ft	
Gas 0.83 Sp.Gr.AIR		Pump Intake Depth	
		5855.00 ft	
Acoustic Velocity 1150 ft/s		Formation Depth	
		5852.00 ft	
Acoustic Test		Static BHP	- *- psi (g)



Entered Acoustic Velocity for Liquid Level depth determination