For KCC Use:	
Effective Date: _	
District #	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

pected Sprid Date.	On at Depositations			
pected Spud Date:	Spot Description:			
	Sec Twp S. R E W			
ERATOR: License#	feet from E / W Line of Section			
me:	Is SECTION: Regular Irregular?			
dress 1:dress 2:				
y: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)			
ntact Person:	County: Well #:			
one:	Field Name:			
NTRACTOR: License#				
me:				
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):			
	Ground Surface Elevation:feet MSI			
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:			
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:			
Disposal Wildcat Cable Seismic ;# of Holes Other	Depth to bottom of fresh water:			
Other:	Depth to bottom of usable water:			
	Surface Pipe by Alternate: I III			
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:			
Operator:	Length of Conductor Pipe (if any):			
Well Name:	Decidents of Total Department			
Original Completion Date: Original Total Depth:	Formation at Total Depth:			
	Water Source for Drilling Operations:			
ectional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:			
es, true vertical depth:	DWR Permit #:			
tom Hole Location:	(Note: Apply for Permit with DWR)			
C DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
AF	FIDAVIT			
e undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.			
s agreed that the following minimum requirements will be met:				
Notify the appropriate district office <i>prior</i> to spudding of well;				
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig;			
3. The minimum amount of surface pipe as specified below shall be se	, , , , , , , , , , , , , , , , , , , ,			
through all unconsolidated materials plus a minimum of 20 feet into the	· ·			
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug 	strict office on plug length and placement is necessary <i>prior to plugging</i> ;			
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented				
If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	133,891-C, which applies to the KCC District 3 area, alternate II cementing			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	f133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	·			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b	•			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	•			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b omitted Electronically	•			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b omitted Electronically	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b omitted Electronically or KCC Use ONLY	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b DMITTED TOTAL CONTROLLY ON THE CONTROLLY PI # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b DMITTED ELECTRONICALLY OF KCC Use ONLY PI # 15 onductor pipe required feet linimum surface pipe required feet per ALT I II	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be DMITTED ELECTRONICALLY OF KCC Use ONLY PI # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b DMITTED ELECTRONICALLY OF KCC Use ONLY PI # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be DMITTED ELECTRONICALLY OF KCC Use ONLY PI # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);			

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	_


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing		SecTwp R			
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
			dures for periodic maintenance and determining cluding any special monitoring.			
· · · · · · · · · · · · · · · · · · ·		Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet Depth of water wellfeet		well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

L.D. DRILLING, INC. ARENSMAN LEASE NW. 1/4. SECTION 28. T16S. R11W BARTON COUNTY, KANSAS

Directions:

From the intersection of Highway 4 and a N-5 paved road in Claflin, Kansas go 8.0 miles North to the NE. corner of Section 28, then go 0.68 miles West to a flag on the south edge of road, then go 0.06 miles South to location:

SCALE



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 ocres.

ion as shown on this may not be legally act landowner, rtment for access.

001 y 0001 y 0000

*Ingress plat is opened f

February 28, 2018

Section or rand containing evu ocres.

Approximate section lines were determined using the named standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, where not necessarily located, and the exact location of the drills'te location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therein agree to hold Central Kansas Biffield Services. Inc., its officers and employees harmless from all losses, costs and expenses and said entitles released from any liability from incidental or consequential damages.

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

WELL PLUGGING RECORD

OR 15-009-05-008-008

XXXOXXXXIII ON PLUGGING RECORD A when reporting plugging off formations.

State Corporation Commission 800 Bitting Building Wichita, Kansas		Ваз	ton Cour	ity. Sec. 28	Twp. 16 R	ge(<i>E</i>)	1 (W)	
NORTH	Barton County. Sec 28 Twp 16 Rge. (E) 11 (Continuous NE'4NW'4SW'4" or footage from lines NW/4.330 fm Nth 990 fm East Lease Owner Sinclair Prairie Oil Co						East line	
	Lease Name Selma Seyfert-C				•••••••••••	Well No. 9		
	Office Address Box 521 Tulsa, Ckla,							
	Character of Well (completed as Oil, Gas or Dry Hole) dry hol			поде сстр.	r 3	46		
	Date well completed			July	, , , , , , , , , , , , , , , , , , ,	10 46		
<u>'</u>		Application for plugging filed			77.	- 30	12	
	Plugging commenc	ed			July	7 6	19 46	
<u> </u>	Reason for abando	nment of wel						
	If a producing wel	l is shondans	d data of law				10	
	Was permission of							
Locate well correctly on above Section Plat								
Locate well correctly on above Section Plat Name of Conservation Agent who superv	ised plugging of this v	vell	H.W.	Kerr	·		***************************************	
Producing formation Arbuckle		o top3406	Botton	3509	Total Depth of	Well 3509	Feet	
Show depth and thickness of all water, of OIL, GAS OR WATER RECORDS	I and gas formations.		,			CASING REC	τΩ Φ D:	
	·	·			 			
Formation	Content	From	То	Size	Put In	Pulled Or	ut.	
Lan-Ke	dry	3073	3348	In the second se	411			
Arbuckle		3406	3509	j.				
·					,			
					• .			
				J	<u> </u>			
40 201	- 40° heavy mud - 20° cement 10 - btm cellar	d O sx' - mud.	,					
سخير ۴ چې بولو .					· market	. j	·····	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	210 - 100			<u> </u>		/		
	28 16 1	-1/X- 1			<u> </u>		· · · · · · · · · · · · · · · · · · ·	
FIL	PAGE BRIME		······································	(6)	11-1-1		•••••	
	The state of the s							
-			*			****		
Correspondence regarding this well	(If additional descri should be addressed to	J.W	. Stoker	************************	is.		, ,	
			1	**************************************		- in the second		
STATE OF Kansas						A Harry		
I, J.W. Stoker								
being first duly sworn on oath, says: Th				d matters herein	contained and	the log of the	above-	
described well as filed and that the same	are true and correct.	so neip me	God.	HIDE	=1115	¥.		
		Signature)		7448/1/1	J STOR			
NOT NOTARI	ZEd	<u> </u>	Bx /17	4 Great B	end, Kans:	ino.		
(C)	THE RESIDENCE OF THE PARTY OF T	-	100	_ / _ / (/	ddfes)	2, 2		
Subscribed and Sworn to before in	e this	day of	A Par	7	~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	76		
	•	-	Zv Vge	u ga	and	6 /3/		
My commission expires april 1	1. 1950	·		13	Charles and	Notary P	ublic.	
· · · · · · ·		21-871-s 9	-45—6M	1	>-	(x)		
				,	01/101			
}		γ΄.		()=	7-18-41	0		
a proposed		1		•	, , , , , , , , ,	*		

Well Log Sinclair Prairie Oil Co

Comm-Selma Seyfert"C" # 9 NW/4,sec.28-16-11W Barton Co. 330 ft fm Nth & 990 ft fm East lines Location made 6/5/1946 Elev.1918

Harbar Drilling Co-rotary Began drlg 6/13/46 Comp. drlg 7/3/46 TD 3509, dry & abandoned.

-	•
Surface Clay & Sand	701
Sand	105
Shale & Shells	235
Sand & Shale	340
Sand	420
Shale & Shells	437
Shale	750
10-3/4"OD set at 442°w/225 s	
Anhydrite	785
Shale	875
Red Bed Shale & Shells	1135
Shale & Lime Shells	1355
Shale	1400
Shale & Lime Shells	1520
Lime	1540
`\Lime-broken	1680
Lime	1900
'Shale,& Lime	.1970
Lime	2065
Lime & Shale	2349
Shale	, 2500
Shale & Lime	2540
Shale & Shells	2630
, Lim e	2650
Time & Shale	_ 2710
Lime	2750
Lime & Shale	_ 2790.
Lime	3045
Lime & Shale	, 3055
Lime -	3065
Lime & Shale	3075
Lime-Kc	3170
Lime	3400
Conglome rate	3408
Arbuckle-reworked	3421
/27/46 Run Schlumberger @ 3421 (der)	r. floor, 3419)
Lime	3455 3484 3505 (8 3509 \ 3509 \ 3509 \
. Quartzite & Sand	3484
Quartzite	3505 (8
Quartzite & Sand	3509
Granite	3509章\TD
-	

Rig Floor Meas. - Geologists figures

Top Brown Lime 3058 Top Lan-Kc 3073 Good Porosity 3173-91 very slight oil stain & odor in top, not commercial. Fair Porosity 3223-25 Slight Forosity 3288-93 very slight oil stein, not commercial. Base Kas City 3348 Red & Green Shale 3348-61. Sand-Chert-Shale 3361-77 slight oil odor.
Shale w/Chert Cobbles 3377-85 Mostly red & green shale 3385-3406.
Top Reworked Arbickle 3406 Datum --1488
D.S.T. 3441-77 open 28 mins, 3 gal.mud.
D.S.T. 3443-3509 15 mid.
D.S.T. 3410-3509 600 fluid, water.