KOLAR Document ID: 1400995

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	·
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1400995

Page Two

Operator Name: _				Lease Name:			Well #:		
SecTwp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of String Size Hole Drilled			Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used	# Sacks Used Type and Percent Additives				
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	Owens Petroleum LLC
Well Name	COLLINS 11-C
Doc ID	1400995

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11.75	7	20	20	portland	7	na
Production	5.625	2.875	6.5	830	pozmix	117	na



Superior Building Supply, Inc. 215 West Rutledge Yates Center, KS 66783

620-625-2447

SOLD TO:
Owens Scott
1274 202nd Rd.
Yates Center, KS 66783

620-625-3607

Net 10th	165388 Description	House House	MED	O36070 Price E) 13.90 Taxable:	tend ec
47			-Z F	Tax: Non-Tax: Totol:	6.60 0.00 76.10



250 N. Water, Ste 200 - Wichita, Ks 67202

		- Wichita, Ks	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	HURRICAI	AF 2FKAIC	ES INC	:	rairie Plaza Pa	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
Gustomer	Owens Pe	troleum			Gustomer Name	Bryson Ower	ns į	Ticket No.		5 0°	182	_
Address:					Contractor		i	Date	11/30/2	017	1	_
City, State, Zip:					Job type	Longstring		Well Type	Oil			_
Service District	Madison,	Ks			Well Details	Sec		Тир		Т	æ	_
Well name & No.	Collins 11	-c			Well Location	Piqua	County	Woodson	Sta		Kansas	_
Equipment#	Driver	Equipment#	Driver	Equipment #	Driver	TRUCK CALL	,	AM PM			il ni	
230	Kevin	<u> </u>		i.		ARRIVED AT		Au :			1	_
240	Josh						START OPERATION					
24	Jake			·	ļ	FINISH OPER	RATION			AM PAI		
		<u> </u>				RELEASED		A 14==1 1		AII PM	4	_
	-	1	J	<u> </u>		MILES FROM	SIAHON	OWELL			1 50)
											1	_
											:	
							:].		:	
Product/Service		·			Unit of		Lîst				:	
Code	Description				Measure	Quantity	List Price/Unit	Gross Amount	R.		Net Arr	nou
		ip. One Way	<u></u>		mi	50.00	\$3.25	\$162.50	ľ		\$12	21,
		o. One Way			mi	50.00	\$1.50	\$75.00	-		\$!	56,
		on Mile Charge	<u> </u>		<u>ea</u>	1.00	\$300.00	\$300.00	- !			25.0
	Cement Pu 70/30 Pozr	nix Cement			ea sack	1,00	\$675.00 \$13.70	\$675.00			1	06.2
	Bentonite (Ib	206,00	\$0.30	\$1,602.90 \$61.80			\$1,20	02.1 46.3
:p038	Rubber Plu	ig 2 7/8			ea	1.00	\$30.00	\$30.00	1			22.5
p014	Bentonite (3el			lb	200.00	\$0.30	\$60.00	1			45.0
i							ŧ				:	
	···											
<u> </u>							:				<u>: </u>	_
<u></u>							:				:	
							<u>:</u>				i .	
i											<u> </u>	
i							i				1	_
							1		į.		:	_
							ì		i		<u> </u>	_
		•••				<u> </u>					!	
											;	
<u>-</u>							<u> </u>				<u>:</u>	
<u> </u>							-:		1		<u>!</u>	
					<u></u>		-		. !			_
i				-					1		!	_
i											<u> </u>	
		14 3 4 50										
<u>ERMS;</u> Cash in advane redit terms of sale for a	pproved accoun	rts are total invoice du	e on or before th	ie 30th day from the			Gross:	\$ 2,967.20	Net	t:	\$2,22	5.4
ate of invoice. Past due er month or the maximu	m allowable by	applicable state or fer	deral laws it such	h laws iknit interest	Total 7	Taxable	\$ -	Tax Rate:			> <	=
a lesser amount in the dilection of said account						des treatments design			Sate Tax	. 5		
uch collection. In the eve ght to revoke any and al	ent that Custom	ers account with HSI	bocomes delinq	uent, HSI has the	increase productio	n on newly drilled or e not texable.	ensing wells are		Tota		2,22	5 4
evocation, the full invoice election. Prices quoted	e price without d	iscount will become in	nmediately due :	and subject to	Date of	Service:		11/	30/2017	<u>▼</u>		
ricing does not include t ctual charges may very	lederal, state, co	r local taxes, or royaltic	es and stated pri	ice adjustments.		esentative;	-	Jak	e Heard			_
erform these services, C					noi Repri	Collective,	Custome	er Comments;	<u>-</u>		:	
ISCLAIMER NOTICE:		faith, but no warranty l						•				
	he Information p	resented is HSI best e	estimate of the a	ctual results that				,			:	
ability for advice or reco ny product or service. Ti			s and make ao g	juarantee of future							:	
ability for advice or reco			sssociated equil	omentin acceptable:								
ability for advice or recom my product or service. The may be achieved and sho reduction performance. condition to receive service.	Customer warr es by H.S.I, Lik	ants that well and all : ewise, the customer w	odnataup lik	oper operational			•		İ			
ability for advice or recommy product or service. They be achieved and she reduction performance, condition to receive service of all customer owner forming services which they will be serviced which they are serviced with the services which they are serviced with the services which they are serviced to the serviced which they are serviced with the serviced which they are serviced with the serviced they are serviced to the serviced the serviced they are serviced to the serviced they are serviced the serviced they are serviced to the serviced the	Customer want ces by H.S.I, Like ed production as h could adverse	rants that well and all a lewise, the customer w nd associated equipm ly affect the performe	di guarantee pro ent, while H.S.I. nee of such serv	oper operational is on location ices,			:					
ability for advice or recor my product or service. The may be achieved and sho reduction performance. ondition to receive service are of all customer owns	Customer want ces by H.S.I, Like ed production as h could adverse	rants that well and all a lewise, the customer w nd associated equipm ly affect the performe	di guarantee pro ent, while H.S.I. nee of such serv	oper operational is on location ices,			:		j			

CEMENTING LOG

Company	Owens Petro	leum	Lease				Well Name/No.	ollins 11	-
Type Job	Longstring			& Amt Materia	d. 70:30	2% Gel		Omii z TT	
Field				t Number	50182		<u> </u>	-	
CASING DATA	· · · · · · · · · · · · · · · · · · ·						1		
Size 2.875"		Туре			Weight		6.4 Collar	!	<u> </u>
Casing Depths			Bottom	830'	Treagne		: 0.4[Collai		1
Drill Pipe:	Size		Weight		Collars				· · ·
Open Hole:	Size	5.875"	T.D. (ft)	840'	P.B. to (ft)			į	
CAPACITY FAC	TORS							- 	
Casing		Lin. ft.		0.00579	Lin. ft./Bbl			11	<u>-</u>
Open Holes		Lin. ft.			Lin. ft./Bbl		<u> </u>		•
Drill Pipes Annulus		Lin. ft.			Lin. ft./Bbl				-
Annoids		Lin. ft. Lin. ft.	•	0.0255	Lin. ft./Bbl		·	<u></u> !	
Perforations	From		То		Lin. ft./Bbl Amount		<u> </u>		÷
CEMENT DATA		'			Anounc				
	Gelled water	 					<u>i</u>	<u> </u>	
Amt. 12 BBL		eld	43,	Density (PPG)			:	- [[
1	0.13 11		It ∕sk	Deliaity (FFG)			·	[_	
ŀ							•		
LEAD								1,1	*
Pump Time (hi	rs)	···	Туре		·	Excess	! 	-#	† !
Amt.	Sks Yi	eld		Density (PPG)	1.00	FVCE22			į.
TAIL	JA 11		/sk						
Pump Time (hi	rs}		Time	70:30 2% Gel	:	Eva		2001	-
Amt.	117 Sks Yi	old.		Density (PPG)		Excess	ı	20%	:
	II/ JKS III	=10	1,20 10 /sk	Density (FFG)				14.5	
WATER Lead		gals/sk	77-11			. = : .:	7-1-1	<u> </u>	
Pump Trucks U	Ised	Rais/sk	Tail		5.91 gals/sl	K lotali	(Bois.)	6.46	1
Bulk Equipmen						:		230	1
							•	- 11	:
								240	
Float Equipmen	nt: Manufactu	rer							
Shoe: Type Float: Type						Depth			
Centralizers:	Ocantity		Plugs:	Top TRP		Depth		ł.	:
Stage Collars			i luga.	TOP THE		Botton	ı		:
Special Equipm	ent					;			
Disp. Fluid Type			Amt. (Bbls.)	4.8	Weight	t (PPG)		
Mud Type	WBM	·		 		Weight	t (PPG)		
20110 44/V 07mm		B	_			!			
COMPANY REPR	ESENTATIVE	Bryson Owen:	5		CEMENTER	Jak	ke Heard		i i
						<u>; </u>		<u> </u>	1
TIME		JRES PSI		JID PUMPED DA			==	_	1
AM/PM	DRILL PIPE CASING	ANNULUS	TOTAL FLUID	PUMPED/	RATE (BBLS MIN.)		REMARK	S	:
		 	1,600	TIME PERIOD	(.MIN: CJOO!	On India	ation enfots		
	·	; 		<u> </u>	<u> </u>	Spot in	ation safety meeting and rig up	1	-
				i i			p to tubing	 	
	250	•	5	•	3	Break c	irculation	i	
	200	<u> </u>	12				gelled water	ĺ	
<u> </u>	200	<u> </u>	. 3 5				resh water	_!	!
<u> </u>	150	<u> </u>	26.67				lyed water d pump cement	<u> </u>	<u>i</u>
		i l		<u> </u>		Stop	a paint cement	<u>. l</u>	
<u> </u>							ump and lines	- -	· ·
				!		Drop pl	lug		i
	300	` 1	4.8	<u> </u>		Displac			
<u>_</u>	1200	- 	· · · · · · · · · · · · · · · · · · ·	<u> </u>		Bump			
<u> </u>				<u> </u>		Shut in	pressure	 	<u> </u>
		i l		<u> </u>			tp pump		<u> </u>
		<u> </u>				Rig dov	vn and leave location		
							— Jake, Kevin, and Josh		
		<u> </u>							
		 	· · · · · · · · · · · · · · · · · · ·		<u> </u>				
		 -				<u> </u>			
	• • • • • • • • • • • • • • • • • • • •	 -				-		1	-