#### **CORRECTION #1**

KOLAR Document ID: 1404100

| For KCC Use:    | Kansas Coi |
|-----------------|------------|
| Effective Date: | OIL & GAS  |
| District #      |            |
| SGA? Yes No     | NOTICE O   |

\_ Agent: \_

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| m   |  |   | Spot Description:  |  |
|---|--|---|--|--|
|   | nonth day  | year  | Sec Twp.   | S. R   |
| PERATOR: License#   |  |   | (Q/Q/Q/Q) feet from  |  |
| ame:  |  |   | feet from  |  |
| ddress 1:   |  |   | Is SECTION: Regular Irregular?   |  |
| ddress 2:   |  |   |  | N=4 = = = = = = = = = = = = =   d= \   |
| ty:   |  |   | (Note: Locate well on the Section F  | •  |
| ontact Person:  | •  |   | County:  |  |
| none:   |  |   | Lease Name:  |  |
| ONTRACTOR: Linear #   |  |   | Field Name:  |  |
| ONTRACTOR: License#   |  |   | Is this a Prorated / Spaced Field?   | Yes N  |
| ame:  |  |   | Target Formation(s):   |  |
| Well Drilled For:   | Well Class: Ty   | pe Equipment:   | Nearest Lease or unit boundary line (in footage)   |  |
| Oil Enh Rec   | Infield  | Mud Rotary  | Ground Surface Elevation:  |  |
| Gas Storage   | Pool Ext.  | Air Rotary  | Water well within one-quarter mile:  | Yes N  |
| Disposal  | Wildcat  | Cable   | Public water supply well within one mile:  | Yes N  |
| Seismic ;# of Holes   | s Other  | _   | Depth to bottom of fresh water:  |  |
| Other:  |  |   | Depth to bottom of usable water:   |  |
| If OWNO, and wall in factor   | nation on fallaries  |   | Surface Pipe by Alternate: III   |  |
| If OWWO: old well inform  | ation as follows:  |   | Length of Surface Pipe Planned to be set:  |  |
| Operator:   |  |   | Length of Conductor Pipe (if any):   |  |
| Well Name:  |  |   | Projected Total Depth:   |  |
| Original Completion Date:   | Original Tot   | al Depth:   | Formation at Total Depth:  |  |
|   |  |   | Water Source for Drilling Operations:  |  |
| rectional, Deviated or Horizonta  |  | Yes No  | Well Farm Pond Other:  |  |
| Yes, true vertical depth:   |  |   | DWR Permit #:  |  |
| ottom Hole Location:  |  |   | ( <b>Note:</b> Apply for Permit with   | DWR [])  |
| CC DKT #:   |  |   | Will Cores be taken?   | Yes N  |
|   |  |   | If Yes, proposed zone:   |  |
|   |  | AF  | FIDAVIT  |  |
| he undersigned hereby affirms   | s that the drilling, com   |   | ugging of this well will comply with K.S.A. 55 et. sec   | ı <b>.</b>   |
| -   |  |   |  |  |
| is agreed that the following mi   | ·  |   |  |  |
|   |  |   | a dellina a si as  |  |
| Notify the appropriate dis  |  | thall he nosted on each   |  |  |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> </ol>  | notice of intent to drill s  |   |  | e pipe <b>shall be set</b>   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> </ol>  | notice of intent to drill <b>s</b> surface pipe as specif  | fied below <b>shall be set</b>  | by circulating cement to the top; in all cases surface   | e pipe <b>shall be set</b>   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of<br/>through all unconsolidate</li> </ol>   | notice of intent to drill <b>s</b><br>surface pipe as specif<br>ed materials plus a min  | fied below <b>shall be set</b><br>nimum of 20 feet into th  | by circulating cement to the top; in all cases surface   |  |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of<br/>through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> </ol>  | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be   | fied below <b>shall be set</b> nimum of 20 feet into the operator and the diseore well is either pluggers.  | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;   | ary <b>prior to plugging</b> ;   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of<br/>through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COM</li> </ol>  | notice of intent to drill solutions of intent to drill solutions and materials plus a min agreement between the office will be notified be MPLETION, production  | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente  | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;  d from below any usable water to surface within 12   | ary <i>prior to plugging;</i> O DAYS of spud date.   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COMOr pursuant to Appendix</li> </ol>   | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas:  | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;  d from below any usable water to surface within 12  133,891-C, which applies to the KCC District 3 area  | ary <i>prior to plugging;</i> O DAYS of spud date. a, alternate II cementing   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COMOr pursuant to Appendix</li> </ol>   | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas:  | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;  d from below any usable water to surface within 12   | ary <i>prior to plugging;</i> O DAYS of spud date. a, alternate II cementing   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COMOr pursuant to Appendix</li> </ol>   | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas:  | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;  d from below any usable water to surface within 12  133,891-C, which applies to the KCC District 3 area  | ary <i>prior to plugging;</i> O DAYS of spud date. a, alternate II cementing   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COM Or pursuant to Appendix must be completed within</li> </ol>                                 | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas on 30 days of the spud of   | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessaged or production casing is cemented in;  d from below any usable water to surface within 12  133,891-C, which applies to the KCC District 3 area  | ary <i>prior to plugging;</i> O DAYS of spud date. a, alternate II cementing   |
| <ol> <li>Notify the appropriate dis</li> <li>A copy of the approved n</li> <li>The minimum amount of<br/>through all unconsolidate</li> <li>If the well is dry hole, an</li> <li>The appropriate district o</li> <li>If an ALTERNATE II COM<br/>Or pursuant to Appendix<br/>must be completed within</li> </ol>                     | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas on 30 days of the spud of   | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessaged or production casing is cemented in; id from below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office pri   | ary <i>prior to plugging;</i> O DAYS of spud date. a, alternate II cementing   |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within  bmitted Electronical  | notice of intent to drill so surface pipe as specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas on 30 days of the spud of   | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugon<br>n pipe shall be cemente<br>surface casing order #"                             | by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessaged or production casing is cemented in; defrom below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office pri  | ary <b>prior to plugging</b> ;<br><b>10 DAYS</b> of spud date.<br>a, alternate II cementing<br>or to any cementing.  |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within  bmitted Electronical  For KCC Use ONLY  | notice of intent to drill solutions and intent to drill solutions are specified materials plus a min agreement between the office will be notified be MPLETION, production "B" - Eastern Kansas and 30 days of the spud of the | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugg<br>n pipe shall be cemente<br>surface casing order #'<br>date or the well shall be | by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessaged or production casing is cemented in; id from below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office pri   | ary <b>prior to plugging</b> ;<br><b>10 DAYS</b> of spud date.<br>a, alternate II cementing<br>or to any cementing.  |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II CON Or pursuant to Appendix must be completed within  bmitted Electronical  For KCC Use ONLY  API # 15 -                            | notice of intent to drill solutions and the surface pipe as specified materials plus a minagreement between the office will be notified be MPLETION, production "B" - Eastern Kansas and 30 days of the spud of th | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugg<br>n pipe shall be cemente<br>surface casing order #'<br>date or the well shall be | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area as plugged. In all cases, NOTIFY district office printing.  Remember to:  - File Certification of Compliance with the Kansas Sact (KSONA-1) with Intent to Drill;   | ary <i>prior to plugging;</i> O DAYS of spud date. A, alternate II cementing or to any cementing.  |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II CON Or pursuant to Appendix must be completed within  bmitted Electronical  For KCC Use ONLY  API # 15 -                            | notice of intent to drill solutions and the surface pipe as specified materials plus a minagreement between the office will be notified be MPLETION, production "B" - Eastern Kansas and 30 days of the spud of th | fied below shall be set<br>nimum of 20 feet into the<br>ne operator and the dis-<br>efore well is either plugg<br>n pipe shall be cemente<br>surface casing order #'<br>date or the well shall be | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessary of the production casing is cemented in; and from below any usable water to surface within 12 in 133,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office printing the Certification of Compliance with the Kansas in Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent in the compliance with the cases in the printing in the printi | ary prior to plugging; O DAYS of spud date. In alternate II cementing for to any cementing.  Surface Owner Notification to Drill;  |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within  bmitted Electronical  For KCC Use ONLY  API # 15                              | notice of intent to drill solutions and the surface pipe as specified materials plus a minagreement between the office will be notified be MPLETION, production "B" - Eastern Kansas in 30 days of the spud of the | fied below shall be set nimum of 20 feet into the operator and the dissertore well is either pluggen pipe shall be cemente surface casing order # date or the well shall be a feet                | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area as plugged. In all cases, NOTIFY district office printing and the Complete Completion form CDP-1) with Intentional File Completion Form ACO-1 within 120 days of second confidence on the completion form ACO-1 within 120 days of second complete Com | ary prior to plugging;  O DAYS of spud date.  A, alternate II cementing or to any cementing.  Surface Owner Notification  To Drill;  Spud date;  |
| 1. Notify the appropriate dis 2. A copy of the approved n 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, an 5. The appropriate district o 6. If an ALTERNATE II CON Or pursuant to Appendix must be completed within a completed within the complete of the complete of the conductor pipe required | notice of intent to drill solutions and intent to drill solutions are specified materials plus a minagreement between the office will be notified be MPLETION, production "B" - Eastern Kansas and 30 days of the spud of the  | fied below shall be set nimum of 20 feet into the operator and the dissertore well is either pluggen pipe shall be cemented surface casing order # date or the well shall be determined.          | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessary of the production casing is cemented in; and from below any usable water to surface within 12 in 133,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office printing the Certification of Compliance with the Kansas in Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent in the compliance with the cases in the printing in the printi | ary prior to plugging;  O DAYS of spud date.  In alternate II cementing or to any cementing.  Surface Owner Notification  To Drill;  Spud date;  ration orders;                        |
| A copy of the approved n     The minimum amount of through all unconsolidate     If the well is dry hole, an     The appropriate district o     If an ALTERNATE II CON Or pursuant to Appendix must be completed within   | notice of intent to drill solutions and intent to drill solutions are specified materials plus a minagreement between the office will be notified be MPLETION, production "B" - Eastern Kansas and 30 days of the spud of the  | fied below shall be set nimum of 20 feet into the operator and the dissertore well is either pluggen pipe shall be cemented surface casing order # date or the well shall be determined.          | by circulating cement to the top; in all cases surface underlying formation.  trict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 12 133,891-C, which applies to the KCC District 3 area as plugged. In all cases, NOTIFY district office prior in the Certification of Compliance with the Kansass Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of some price of the careage attribution plat according to field process.   | ary prior to plugging;  O DAYS of spud date.  In alternate II cementing or to any cementing.  Surface Owner Notification  To Drill;  Spud date;  ration orders;  workover or re-entry; |

- If well will not be drilled or permit has expired (See: authorized expiration date)

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

KOLAR Document ID: 1404100



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



#### 2125 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## CORRECTION #1

KOLAR Document ID: 1404100

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        | License Number:                     |  |  |
|---|------------------------|-------------------------------------|--|--|
| Operator Address:   |                        |                                     |  |  |
| Contact Person:   |                        | Phone Number:                       |  |  |
| Lease Name & Well No.:  |                        | Pit Location (QQQQ):                |  |  |
| Type of Pit:  | Pit is:                |                                     |  |  |
| Emergency Pit Burn Pit  | Proposed               | Existing                            | SecTwpR East West  |  |
| Settling Pit Drilling Pit   | If Existing, date co   | nstructed:                          | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:          |                                     | Feet from East / West Line of Section  |  |
| (II WI Supply Al FINO. Of Teal Dillied)   |                        | (bbls)                              | County   |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes               | No                                  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)       |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?      |                                     | How is the pit lined if a plastic liner is not used?                           |  |
| Pit dimensions (all but working pits):  | Length (fee            | et)                                 | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to dee | epest point:                        | (feet) No Pit  |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure.    | ner                    |                                     | dures for periodic maintenance and determining cluding any special monitoring. |  |
|   |                        |                                     |  |  |
|   |                        | Depth to shallo<br>Source of inforr | west fresh water feet.<br>nation:  |  |
| feet Depth of water well  | feet                   | measured                            | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Work                      | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |                        | Type of materia                     | l utilized in drilling/workover:   |  |
| Number of producing wells on lease:   |                        | Number of worl                      | Number of working pits to be utilized:   |  |
| Barrels of fluid produced daily:  |                        | Abandonment p                       | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus |                        | Drill pits must b                   | est be closed within 365 days of spud date.                                    |  |
| Submitted Electronically  |                        |                                     |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |                                     |  |  |
| Date Received: Permit Num   | ber:                   | Permi                               | t Date: Lease Inspection:  |  |

#### CORRECTION #1

KOLAR Document ID: 1404100

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|--|--|
| OPERATOR: License #  | Well Location:   |
| Name:  | SecTwpS. R East  |
| Address 1:   | County:  |
| Address 2:   | Lease Name: Well #:  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |
| Contact Person:  | the lease below:   |
| Phone: ( ) Fax: ( )  |  |
| Email Address:   |  |
| Surface Owner Information:   |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional   |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |
| City: State: Zip:+   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank   | lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                      |
| owner(s) of the land upon which the subject well is or will be lo  | ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.                         |
| KCC will be required to send this information to the surface own   | eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |
| Submitted Electronically   |  |

#### STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

# $Governor\ Jeff\ Colyer,\ M.D.$ Shari Feist Albrecht, Chair | Jay Scott Emler, Commissioner | Pat Apple, Commissioner

April 02, 2018

IDANIA MEDINA Merit Energy Company, LLC 13727 NOEL ROAD, SUITE 1200 DALLAS, TX 75240

Re: Drilling Pit Application API 15-055-22482-01-00 McWilliams E 6 SE/4 Sec.21-24S-33W Finney County, Kansas

#### Dear IDANIA MEDINA:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at this location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

### STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

# $Governor\ Jeff\ Colyer,\ M.D.$ Shari Feist Albrecht, Chair | Jay Scott Emler, Commissioner | Pat Apple, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

| 82-3-60  | 7.  | DISPOSAL OF DIKE AND PIT CONTENTS.  |
|--|-----|---|
| (a) Each operator shall perform one of the following w |     | Each operator shall perform one of the following when disposing of dike or  |
| pit  | ,   | contents:   |
|  | (1) | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;  |
|  | (2) | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;  |
| or   |     |   |
|  | (3) | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area |
| on   |     | acreage owned by the same landowner or to another producing   |
| lease  |     |   |
| from   |     | or unit operated by the same operator, if prior written permission  |
|  |     | the landowner has been obtained; or   |

|          | (D)       | removal of the contents to a permitted off-site disposal area       |
|----------|-----------|---|
| approved |           |   |
|          |           | by the department.  |
| (b)      | Each      | violation of this regulation shall be punishable by the following:  |
| (1       | ) A \$1,0 | 000 penalty for the first violation;                                |
| (2       | a \$2,5   | 00 penalty for the second violation; and                            |
| (3       | a \$5,0   | 000 penalty and an operator license review for the third violation. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo   |   |
|--|---|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.  |   |
| Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operate by the same operator:YesNo If yes, written permission from the land owner must b obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application. | е |

## **Summary of Changes**

Lease Name and Number: McWilliams E 6

API/Permit #: 15-055-22482-01-00

Doc ID: 1404100

Correction Number: 1

Approved By: Rick Hestermann 04/03/2018

| Field Name                                       | Previous Value                | New Value                     |
|--|-------------------------------|-------------------------------|
| Artificial Liner?                                |                               | No                            |
| Depth Of Water Well                              |                               | 240                           |
| Depth to Shallowest<br>Fresh Water               |                               | 85                            |
| Feet to Nearest Water<br>Well Within One-Mile of |                               | 1388                          |
| Pit<br>Fresh Water Information<br>Source: KDWR   | No                            | Yes                           |
| How Pit is Lined if Plastic Liner Not Used       |                               | BENTONITE AND CUTTINGS        |
| Is Bottom Below<br>Ground Level?                 |                               | Yes                           |
| Is Pit Proposed or<br>Existing                   |                               | Proposed                      |
| KCC Only - Approved<br>By                        | Rick Hestermann<br>03/14/2018 | Rick Hestermann<br>04/03/2018 |
| KCC Only - Approved Date                         | 03/14/2018                    | 04/03/2018                    |

# Summary of changes for correction 1 continued

| Field Name                        | Previous Value | New Value  |
|-----------------------------------|----------------|------------|
| KCC Only - Date<br>Received       | 03/14/2018     | 03/30/2018 |
| KCC Only - Lease<br>Inspection    | No             | Yes        |
| Number of Working Pits to be Used |                | 1          |
| Pit Capacity BBLS                 |                | 20000      |
| Pit Deepest Depth                 |                | 5          |
| Pit Length                        |                | 150        |
| Pit Type                          |                | Drilling   |
| Pit Width                         |                | 150        |
| Steel Pit                         | Yes            | No         |

## **Summary of Attachments**

Lease Name and Number: McWilliams E 6

API: 15-055-22482-01-00

Doc ID: 1404100

Correction Number: 1

Approved By: Rick Hestermann 04/03/2018

**Attachment Name** 

Steel

Haul Off Pit Application