

Well Refined Drilling Company, Inc.

4230 Douglas Road Thayer, Kansas 66776  
 Contractor License # 33072 - FEIN # 48-1248553  
 620-839-5581/Office; 620-432-6170/Jeff; 620-839-5582/FAX



Rig #:	5	Lic # 5150	S27	T33S	R17E			
API #:	15-125-31702-0000		Location:	SW,NW,NE,NE				
Operator:	Colt Energy Inc.		County:	Montgomery				
Address:	P.O Box 388							
	Iola, Ks 66749		Gas Tests					
Well #:	1-27	Lease Name: Horton	Depth	Oz.	Orifice	flow - MCF		
Location:	400	FNL Line	see page 3					
	1260	FEL Line						
Spud Date:	12/8/2008							
Date Completed:	12/9/2008	TD: 1005						
Driller:	Josiah Kephart							
Casing Record	Surface	Production						
Hole Size	12 1/4"	7 7/8"						
Casing Size	8 5/8"							
Weight								
Setting Depth	97' 11"							
Cement Type	Portland							
Sacks	Service Company							
Feet of Casing								
08LL-120908-R5-023-Horton 1-27-Colt Energy Inc.								
Well Log								
Top	Bottom	Formation	Top	Bottom	Formation	Top	Bottom	Formation
0	1	overburden	286	360	shale	501	502	coal
1	5	clay	360	396	1st Oswego lime	502	545	shale
5	11	blk shale	365		odor	545	547	blk shale
		wet	396	398.5	Squirrel blk shale	547	548	coal
11	42	lime	398.5	400	shale	548	568	shale
42	61	shale	400	425	2nd Oswego lime	568	569	coal
61	135	lime	425	426	sand	569	573	slime
128		odor	426	428.5	blk shale	573	613	shale
135	150	shale	428.5	430	Mulky coal	613	615	blk shale
150	152	blk shale	430	431	shale	615	616	coal
152	260	shale	431	436	lime	616	648	shale
260	262	lime	436	453	shale	648	650	blk shale
262	263	Mulberry carb shale	453	455	coal	650	661	shale
		undeveloped	455	495	shale	661	662	coal
263	283	Pink lime	495	496.5	lime	662	669	shale
270		odor	496.5	498	shale	669	674	sandy shale
283	285	Anna blk shale	498	500	blk shale	674	684	shale
285	286	Lexington coal	500	501	shale	684	685	coal



