

3613A Y Road  
Madison, KS 66860  
Ph: 620-437-2661  
Fax: 620-437-2881



HURRICANE SERVICES INC

104 Prairie Plaza Parkway  
Garnett, KS 66032  
Ph: 785-448-3100  
Fax: 785-448-3102

FED ID# 48-1214033  
MC ID# 165290

RECEIVED

SEP 15 2018

Remit to: Hurricane Services, Inc.  
250 N. Water, Suite 200  
Wichita, KS 67202

Customer:

LOTUS OPERATING COMPANY, LLC  
100 S. MAIN, STE 420  
WICHITA, KS 67202

Invoice Date: 9/1/2018  
Invoice #: 0039846  
Lease Name: PRATT LIBRARY  
Well #: 1  
County: KIOWA

Date/Description	HRS/QTY	Rate	Total
8/29/18 ICT1339 PTA	0.000	0.000	0.00
Heavy Eq Mileage	84.000	3.250	273.00
Light Eq Mileage	42.000	1.500	63.00
Ton Mileage	283.000	1.300	367.90
Cement data Acquisition	1.000	700.000	700.00
Cement Pump	1.000	950.000	950.00
Cement Pozmix 60/40	150.000	12.850	1,927.50
Bentonite Gel	600.000	0.300	180.00

GL# 9350  
DESC. cement to  
plug well  
WELL # Prattlib

ENTERED  
SEP 24 2018

Net Invoice 4,461.40  
Sales Tax: 334.60  
**Total** 4,796.00

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

**WE APPRECIATE YOUR BUSINESS!**



**TREATMENT REPORT**



**HURRICANE SERVICES INC**

Customer: Lotus Operating Co. LLC	Date: 8/29/2018	Ticket #:	ICT1339
Field Rep: Robin Brown			
Address: 100 S Main St, STE 420			
City, State: Wichita, KS			
County, Zip: Kiowa, 67202			

Field Order No.: ICT1339	Open Hole:	
Well Name: Pratt Library #1	Casing Depth:	
Location: Kiowa County	Casing Size: 8 5/8	
Formation:	Tubing Depth: 861'	
Type of Service: cement	Tubing Size: 2 3/8	
Well Type: oil and gas	Liner Depth:	
Age of Well: pta	Liner Size:	
Packer Type:	Liner Top:	
Packer Depth:	Liner Bottom:	
Treatment Via:	Total Depth:	

Perf Depths (ft)	Perfs
<b>Total Perfs</b>	<b>0</b>

TIME	INJECTION RATE		PRESSURE		REMARKS	PROP (lbs)	HCL (gls)	FLUID (bbbls)
	FLUID	N2/CO2	STP	ANNULUS				
1:00 PM					Arrived on Location			
1:05 PM					Safety Meeting			
1:10 PM					Rig up on well			
1:30 PM					Pump H2O			
1:36 PM			220.0		Pump Gel 20 bbl			20.00
1:40 PM					Pump H2O			
1:45 PM			150.0		Pump 50 sks cement @13.8ppg,1.46 yld@861'			13.00
1:55 PM					Dispalced with H2O			
2:00 PM					Turned over to rig crew			
2:10 PM					Rig up on well			
2:15 PM			90.0		Pump 50 sks cement @13.8ppg,1.46 351'			13.00
2:20 PM					Dispalced with H2O			
2:25 PM					Turned over to rig crew			
2:30 PM					Rig up on well			
2:40 PM			70.0		Pump 50 sks cement @13.8ppg,1.46 63'			13.00
2:50 PM					Rig down/Wash pump and lines			
3:16 PM					Depart Location			
<b>TOTAL:</b>								59.00

SUMMARY			
Max Fl. Rate	Avg Fl. Rate	Max PSI	Avg PSI
-	#DIV/0!	220.0	132.6

PRODUCTS USED

Treater: Ken Dawson

Customer: Robin B.

Lotus operating company  
WELL\_NAME

ICT 1339

