For KCC Use:
Effective Date:
District #
SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

## **CATHODIC PROTECTION BOREHOLE INTENT**

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
	(0/0/0/0)
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth: fee
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
ength of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing size inches	Well Farm Pond Stream Other
	Water Well Location:
;;;;;;	DWR Permit #
Cathodic surface casing will terminate at:	Standard Dimension Ratio (SDR) is =
☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	` ,
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surfac
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual plugging f this well will comply with K.S.A. 55-101 et. seq.	<b>3</b>
·	
is agreed that the following minimum requirements will be met:	
. Notify the appropriate District office prior to spudding and again before plugging the	well. An agreement between the operator and the District Office on plugs
and placement is necessary prior to plugging. In all cases, notify District Office prior	r to any grouting.
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set.
	form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compl	· · · · · · · · · · · · · · · · · · ·
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	
Submitted Electronically	
Submitted Liectromodily	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required: feet	
	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	

Cido	THE

For KCC Use ONLY
API # 15

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

erator:							_ Loc	Location of Well: County:						
cility Name:									feet	from	N /	S Line	e of Section	
rehole Number:								feet	from	E / [	W Line	e of Section		
							Se	c	Twp	S.	R		E	W
								_						
							ls S	Section:	Regular o	rI	rregular	r		
						If S	If Section is Irregular, locate well from nearest corner boundary.							
							Se	ction corne	r used: 1	NE []	NW	SE 🔙	SW	
					d electrica	al lines, as	required b		it boundary lir as Surface Ov red.					
		•	:	:		:	:	:						
		:	:				:	:			LEG	END		
		:	:	:		:	:	:			LLO			
		:	:	:		:	:	:		0		Location		
		:	•	:		:	· · ·	:		0	Tank	Battery	Location	
							:				Tank Pipeli	Battery line Loca	Location tion	
										<u></u>	Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	
	•••••					:				<u></u>	Tank Pipeli Elect	Battery line Loca	Location tion Location	
										<u></u>	Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	
						:			[EV		Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	٦
						:			EX	<u></u>	Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	]
						:			EXA		Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	
						:			EX,		Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	
						:			EX.		Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location	
				3					EX/	AMPLE	Tank Pipeli Elect	Battery I ine Loca ric Line I	Location tion Location Location	
				3					EX/	AMPLE	Tank Pipeli Electi Lease	Battery Ine Loca	Location tion Location Location	
				3					EX.	AMPLE	Tank Pipeli Electi Lease	Battery Ine Loca	Location tion Location Location	1980' FSI
				3					EX.	AMPLE	Tank Pipeli Electi Lease	Battery Ine Loca	Location tion Location Location	1980' FSI
				3					EX/ 	AMPLE	Tank Pipeli Electi Lease	Battery Ine Loca	Location tion Location Location	1980' FSI
				3					EX.	AMPLE	Tank Pipeli Electi Lease	Battery Ine Loca	Location tion Location Location	1980' FSI

217 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date con-	structed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section				
(I W Cappy All TWO. of Total Difficult		(bbls)	County				
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to deep	pest point:	(feet) No Pit				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	•	oth to shallowest fresh water feet. urce of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	l utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all s flow into the pit?  Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC C	OFFICE USE OF	NLY Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				

### Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License #	Well Location:						
Name:	SecTwpS. R East						
Address 1:	County:						
Address 2:	Lease Name: Well #:						
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:						
Contact Person:							
Phone: ( ) Fax: ( )  Email Address:							
Surface Owner Information:							
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional						
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the						
Address 2:	county, and in the real estate property tax records of the county treasurer.						
City: State: Zip:+							
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat						
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.						
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.						
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1							
Submitted Electronically							
Ι	_						



For KCC Use ONLY
API # 15

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

		In all cas	es, please	fully comp	lete this si	ide of the	form. Inclu	ude items 1	1 through 3 at the bottom of this page.					
Operator: LA GRANGE ACQUISITION, LP dba ENERGY TRANSFER Facility Name: CRAVER 2442 A						RANSFER								
								feet from N / V S Line of Section						
Borehole Number: 01							feet from E / W Line of Section							
							Sec	32	Twp. 34 S. R. 42 ☐ E 🗹 W					
							ls S	ection:	Regular or Irregular					
									Irregular, locate well from nearest corner boundary.					
							Sec	tion corne	erused: NE NW SE SW					
							PLAT							
	Show loca	ation of the	Cathodic	Borehole.	Show foo	tage to the	e nearest l	ease or un	nit boundary line. Show the predicted locations of					
	lease roa	ds, tank ba	atteries, pi	pelines and					sas Surface Owner Notice Act (House Bill 2032).					
					You m	ay attach a	a separate	plat if desi	ired.					
									_					
	-					•	:	:						
						•			LEGEND					
	*******	,	,,,,,,,,,						O Mall Loopton					
									O Well Location					
						:		:	Tank Battery Location					
		••••••	**********	*********	********				Pipeline Location					
						Ē	:		Electric Line Location					
						:	:		Lease Road Location					
		********				•								
				:		:		:						
					l	:		:	EXAMPLE : :					
			-			:	:	:	4					
							:							
	;				· ·		:							
	*******		********	**********		******								
						:		:	***************************************					
		*******	*********						1980'FSL					
						:								
						:		:						
		*******	*******			•	•							
						•		:						

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.