KOLAR Document ID: 1406069

Confidentiality Requested:

Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	·
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date  Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1406069

### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.  Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests Taken Yes No. (Attach Additional Sheets)						Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives									
Perforate Protect Casing Plug Back TD		Type of Cement		# Sacks Used		d Type and Percent Additives				
	Plug Off Zone									
1. Did you perform a hydraulic fracturing treatment on this well?  2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No (If No, skip questions 2 and 3)  No (If No, skip question 3)  No (If No, fill out Page Three of the ACO-1)						,				
Date of first Production/Injection or Resumed Production/ Producing Method: Injection: Pumping Cool iff Other (Function)										
FIC			Flowing Gas	Pumping	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity	
Estimated Production Per 24 Hours		Oil Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:						N INTERVAL:			
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled			Bottom							
(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom				Record				
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion			
Operator	RJ Energy, LLC			
Well Name	FLAT ROCK (BEARD) 12			
Doc ID	1406069			

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	10	
Production	5.625	2.875	6.5	1068	portland	130	

## HAMMERSON CORPORATION

PO BOX 189 GAS, KS 66742

# Invoice

Date	Invoice #		
1/10/2018	11963-11964		

Bill To

R.J. ENERGY LLC 22082 NE NEOSHO RD GARNETT, KS 66032

P.O. No.	Terms	Project
	Due on receipt	

Quantity	Description	Rate	Amount
130 1.5	WELL MUD (\$8.00 PER SACK) TRUCKING (\$50 PER HOUR)	8.00 50.00	1,040.00 75.00
	WELL FLATROCK 12 SALES TAX	6.50%	72.48
ank you for yo	our business.	Total	\$1,187.4



# RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

# Flat Rock 12

			Start 1-8-18
4	soil	4	Finish 1-10-18
19	clay/gravel	23	
5	lime	28	
191	shale	219	
<b>42</b>	lime	261	
44	shale	305	
52	lime	357	
21	shale	378	Set 40' of 7" w/10sxs
8	lime	386	Ran 1068.6' 2 1/8
3	shale	389	cemented to surface 130 sxs
91	lime	480	
<b>57</b>	shale	537	
<b>57</b>	lime	<b>594</b>	
8	shale	602	
<b>47</b>	lime	649	
170	shale	819	
37	lime	856	
<b>50</b>	shale	906	
30	lime	936	
16	shale	952	
8	lime	960	
13	shale	973	
8	lime	981	
3	shale	984	
4	lime	988	
37	shale	1025	
11	bkn sand	1036	Good show
6	dk sand	1042	Show
32	shale	1074	TD