### **CORRECTION #1**

KOLAR Document ID: 1406863

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	Ole a One Concertminon Division

Yes No

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:		Spot Description:	
month day	year	Sec Twp S. R E	V
DPERATOR: License#		(0/0/0/Q) feet from N / S Line of S	ectio
lame:		feet from E / W Line of S	ectio
ddress 1:		Is SECTION: Regular Irregular?	
ddress 2:			
ity: State: Zip		(Note: Locate well on the Section Plat on reverse side)	
Contact Person:		County:	
hone:		Lease Name: Well #:	
CONTRACTOR: License#		Field Name:	٦
lame:			No
iailie.		Target Formation(s):	
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:fee	_
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:	No
Disposal Wildcat	Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other		Depth to bottom of fresh water:	
Other:		Depth to bottom of usable water:	
If OMMO, and well interesting an fall		Surface Pipe by Alternate: III	
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set:	
Operator:		Length of Conductor Pipe (if any):	
Well Name:		Projected Total Depth:	
Original Completion Date: Original	Total Depth:	Formation at Total Depth:	
		Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:	
f Yes, true vertical depth:		DWR Permit #:	
Sottom Hole Location:		( <b>Note:</b> Apply for Permit with DWR)	
(CC DKT #:		Will Cores be taken? Yes	No
		If Yes, proposed zone:	
	ΔFF	FIDAVIT	
The undersigned hereby affirms that the drilling, co		igging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the following minimum requiremen		gging of the won win comply with the at the conduction	
·			
1. Notify the appropriate district office <i>prior</i> to		adulling view	
2. A copy of the approved notice of intent to dri		by circulating cement to the top; in all cases surface pipe <b>shall be set</b>	
through all unconsolidated materials plus a r		, ,	
•		rict office on plug length and placement is necessary <b>prior to plugging</b> ;	
5. The appropriate district office will be notified			
6 If an ALTERNATE II COMPLETION product	. 00	d from below any usable water to surface within 120 DAYS of spud date.	
o. II all ALI LKIVATE II COMFELTION, product	tion pipe shall be cemented		
Or pursuant to Appendix "B" - Eastern Kansa	as surface casing order #1	33,891-C, which applies to the KCC District 3 area, alternate II cementing	
Or pursuant to Appendix "B" - Eastern Kansa	as surface casing order #1	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	
Or pursuant to Appendix "B" - Eastern Kansa	as surface casing order #1		
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu	as surface casing order #1		
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu	as surface casing order #1		
Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu ubmitted Electronically	as surface casing order #1		
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu	as surface casing order #1	plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:	ı
Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu ubmitted Electronically	as surface casing order #1 ud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spunchment of the s	as surface casing order #1 ud date or the well shall be	Plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spunds be completed within 30 d	as surface casing order #1 ud date or the well shall be	<ul> <li>Plugged. In all cases, NOTIFY district office prior to any cementing.</li> <li>Remember to: <ul> <li>File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;</li> </ul> </li> </ul>	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spunt be ubmitted Electronically  For KCC Use ONLY  API # 15 -	as surface casing order #1 ud date or the well shall be	<ul> <li>Plugged. In all cases, NOTIFY district office prior to any cementing.</li> <li>Remember to: <ul> <li>File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;</li> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> </ul> </li> </ul>	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu  ubmitted Electronically  For KCC Use ONLY  API # 15 Conductor pipe required	as surface casing order #1 ud date or the well shall be feet feet per ALT I II	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spunds be completed within 30 days of the spunds be completed within 30 days of the spunds be completed by:	as surface casing order #1 ud date or the well shall be feet feet per ALT I II	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	
Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spunch of the spu	as surface casing order #1 ud date or the well shall be feetfeet per ALTIIII	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.	
Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spunt ubmitted Electronically  For KCC Use ONLY  API # 15	as surface casing order #1 ud date or the well shall be feetfeet per ALTIIII	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

KOLAR Document ID: 1406863



For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1650 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## CORRECTION #1

KOLAR Document ID: 1406863

Form CDP-1 May 2010 Form must be Typed

## Kansas Corporation Commission Oil & Gas Conservation Division

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WE Supply AFTING. OF leaf Diffied)		(bbls)	County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining acluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	e of material utilized in drilling/workover:	
Number of producing wells on lease: Number		Number of worl	Number of working pits to be utilized:	
		Abandonment ¡	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must b	t be closed within 365 days of spud date.	
	-			
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

#### CORRECTION #1

KOLAR Document ID: 1406863

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CI	B-1 (Cathodic Protection Borehole Intent)  T-1 (Transfer)  CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	•
Address 2:	
City: State: Zip:+	the lease helpw
Contact Person:	_
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	
Address 1:	<ul> <li>sheet listing all of the information to the left for each surface owner. Surface</li> <li>owner information can be found in the records of the register of deeds for the</li> </ul>
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	_
the KCC with a plat showing the predicted locations of lease roads,	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will	ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form orm being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address.
KCC will be required to send this information to the surface	). I acknowledge that, because I have not provided this information, the se owner(s). To mitigate the additional cost of the KCC performing this dress of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 hand form and the associated Form C-1, Form CB-1, Form T-1, or Form	dling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	

#### STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

#### GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

April 24, 2018

Matt Osborn Daystar Petroleum, Inc. 522 N. MAIN ST PO BOX 560 EUREKA, KS 67045-0560

Re: Drilling Pit Application API 15-155-21754-00-00 Trembley A 2 SW/4 Sec.03-25S-08W Reno County, Kansas

#### Dear Matt Osborn:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.

## **Summary of Changes**

Lease Name and Number: Trembley A 2

API/Permit #: 15-155-21754-00-00

Doc ID: 1406863

Correction Number: 1

Approved By: Rick Hestermann 04/24/2018

Field Name	Previous Value	New Value
Abandonment Procedure		Haul fluids, air dry and back fill
Artificial Liner?		No
Depth Of Water Well		50
Depth to Shallowest Fresh Water		12
Feet to Nearest Water Well Within One-Mile of		1219
Pit Fresh Water Information Source: KDWR	No	Yes
How Pit is Lined if Plastic Liner Not Used		clay solids
Is Bottom Below Ground Level?		Yes
Is Pit Proposed or Existing		Proposed
KCC Only - Approved By	Rick Hestermann 04/16/2018	Rick Hestermann 04/24/2018

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Approved Date	04/16/2018	04/24/2018
KCC Only - CDP1 Steel Pit	Yes	No
KCC Only - Date Received	04/16/2018	04/24/2018
KCC Only - Lease Inspection	No	Yes
Number of Working Pits to be Used		1
Pit Capacity BBLS		2671
Pit Deepest Depth		6
Pit Length		50
Pit Type		Drilling
Pit Width		50
RFAS		Yes
Steel Pit	Yes	No
Type of Material Used in Drilling / Workover		bentonite

## **Summary of Attachments**

Lease Name and Number: Trembley A 2

API: 15-155-21754-00-00

Doc ID: 1406863

Correction Number: 1

Approved By: Rick Hestermann 04/24/2018

**Attachment Name** 

**Bentonite Liner Fluids**