For KCC	Use:				
Effective	Effective Date:				
District #	<u> </u>				
SGA?	Yes No				

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:				
month day year	Sec Twp S. R [E [] \				
DPERATOR: License#	feet from N / S Line of Section				
Vame:	feet from E / W Line of Section				
Address 1:	Is SECTION: Regular Irregular?				
Address 2:	(Note: Locate well on the Section Plat on reverse side)				
City:	County:				
Contact Person:	Lease Name: Well #:				
Phone:	Field Name:				
CONTRACTOR: License#	Is this a Prorated / Spaced Field?				
lame:	Target Formation(s):				
Mall Drillad Fav. Mall Class. Time Favingsont.	Nearest Lease or unit boundary line (in footage):				
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS				
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:				
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:				
Disposal Wildcat Cable	Depth to bottom of fresh water:				
Seismic ; # of Holes Other	Depth to bottom of usable water:				
Other:	Surface Pipe by Alternate: I II				
If OWWO: old well information as follows:					
	Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):				
Operator:					
Well Name:	Projected Total Depth:				
Original Completion Date: Original Total Depth:	Formation at Total Depth: Water Source for Drilling Operations:				
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:				
f Yes, true vertical depth:					
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)				
VCC DVT #:	(Note: Apply for a strike that BVVV				
NOC DN 1 #:	Will Cores be taken?				
NOC DN I #	Will Cores be taken? If Yes, proposed zone:				
	If Yes, proposed zone:				
AFF	If Yes, proposed zone:				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:				
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: IDAVIT IDAVIT				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT IDAVIT				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilling				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In dead or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases are pipe shall be set underlying formation. In the complete of the complete				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases are pipe shall be set underlying formation. In the complete of the complete				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:				
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification				
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;				
AFF The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;				
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;				
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the distrection of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;				
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the set of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;				
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the set of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);				

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operat	perator:				_ Loc	Location of Well: County:							
Lease:					feet from N / S Line of Section								
					feet from E / W Line of Section								
				_ Se									
	er of Acres attri						IS 3	Section:	Regu	lar or	Irregular		
Q I I V G	IIIVQIIVQIIV	or acreay	c					N 41 1 -					
								If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW					
							00	CHOIT COITIC	ci uscu.			J V V	
							PLAT						
					_				-		edicted locations		
	lease road	ds, tank b	atteries, pi	pelines and						e Owner No	tice Act (House B	ill 2032).	
					You m	ay attach a	a separate	plat if desi 1700	ired.) ft .				
	:		•	:		:	•	:]				
							:						
			•	:		:	:	:			LEGEND		
		••••••	:	:	•••••	:	:	:		0	Well Location		
							:				Tank Battery L	ocation	
		• • • • • • • • • • • • • • • • • • • •		•	••••			·			- Pipeline Locat	ion	
			:	:		:	:	:			 Electric Line L 		
			:			:	:	<u> </u>	- 450	ft	Lease Road L	ocation	
	••••				••••			• • • • • • • • • • • • • • • • • • • •					
			:	:		:	:	:					
			:	:			:			EXAMPLE	:	:	
			· ;	: .		:	:	:		:	:	:	
				9	I							·	
	:		:	:		:	:	:		:		:	
	:		:	:		:	:	:					
			:	:		:		:					
			•		••••	• • • • • • • • • • • • • • • • • • • •	•			:	0===		1980' FSL
			:	:		: :	:	: :			ĭ 🎚	:	
	:		•	:		:	•	:	1				

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:		¹			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(111)	Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet.			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease:		Number of work	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.			
	-					
Submitted Electronically						
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	ine lease below.
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
	batteries, pipelines, and electrical lines. The locations shown on the plat
	eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

For KCC Use ONLY	
API # 15	

Operator: Hertel Oil Company, LLC

Lease: Reichert

Well Number: 1

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Ellis

feet from N / S Line of Section

W Line of Section

1980 FSL

feet from X E /

SEWARD CO.

1,700

450

ield: Reicheπ	Sec. ⁹ Twp. 15 S. R. 19 L E X W			
lumber of Acres attributable to well: 40 ITR/QTR/QTR/QTR of acreage: <u>SW</u> - <u>NE</u> - <u>SE</u> - <u>NE</u>	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			
lease roads, tank batteries, pipelines and electrical lines, as	PLAT est lease or unit boundary line. Show the predicted locations of sequired by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.			
	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
	EXAMPLE			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.