For KCC Use:
Effective Date:
District #
SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
ODED ITOD 11	(Q/Q/Q/Q) section   N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
	Is SECTION: Regular Irregular?
Address 1: Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Cathodic Borehole Total Depth:
Name: Cable	Depth to Bedrock:
Type Drilling Equipment:	Water Information
☐ Air Rotary ☐ Other  Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
•	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surfac
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging fithis well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
is agreed that the following minimum requirements will be met:	
All rights and the second seco	well. An agreement between the operator and the District Office on plugs
<ol> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior</li> </ol>	r to any grouting.
and placement is necessary prior to plugging. In all cases, notify District Office prior	r to any grouting.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.	r to any grouting.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
<ul> <li>and placement is necessary prior to plugging. In all cases, notify District Office prior</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by</li> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp</li> </ul>	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification  etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by is. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by it. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum Cathodic Surface Casing Required: feet  Approved by: This authorization expires: from the conductor of the prior of the provided in the provided prior of the provi	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.   If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.  Permit Expired Well Not Drilled
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum Cathodic Surface Casing Required: feet  Approved by: This authorization expires: from the conductor of the prior of the provided in the provided prior of the provi	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.

Side Two

For KCC Use ONLY	
API # 15	

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: Facility Name: Borehole Number:				Sec. Is Section:	feet from N / S Line of Section feet from E / W Line of Section Twp. S. R. E W  Regular or Irregular  Irregular, locate well from nearest corner boundary.
		d electrical line	es, as requi	rest lease or un	nit boundary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).
	 				LEGEND  O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

Lease Road Location

EXAMPLE

1980' FSL

514 **3**EMARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

210 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date core  Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		illei littegrity, il	acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:	

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	
Ι	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	La Grange Acquisition, LP dba Energy Transfer Company
Well Name	Ulysses 6.0B 1
Doc ID	1409134

# Anode Installation Depths

epth
10
30
20
00
90
30
70
60
50
10
30
20
0
00
90
30
70
60
50