KOLAR Document ID: 1409222

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Facility Name:	Form KSONA-1, Certification of Compliance with the Kansas S	Surface Owner Notification Act, MUST be submitted with this form.
Sec_ Tup_ S R _ Electrons	Expected Spud Date:	Snot Description:
Consideration		
Name:		(0/0/0/0)
Address 1; Address 2 Add		
Address 2: Chick State: Zip:		
Country:		
County C		(Check directions from nearest outside corner boundries)
Facility Name:		County:
CONTRACTOR: License#		Facility Name:
Value Type Drilling Equipment: Mud Rotary Cable Depth Depth to Bedrock: Water Information Aquifor Penetration: Depth to Bedrock: Water Information Aquifor Penetration: None Single Multiple Depth to Bedrock: Water Information Aquifor Penetration: None Single Multiple Depth to Bedrock: Water Information Aquifor Penetration: None Single Multiple Depth to Bedrock: Water Well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Public water supply well within one mile: Yes No Yes Yes No Yes Yes No Yes Yes No Yes Yes Yes No Yes	Phone:	Borehole Number:
Cathodic Surface (Non-Metallic) Casing Cable Cathodic Surface (Non-Metallic) Casing Planned to be set:	CONTRACTOR: License#	Ground Surface Elevation: MSL
Air Rotary Other		Cathodic Borehole Total Depth:feet
Construction Features Length of Cathodic Surface (Non-Metallic) Casing Planned to be set: Length of Conductor pipe (if army): feet Surface casing borehole size: Cathodic surface casing size: Inches Cathodic surface casing swill terminate at: Inches Cathodic surface sating will terminate will be prouted with: Inches Cathodic surface sating will terminate at the detailing at the sating will terminate at the sa	Type Drilling Equipment:	Depth to Bedrock: feet
Aquifer Penetration: None Single Multiple		Water Information
Planned to be set:		Aquifer Penetration: None Single Multiple
Planned to be set:	Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Surface casing borehole size: inches Cathodic surface casing size: inches Cathodic surface casing size: inches Cathodic surface casing entralizers set at depths of: ; ; ; ; ; ; ; ; ; ;		Depth to bottom of usable water:
Public water supply well within one mile: Yes No Cathodic surface casing size: inches Cathodic surface casing size: inches Cathodic surface casing centralizers set at depths of: ; ; ; Cathodic surface casing will terminate at: Above surface casing will terminate at: Above surface casing will terminate at:	Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Cathodic surface casing centralizers set at depths of:		Public water supply well within one mile: Yes No
Cathodic surface casing centralizers set at depths of: ; ; ; ; ; ; ; ; ;		Water Source for Drilling Operations:
Water Well Location:		
Cathodic surface casing will terminate at: Above surface Vault Below Surface Vault Standard Tomension Ratio (SDR) is = Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is Standard Dimension Ratio (SDR) is		Water Well Location:
Pitless casing adaptor will be used: \ yes \ No Depth \ feet Anode installation depths are: \ ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		DWR Permit #
Anode installation depths are:	☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rior. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Pitless casing adaptor will be used: Yes No Depth feet	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging fit his well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Anada installation depths are:	Annular space between borehole and casing will be grouted with:
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office or any grouting. Notify appropriate District Office 49 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date. Submit plugging report (CP-4) within 60 days after final plugging is completed. If this permit has expired or will not be drilled, check a box below, sign, date and reconductor pipe required feet Approved by: This authorization expires: (This authorization ovoid if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent	Anode installation depths are:;;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACC-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	;;;;;;	Anode vent pipe will be set at: feet above surface
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Anode conductor (backfill) material TYPE:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Depth of BASE of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify the appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSDNA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15	AFFIDAVIT	Depth of TOP of Backfill installation material:
it is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15	The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
Lis agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 -		
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15	is agreed that the following minimum requirements will be met.	
Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
t. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15		to any grouting.
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
d. Submitted Electronically For KCC Use ONLY API # 15	, , , , , , , , , , , , , , , , , , , ,	,
Submitted Electronically For KCC Use ONLY API # 15		suon i onn (ACO-1) within oo days nom spud date.
For KCC Use ONLY API # 15	ar cashin plagging report (ci. 1) main to days after man plagging to complete	
For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15	Submitted Floctronically	
API # 15	Submitted Electronically	
API # 15		
Conductor pipe required	For KCC Use ONLY	
Conductor pipe required	ADI # 45	
Minimum Cathodic Surface Casing Required:feet Approved by:		
Approved by:	Conductor pipe requiredfeet	to the dediction polon.
Approved by:	Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent		
(This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent		
Date Signature of Operator or Agent		
	(11) authorization void it drilling not started within 12 months of approval date.)	
	Could date:	Date Signature of Operator or Agent
Spud date: Agent:	Spud date: Agent:	

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

\norator.							ation - CAR	alla Causahu
perator:							ation of We	ell: County:
acility Name: orehole Number: _								feet from N / S Line of Section feet from E / W Line of Section
orenole Number								
						000	·. ———	_ I I I I I I I I I I I I I I I I I I I
						ls S	Section:	Regular or Irregular
						If S	ection is Ir	rregular, locate well from nearest corner boundary.
						Sed	ction corner	r used: NE NW SE SW
					tage to the			it boundary line. Show the predicted locations of
lease roa	ads, tank ba	atteries, pi	pelines and				y the Kansa plat if desir	as Surface Owner Notice Act (House Bill 2032). ired.
								1
		:				:		
		:				•	:	LEGEND
						· · · · · · · · · · · · · · · · · · ·		O Well Location
		:	:			•		Tank Battery Location
	•	•	•	••••••			•	——— Pipeline Location
	•	:	:					
	:		:			:	:	Electric Line Location
		:	:			•	:	Electric Line Location Lease Road Location
								Lease Road Location
			3					
								Lease Road Location
								Lease Road Location
								Lease Road Location
								Lease Road Location
								Lease Road Location
								EXAMPLE
								EXAMPLE
								EXAMPLE
								EXAMPLE

174 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1409222

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		illei littegrity, il	acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	KCC (OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection: Yes No	

KOLAR Document ID: 1409222

Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the /ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	
I	





STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.