KOLAR Document ID: 1409279

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladica offsite.
GSW Permit #:	Operator Name:
_	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1409279

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	Type of Cement # Sa		# Sacks Use	ed Type and Percent Additives				
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole		Dually		nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	ST Petroleum, Inc.
Well Name	THOMAS C 3-3
Doc ID	1409279

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9	7	10	21	Portland	4	50/50 POZ
Production	5.625	2.875	8	943	Portland	117	50/50 POZ

Well:Thomas C 3-3 Lease Owner:ST Petroleum

Johnson County, KS Town Oilfield Service, Inc. Commenced Spudding: (913) 294-2125

WELL LOG

Thickness of Strata	Formation	Total Depth
0-23	Soil-Clay	23
28	Lime	51
7	Shale	58
9	Lime	67
9	Shale	76
14	Lime	90
15	Shale	105
4	Sand	109
74	Lime	183
29	Shale	212
8	Lime	220
21	Shale	241
18	Lime	259
35	Shale	294
1	Lime	295
9	Shale	304
27	Lime	331
6	Shale	337
23	Lime	360
4	Shale	364
5	Lime	369
4	Shale	373
7	Lime	380
172	Shale	552
5	Lime	557
2	Shale	559
4	Lime	563
5	Shale	568
5	Lime	573
19	Shale	592
3	Lime	595
9	Shale	604
7	Lime	611
81	Shale	692
1	Lime	693
54	Shale	747
2	Lime	749
88	Shale	837
8	Sand	845
115	Shale	960-TD

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D²x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR

d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

Log Book

Weil No	3-3	in the second
Farm_ The	mas C	
<u></u> K5	ماط	nson
(State)		(County)
14	14	22
(Section)	(Township)	(Range)
For57	Petroleum (Well Owner)	

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

Thomas C Farm: Johnson county KS State; Well No. 3-3	CASING A	ND TUBING MEASU	REMENTS	
State; Well No.	Feet In.	Feet In.	Feet	Jn.
Elevation	910- 1	2= Cle	_ 7	17
Commenced Spuding 5-1 2018		747	d	1
Finished Drilling 5-2 2018	143.5	Flort		
Driller's Name Wostey Dalard				
Finished Drilling 5-2 20 18 Driller's Name Wesley Ward Driller's Name Ryan Ward	aled TD			
Driller's Name				
Tool Dresser's Name				
Tool Dresser's Name				
Tool Dresser's Name				
Contractor's Name 14 14 22				
(Section) (Township) (Range)			= 1/	
Distance fromft.				
Distance fromline,ft.				
4 sacks				
96.5				
578 borelule				
27/8 casis				
CASING AND TUBING				
RECORD				
10" Set 10" Pulled				
8" Set 8" Pulled				
747" Set 2 61/4" Pulled				
	32.27.30		den estate de la constantina della constantina d	
4" Set 4" Pulled				

2" Pulled =

2" Set _

Thickness of Strata	Formation	Total Depth	Remarks
0-23	Soil - Clay	23	<u> </u>
28	Limel	51	
7	Shale	58	
9	Lime	67	
9	Shale	76	
14	Lime	90	
15	Shale	105	redbeel
4	Sand	109	no Oil
74	Lime	183	135-water
29	Shale	212	
8	Lime	220	
21	Shall	241	
18	Lime	259	
35	Shell	294	
	Lime	295	
9	Shale	304	
27	Lime	331	
6	Shale	337	
23	Lime	360	11
4	Shale	364	
5	Lime	369	
4	Shale	373	
7	Lime	380	Hertha
172	Shale	55-2	
5	Lime	55 /	
2	Shale	559	
	Lime	563	

563

Thickness of Strata	Formation	Total Depth	Remarks
5_	Shele	568	/
5	Lime	573	
19	Shele	592	
3	Lime	595	
9	Shelk	604	
7	Lime	611	
81	Shale	692	
1	Lime	693	
54	Shale	747	
2	Lime	749	
88	Shall e	837	
8	Sane	845	mostly solid- good oil show
115	shale	960	TD
	- 1		
	7,211		
	<u> </u>		
	· · · · · · · · · · · · · · · · · · ·		



PRESSURE PUMPING LLC PO Box 884, Chanute, KS 66720

FIELD TICKET & TREATMENT REPORT

620-431-02	10 or 800-467-867	5	CEMEN				
DATE	CUSTOMER#	WELL NAME & NUI	MBER	SECTION	TOWNSHIP	RANGE	COUNTY
r/2/18	7532	Thomas C # :	3-3	Sw 14	14	22	20
CUSTOMER	Winesa and			1, 2, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			
57	Petroleur	n hic		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDR	ESS			729	Casken	v Salatas/	Wooting
1880	o Sunflow	ne-Rol		495	HorRec	V /	
CITY		STATE ZIP CODE		228	Ablad		
Edgerte	m	KS 6602	1	675	KeiDet	1	
JOB TYPE Le		HOLE SIZE 55/8"	HOLE DEPTH		CASING SIZE &	WEIGHT 25	He" EUE
CASING DEPT	9431	DRILL PIPE	TUBING 64	Ale- 911	,	OTHER	
		SLURRY VOL	WATER gal/s		CEMENT LEFT I	n CASING 3	2'
SLURRY WEIG			0.00		RATE 4 600	da	
	17.5.27616	DISPLACEMENT PSI	MIX PSI	1 1	The second secon		1304
REMARKS: A	eld Satet	y maeting esta	bluned C	i Coulation,	Mickeol	PULLARDI	100#
ad Coll	awed by	5 bots Tresh u	water, us	ired to	upped II	SKS. PS	schend 1A
coment	wel 2% 4	el + 1/4 # Flose	al per Si	E. COLLAND	t yo sure	ce Hushe	pump
Clean p	1 4 2	's" rubber alug	to bat	le w/5	.27 66s t	tesh wat	ec,
Clause , p	1 JI Pro	PSI, released	~~ 058.104	stut &	coing.		
bressnes	2 10 0CO	FST, TOUCAST	/	/ 10000		^	
<u> </u>						1 1 (
					+		7
						- //-	/
	4						8
AGGGUNT				COMMONO ALD	PODUCT	LIMIT PRICE	TOTAL

ACCOUNT	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450		PUMP CHARGE	/500.°	
CEONOS	30 m	MILEAGE	214.50	
CEOHI	Min	ton mileage	U€0.00	
WE0853	2 hrs	80 Vac	acc.	
		trucks	257450	
		- 30%	772.35	I DAT IT
		Subdotal	10000	1802.15
CS840	117 Sks	Postdend 1A courset	1579.50	
CC 5965	297 #	6el	89.10	
CC 6075	29 #	Flosen	58.00	
CP8176	1	2/2" Woher plug	45.00	
		naterials	<i>1771.60</i> 531.48	
		- 30 %	531.76	1240.12
		Subtotal		10112
		7,975	SALES TAX	9890
Revin 3737	1		ESTIMATED	3141, 19
	110	TITLE	DATE	44873

AUTHORIZTION I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TITLE