# KOLAR Document ID: 1410098

| Confident | tiality Re | equested: |
|-----------|------------|-----------|
| Yes       | No         |           |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #                                 | API No.:   |
|---|--|
| Name:   | Spot Description:  |
| Address 1:  |  |
| Address 2:  | Feet from Dorth / South Line of Section                  |
| City: State: Zip:+                                  | Feet from East / West Line of Section                    |
| Contact Person:                                     | Footages Calculated from Nearest Outside Section Corner: |
| Phone: ()   | □ NE □ NW □ SE □ SW                                      |
| CONTRACTOR: License #                               | GPS Location: Lat:, Long:                                |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxxx)                            |
| Wellsite Geologist:                                 | Datum: NAD27 NAD83 WGS84                                 |
| Purchaser:  | County:  |
| Designate Type of Completion:                       | Lease Name: Well #:                                      |
| New Well Re-Entry Workover                          | Field Name:  |
|   | Producing Formation:                                     |
|   | Elevation: Ground: Kelly Bushing:                        |
|   | Total Vertical Depth: Plug Back Total Depth:             |
| CM (Coal Bed Methane)                               | Amount of Surface Pipe Set and Cemented at: Feet         |
| Cathodic Other (Core, Expl., etc.):                 | Multiple Stage Cementing Collar Used?                    |
| If Workover/Re-entry: Old Well Info as follows:     | If yes, show depth set: Feet                             |
| Operator:   | If Alternate II completion, cement circulated from:      |
| Well Name:  | feet depth to:w/sx cmt.                                  |
| Original Comp. Date: Original Total Depth:          |  |
| Deepening Re-perf. Conv. to EOR Conv. to SWD        | Drilling Fluid Management Plan                           |
| Plug Back Liner Conv. to GSW Conv. to Producer      | (Data must be collected from the Reserve Pit)            |
|   | Chloride content: ppm Fluid volume: bbls                 |
| Commingled Permit #:      Dual Completion Permit #: | Dewatering method used:                                  |
| SWD     Permit #:                                   | Location of fluid disposal if hauled offsite:            |
| EOR Permit #:                                       |  |
| GSW Permit #:                                       | Operator Name:   |
|   | Lease Name: License #:                                   |
| Spud Date or Date Reached TD Completion Date or     | Quarter Sec TwpS. R East West                            |
| Recompletion Date Recompletion Date                 | County: Permit #:  |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

# Submitted Electronically

| KCC Office Use ONLY                             |
|---|
| Confidentiality Requested                       |
| Date:   |
| Confidential Release Date:                      |
| Wireline Log Received Drill Stem Tests Received |
| Geologist Report / Mud Logs Received            |
| UIC Distribution                                |
| ALT I II III Approved by: Date:                 |

## KOLAR Document ID: 1410098

| Operator Nam | ne: |      |           | Lease Name: | _ Well #: |
|--------------|-----|------|-----------|-------------|-----------|
| Sec          | Twp | S. R | East West | County:     |           |

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken<br>(Attach Additional Sh   | acate)                  | Y                   | ′es 🗌 No  |                      |   | og Formatio                   | n (Top), Depth a      | and Datum   | Sample                        |
|---|-------------------------|---------------------|---|----------------------|---|-------------------------------|-----------------------|---|-------------------------------|
| Samples Sent to Geolo   |                         |                     | ⁄es 🗌 No  | 1                    | Name  | Э                             |                       | Тор   | Datum                         |
| Cores Taken<br>Electric Log Run<br>Geologist Report / Mud<br>List All E. Logs Run:                              |                         | □ Y<br>□ Y          | Yes ☐ No<br>Yes ☐ No<br>Yes ☐ No  |                      |   |                               |                       |   |                               |
|   |                         | Rep                 | CASING<br>ort all strings set-c   |                      | ] Ne  | w Used<br>rmediate, productio | on, etc.              |   |                               |
| Purpose of String   | Size Hole<br>Drilled    | Siz                 | ze Casing<br>et (In O.D.)   | Weight<br>Lbs. / Ft. |   | Setting<br>Depth              | Type of<br>Cement     | # Sacks<br>Used   | Type and Percent<br>Additives |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
| [   |                         |                     | ADDITIONAL  | CEMENTING /          | SQU   | EEZE RECORD                   |                       |   |                               |
| Purpose: Depth<br>Perforate   |                         | Туре                | e of Cement   | # Sacks Use          | cks Used Type and Percent /   |                               | Percent Additives     |   |                               |
| Protect Casing Plug Back TD Plug Off Zone   |                         |                     |   |                      |   |                               |                       |   |                               |
| <ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol> | total base fluid of the | hydraulic fr        | acturing treatment  |                      | -   | ☐ Yes<br>ns? ☐ Yes<br>☐ Yes   | No (If No, s          | kip questions 2 ar<br>kip question 3)<br>ill out Page Three |                               |
| Date of first Production/Inj<br>Injection:  | jection or Resumed Pr   | oduction/           | Producing Meth  | iod:                 |   | Gas Lift 🗌 O                  | ther <i>(Explain)</i> |   |                               |
| Estimated Production<br>Per 24 Hours  | Oil                     | Bbls.               | Gas   | Mcf                  | Wate  | er Bb                         | ls.                   | Gas-Oil Ratio   | Gravity                       |
| DISPOSITIO  | N OF GAS:               |                     | Ν   | IETHOD OF COM        | MPLE  | TION:                         |                       |   | DN INTERVAL:<br>Bottom        |
| Vented Sold<br>(If vented, Subn   | Used on Lease           |                     | Open Hole   |                      | Dually Comp.     Commingled       (Submit ACO-5)     (Submit ACO-4) |                               |                       |   |                               |
| Shots Per Perforation Perforation Bridge Pl<br>Foot Top Bottom Type   |                         | Bridge Plug<br>Type | Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Re<br>Set At (Amount and Kind of Material Used) |                      |   |                               |                       |   |                               |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
|   |                         |                     |   |                      |   |                               |                       |   |                               |
| TUBING RECORD:  | Size:                   | Set At:             |   | Packer At:           |   |                               |                       |   |                               |

| Form      | ACO1 - Well Completion                                |
|-----------|---|
| Operator  | La Grange Acquisition, LP dba Energy Transfer Company |
| Well Name | RECT 4402 01  |
| Doc ID    | 1410098   |

# Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight | Setting<br>Depth | Type Of<br>Cement             |    | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------------------|----|----------------------------------|
| Surface              | 16.500               | 10.500                | 70     | 20               | BENTONI<br>TE<br>HOLEPL<br>UG | 27 | WATER                            |
|                      |                      |                       |        |                  |                               |    |                                  |
|                      |                      |                       |        |                  |                               |    |                                  |
|                      |                      |                       |        |                  |                               |    |                                  |



4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

| De                | ep Well GroundBed I          | Data:                |                |            | Date:                         | 05/18/18 |          |          |       |
|-------------------|------------------------------|----------------------|----------------|------------|-------------------------------|----------|----------|----------|-------|
| Job Number        | ETC06-2018-KS                |                      | Drilling       | Contractor | MCLEANS CP INSTALLATION, INC. |          |          |          |       |
|                   | ENERGY TRANSFER              |                      | Facility/Line: |            |                               |          |          |          |       |
|                   | DEEP WELL                    |                      | State:         |            |                               |          |          |          |       |
| Well Depth:       |                              |                      |                |            | KEARNY                        |          |          |          |       |
| Diameter:         |                              |                      |                |            | Other-Driller:                |          |          |          |       |
| Casing:           |                              |                      |                |            | lling Method:                 |          |          |          |       |
| Type of Backfill: |                              |                      |                | Base Us    | eable Water:                  | N/A      |          |          |       |
| Anode Type:       | 1 SET OF 20 ANOTE            | CH 2684              |                |            |                               |          |          |          |       |
|                   | 37.359761, -101.9167         | 5                    |                | TE         | ST VOLTS:                     | 11.57    |          |          |       |
| Remarks:          |                              |                      |                |            |                               |          |          |          |       |
|                   |                              |                      |                |            |                               |          |          |          |       |
|                   | Drilling Log                 | _                    | El             | ectrical L | og                            |          |          | Anode    | Log   |
|                   |                              |                      |                | FORE BACK  |                               |          |          | AFTER BA | 1     |
| Depth:            | Formation Type:              | Material:            | Volt           | Anode      | Anode #                       |          | Volt     | Anode    | Anode |
| 0'                | TOPSOIL                      | CASING/HOLEPLUG      |                | Depth      |                               |          |          | Depth    |       |
| 5'                | SANDY GRAVEL                 | CASING/HOLEPLUG      |                |            |                               |          |          |          |       |
| 5<br>10'          | SANDY GRAVEL                 | CASING/HOLEPLUG      |                |            |                               |          | <u> </u> |          |       |
| 15'               | SANDY GRAVEL                 | CASING/HOLEPLUG      |                |            |                               | <u>├</u> |          |          | -     |
| 20                | SANDY GRAVEL                 | CASING/HOLEPLUG      |                |            |                               |          |          | 1        | 1     |
| 25                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          | 1        | 1     |
| 30                | SAND                         | HOLEPLUG             |                | 1          |                               |          |          | 1        | 1     |
| 35                | SAND                         | HOLEPLUG             |                |            |                               |          | l l      | 1        | 1     |
| 40                | SAND                         | HOLEPLUG             |                |            |                               |          |          |          |       |
| 45                | SAND                         | HOLEPLUG             |                |            |                               |          |          |          |       |
| 50                | SAND                         | HOLEPLUG             |                |            |                               |          |          |          |       |
| 55                | SAND                         | HOLEPLUG             |                |            |                               |          |          |          |       |
| 60                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 65                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 70                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 75                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 80<br>85          | SANDY GRAVEL<br>SANDY GRAVEL | HOLEPLUG<br>HOLEPLUG |                |            |                               |          |          |          |       |
| 90                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 95                | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 100               | SANDY GRAVEL                 | HOLEPLUG             | 0.3            |            |                               |          |          |          |       |
| 105               | SANDY GRAVEL                 | HOLEPLUG             | 0.0            |            |                               |          |          |          |       |
| 110               | SANDY GRAVEL                 | HOLEPLUG             | 0.2            |            |                               |          |          |          |       |
| 115               | SANDY GRAVEL                 | HOLEPLUG             |                |            |                               |          |          |          |       |
| 120               | SANDY GRAVEL                 | COKE                 | 0.3            |            |                               |          |          |          |       |
| 125               | SANDY GRAVEL                 | COKE                 |                |            |                               |          |          |          |       |
| 130               | SHALE                        | COKE                 | 1.8            |            |                               |          |          |          |       |
| 135               | SHALE                        | COKE                 |                |            |                               |          |          |          |       |
| 140               | SHALE                        | COKE                 | 1.8            |            |                               |          |          |          |       |
| 145               | SHALE                        | COKE                 |                |            |                               |          |          |          |       |
| 150               | SHALE                        | COKE                 | 1.6            |            | 00                            | $\vdash$ |          |          |       |
| 155<br>160        | SHALE                        | COKE<br>COKE         | 1.0            |            | 20                            | ┝───┤    |          |          |       |
| 160               | SHALE<br>SHALE               | COKE                 | 1.6            |            | 19                            | ┝───┤    |          | 1        | ł     |
| 170               | SHALE                        | COKE                 | 1.8            |            | 19                            |          |          |          | 1     |
| 175               | SHALE                        | COKE                 | 1.0            |            | 18                            | ├        |          | 1        | 1     |
| 180               | SHALE                        | COKE                 | 2.0            |            |                               |          | 1        | 1        | 1     |
| 185               | SHALE                        | COKE                 |                |            | 17                            |          |          | 1        |       |
| 190               | SHALE                        | COKE                 | 2.0            |            |                               |          |          |          | İ     |
| 195               | SHALE                        | COKE                 |                |            | 16                            |          |          |          |       |
| 200               | SHALE                        | COKE                 | 1.4            |            |                               |          |          |          |       |
| 205               | SHALE                        | COKE                 |                |            | 15                            |          |          |          |       |
| 210               | SHALE                        | COKE                 | 1.8            |            |                               |          |          |          |       |
| 215               | SHALE                        | COKE                 |                |            | 14                            |          |          |          |       |
| 220               | SHALE                        | COKE                 | 1.6            | ļ          |                               | $\mid$   |          | ļ        | ļ     |
| 225               | SHALE                        | COKE                 |                |            | 13                            |          |          |          |       |
| 230               | SHALE                        | COKE                 | 1.8            |            | 40                            |          |          |          |       |
|                   | SHALE                        | COKE                 |                |            | 12                            |          |          | 1        | ļ     |
| 235               |                              |                      | ~ ~            |            |                               |          |          |          |       |
| 235<br>240<br>245 | SHALE                        | COKE<br>COKE         | 2.2            |            | 11                            |          |          |          |       |



4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

|                | Deep Well GroundBed       | Data      |      |  | Date:          | 05/18/18  |                |         | ·       |
|----------------|---------------------------|-----------|------|--|----------------|-----------|----------------|---------|---------|
|                |                           |           |      |  |                |           |                |         |         |
|                | Job Number: ETC06-2018-KS |           |      | Drilling Contractor: MCLEANS CP INSTALLATION, INC. |                |           |                |         |         |
|                | e: ENERGY TRANSFER        |           |      |  |                | RECT 4402 |                |         |         |
|                | t: DEEP WELL              |           |      |  | State:         |           |                |         |         |
| Well Dept      |                           |           |      |  |                | KEARNY    |                |         |         |
|                | er: 10 IN                 |           |      |  | Other-Driller: |           |                |         |         |
|                | g: 20 FT                  |           |      |  | lling Method:  |           |                |         |         |
| Type of Backfi |                           |           |      | Base Us  | eable Water:   | N/A       |                |         |         |
|                | e: 1 SET OF 20 ANOTEC     |           |      |  |                |           |                |         |         |
|                | S: 37.359761, -101.91675  | 5         |      | TE   | ST VOLTS:      | 11.57     |                |         |         |
| Remark         | S:                        |           |      |  |                |           |                |         |         |
|                |                           |           |      |  |                |           |                |         |         |
|                | Drilling Log              |           | E    | lectrical  | Log            |           |                | Anode L | og      |
|                |                           |           | BE   | FORE BACKE   | ILL            |           | AFTER BACKFILL |         | KFILL   |
| Depth:         | Formation Type:           | Material: | Volt | Anode  | Anode #        |           | Volt           | Anode   | Anode # |
|                |                           |           |      | Depth  |                |           |                | Depth   |         |
| 255            | SHALE                     | COKE      |      |  | 10             |           |                |         |         |
| 260            | SHALE                     | COKE      | 1.8  |  |                |           |                |         |         |
| 265            | SHALE                     | COKE      |      |  | 9              |           |                |         |         |
| 270            | SHALE                     | COKE      | 1.6  |  |                |           |                |         |         |
| 275            | SHALE                     | COKE      |      |  | 8              |           |                |         |         |
| 280            | SHALE                     | COKE      | 1.8  |  |                |           |                |         |         |
| 285            | SHALE                     | COKE      |      |  | 7              |           |                |         |         |
| 290            | SHALE                     | COKE      | 1.5  |  |                |           |                |         |         |
| 295            | SHALE                     | COKE      |      |  | 6              |           |                |         |         |
| 300            | SHALE                     | COKE      | 1.4  |  |                |           |                |         |         |
| 305            | SHALE                     | COKE      |      |  | 5              |           |                |         |         |
| 310            | SHALE                     | COKE      | 1.8  |  |                |           |                |         |         |
| 315            | SHALE                     | COKE      |      |  | 4              |           |                |         |         |
| 320            | SHALE                     | COKE      | 1.8  |  |                |           |                |         |         |
| 325            | SHALE                     | COKE      |      |  | 3              |           |                |         |         |
| 330            | SHALE                     | COKE      | 1.6  |  |                |           |                |         |         |
| 335            | SHALE                     | COKE      |      |  | 2              |           |                |         |         |
| 340            | SHALE                     | COKE      | 2.0  |  |                |           |                |         |         |
| 345            | SHALE                     | COKE      |      |  | 1              |           |                |         |         |
| 350            | SHALE                     | COKE      | 1.8  |  |                |           |                |         |         |

