KOLAR Document ID: 1410110

For	ксс	Use:
-----	-----	------

SGA?	Y	es	N

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date: Spot Description: month dav vear S. R.____ E W __- ____ Sec. _____ Twp. _ $(\overline{\Omega/\Omega/\Omega/\Omega})$ N / S Line of Section ____ feet from OPERATOR: License# ____ feet from E / W Line of Section Name: Is SECTION: Regular Irregular? Address 1: Address 2: (Note: Locate well on the Section Plat on reverse side) City. _____ State: _____ Zip: _____ + __ _ _ County: Contact Person: Lease Name: _ _____ Well #: ____ Phone: _ Field Name: CONTRACTOR: License#____ Is this a Prorated / Spaced Field? Yes No Name[.] Target Formation(s): _ Nearest Lease or unit boundary line (in footage): Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: feet MSL Oil Enh Rec Infield Mud Rotary Water well within one-quarter mile: Yes No Gas Storage Pool Ext. Air Rotarv Public water supply well within one mile: Yes No Wildcat Disposal Cable Depth to bottom of fresh water: ____ Seismic : ___ # of Holes Other Depth to bottom of usable water: _ Other: Surface Pipe by Alternate: If OWWO: old well information as follows: Length of Surface Pipe Planned to be set: ____ Length of Conductor Pipe (if any): Operator: _ Projected Total Depth: Well Name: Formation at Total Depth: _____ Original Completion Date: _____ Original Total Depth: ____ Water Source for Drilling Operations: Yes No Directional, Deviated or Horizontal wellbore? Well Farm Pond Other: If Yes, true vertical depth: DWR Permit #: Bottom Hole Location: (Note: Apply for Permit with DWR) KCC DKT #· Will Cores be taken? Yes No If Yes, proposed zone: ____

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

For KCC Use ONLY

API # 15 -___


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1410110

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: License Number; Operator Address: Phone Number; Contact Person: Phone Number; Lease Name & Well Na: Phi Location (QQQQ); Type of Pit Burn Pit Pit loc Benergency Pit Burn Pit If Existing, Rit Sec. Twp	Submit in Duplicate				
Contact Person: Phone Number: Lease Name & Well No: Pit Location (QOQQ): Type of Pit: Pit Bit: Emergency Pit Burn Pit If Existing, date constructed: Foet from North /] South Line of Section Workower Pit Heuk-Off Pit If Existing, date constructed: Foet from North /] South Line of Section If WPS Supply API No or War Differ) Pit copacity: If the pit located in a Sensitive Ground Water Area? Yes No It be the totated in a Sensitive Ground Water Area? Yes No Pit dimensions (all but working pits): Length (feet) W/A: Seel Pits Depth from ground level I Artificial Line? How is the pit loned if a plastic liner is not used? Pit dimensions (all but working pits): Length (feet) W/A: Seel Pits Depth from ground level It oebepest point: [cest] No Pit If the pit is lined give a brief description of the liner More mathematics and installation procedures. Inter material, thickness and installation procedure. If the pit is lined give a brief description of the liner feet Depth of water well feet Toducing Formation: More brief description of the liner feet Norear	Operator Name:			License Number:	
Lease Name & Well No: Pri Location (QQQQ): Type of Pit: Pit is:	Operator Address:				
Type of Pit: Pit is: Proposed Existing Benefgency Pit Drilling Pit H Existing, data constructed: Feet from worth / South Line of Section Workswer Pit Hau-Off Pit Pit capacity:	Contact Person:		Phone Number:		
Energency Pit Burn Pit Setting Pit Dilling Pit Workover Pit Haul-Off Pit (I' WP Actover Pit Matter Pit (I' WP Actover Pit Ma	Lease Name & Well No.:		Pit Location (QQQQ):		
Setting Pt Diffing Pt If Existing, date constructed: Feet from North / South Line of Section Workover Pt Haul-Off Pt Pt capacity:	Type of Pit:	Pit is:			
Vorkover Pit	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
(I'WP Supply API No. or Year_Diffed) Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
		Pit capacity:		Feet from East / West Line of Section	
Image: control level? Artificial Liner? How is the pit lined if a plastic liner is not used? Image: control level is line in the pit line in the pit line if a plastic liner is not used? NA: Steel Pits Pit dimensions (all but working pits): Length (feet) Width (feet) NA: Steel Pits Depth from ground level to deepest point: (feet) NA: Steel Pits No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. No Pit Distance to nearest water well within one-mile of pit: Source of information: feet measured well owner feet. Producing Formation: Mumber of worker well feet material utilized in drilling/workover: Mumber of working pits to be utilized: Abandonment procedure: Abandonment procedure: Abandonment procedure: Dirill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. The pit is control merson of spud late. REAS Submitted Electronically LectrofFICE USE ONLY Liner Steel Pit RFAS			(bbls)	County	
\rightarrow bit \rightarrow bit Pit dimensions (all but working pits):Length (feet)	Is the pit located in a Sensitive Ground Water Area? Yes No		No		
Pit dimensions (all but working pits):				How is the pit lined if a plastic liner is not used?	
Depth from ground level to deepest point:					
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit: feetfeetfeetfeetfeet. Source of information: feetfeetfeet Producing and Burn Pits ONLY: Producing Formation:		- (,		
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water well feet feet Depth of water well feet Drilling, Workover and Haul-Off Pits ONLY: Producing Formation:	· · · · · · · · · · · · · · · · · · ·	-			
Source of information: feet Depth of water well feet measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No KCC OFFICE USE ONLY Liner Steel Pit	iner integrity, including any special monitoring.				
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS					
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.			well owner electric log KDWR		
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner RFAC	Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		ver and Haul-Off Pits ONLY:		
Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Producing Formation: Type of materi		Type of materia	l utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease: Number of		Number of wor	r of working pits to be utilized:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS			Abandonment	procedure:	
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			e closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
	Date Received: Permit Numl	ber:	Permi		

KOLAR Document ID: 1410110

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:	
Name:		
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- □ I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

*Ingress and egress to location as shown on this plat is per usage only and may not be legally opened for public use. Contact landowner, tenant and county road department for access. Approximate Section lines were determined using the normal standard of card of dillield surveyors procticing in the state of transte. The section corners, which establish the precise section lines, were not necessarily located, and the eact location of the drives the state of the section is not purchased. Therefore, the operand correst section of the drives and occepting this section is porties relying therean opper to have eact location this service and occepting this porties and proves normess from all losses. Casts and expanses britists for loss of eaced from any liability from incidental or consequential damages from incidental or consequential damages. Controlling data is based upon the best section of land containing 640 acres. ROAD (D ROAD) NO Sol MICH CENTRAL 8705 In ng 4 5 ~ 1. Notes: FAS TAD LE Kansas One Call S before excavation Set Location fell on the slope of a draw and 13'south of a overhead electric line, set alternate 50'south per representative. Contact All CAUTION: Various Overhead power available of S. line, Sec.14. Section Cold FAS CAD (2) 279 flagging Utica Morae FAS KANSAS 3 landowner 14 is irregular. 2 wood Fork 5 GRAVEL 14 NW. 1/4. Ks. TRANS 20 TAD Bartery Red stakes 0 OILFIELD Sh U.P 10 3 NESS System Non (1-800 2266' FWL 8 PACIFIC PRODUCER SYS. pipelines 0. 000 SECTION for 1 DUMLER noon Yelld COUNTY, 07 0 (210 0 35 regular best SERVICES. 2-x-OIL ROADJ 4 nc. should be -344-7233). ocation ₹. LEASE 14. 01 ≥ 1 6 OTTESLET rnold 'sn' TEAD access. in Sec. 14. CORPORATION 55 Creek KANSAS ŗ. T175, w INC. 18201792-1977 line site 25 370 Dote FAS Anna sugar ROAD R26W CAD and ROAD notified Ē * Ransom s. 1/4 May 1220 N w E ROADI 2018 (E ROAD) GRAVEL ROAD SCALE 1" = 1000

STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D. Shari Feist Albrecht, Chair | Jay Scott Emler, Commissioner | Dwight D. Keen, Commissioner

August 06, 2018

Beth Isern Trans Pacific Oil Corporation 100 S MAIN STE 200 WICHITA, KS 67202-3735

Re: Drilling Pit Application Dumler 3-14 NW/4 Sec.14-17S-26W Ness County, Kansas

Dear Beth Isern:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

KEEP PITS on South side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.