KOLAR Document ID: 1410753

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
□ Oil □ WSW □ SWD	Producing Formation:				
Gas DH EOR	Elevation: Ground: Kelly Bushing:				
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Committed at Provider	Chloride content: ppm Fluid volume: bbls				
☐ Commingled     Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Location of fluid disposal if fladied offsite.				
GSW Permit #:	Operator Name:				
<u> </u>	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1410753

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.  Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	Jsed Type and Percent Additives				
Plug Off Z										
1. Did you perform a hydraulic fracturing treatment on this well?  2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No (If No, skip questions 2 and 3)  No (If No, skip question 3)  No (If No, fill out Page Three of the ACO-1)										
Date of first Production/Injection or Resumed Production/ Injection:  Producing Method:    Description   Producing Method:										
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:								N INTERVAL:	
Vented	Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled						Bottom			
(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)			Record	
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion			
Operator	RJ Energy, LLC			
Well Name	WEST BEARD 2			
Doc ID	1410753			

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	10	
Production	5.625	2.875	6.5	990	portland	115	

# HAMMERSON CORPORATION PO BOX 189

## Invoice

Date	Invoice #		
3/11/2018	104,106,120		

Bill To

R.J. ENERGY LLC 22082 NE NEOSHO RD GARNETT, KS 66032

	P.O	. No.	Terms	Pro	oject
			Due on receipt		
luantity	Description		Rate		Amount
1 TRUCKING () 115 WELL MUD ( 1 TRUCKING () 115 WELL MUD ( 1 TRUCKING () 115 WELL MUD ( 1 TRUCKING ()	\$8.00 PER SACK) Well-West Beard 8 \$50 PER HOUR) \$8.00 PER SACK) Well-Weast Beard 1 \$50 PER HOUR) \$8.00 PER SACK) Well-West Beard 12 \$50 PER HOUR) \$8.00 PER SACK) Well-West Beard 11			8.00 50.00 8.00 50.00 8.00 50.00 8.00 50.00 8.00 50.00 50.00	920.007 50.007 920.007 50.007 920.007 50.007 920.007 50.007 315.25



# RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

## West Beard 2

				Start	2-19-18
8	soil	8		Finish	3-5-18
23	clay/gravel	31			
91	shale	122			
34	lime	156			
4	shale	160			
<b>39</b>	lime	199			
<b>70</b>	shale	269			
<b>65</b>	lime	334		Set 40'	of 7" w/10sxs
28	shale	362		Ran 99	0' of 2 1/8
<b>27</b>	lime	389		cemen	ted to surface 115 sxs
<b>49</b>	shale	438			
66	lime	<b>504</b>			
8	shale	512			
<b>47</b>	lime	<b>559</b>			
168	shale	<b>727</b>			
<b>29</b>	lime	<b>756</b>			
61	shale	817			
31	lime	848			
17	shale	865			
8	lime	873			
8	shale	881			
7	lime	888			
6	shale	894			
6	lime	900			
43	Shale	943			
4	Sandy shale	947	Show		
9	Bkn sand	956	Good show		
40	shale	996	T.D.		