#### KOLAR Document ID: 1411593

| Confident | tiality R | equested: |
|-----------|-----------|-----------|
| Yes       | No        |           |

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM

| WELL | HISTORY | - DESCRIP | WEII &  | IFASE |
|------|---------|-----------|---|-------|
|      | INSIONI |           | $\mathbf{W} \mathbf{L} \mathbf{L} \mathbf{L} \boldsymbol{\alpha}$ | LLASL |

| OPERATOR: License #                             | API No.:   |
|---|--|
| Name:   | Spot Description:  |
| Address 1:                                      | Sec TwpS. R East 🗌 West                                  |
| Address 2:                                      | Feet from Dorth / South Line of Section                  |
| City: State: Zip:+                              | Feet from East / West Line of Section                    |
| Contact Person:                                 | Footages Calculated from Nearest Outside Section Corner: |
| Phone: ()                                       |  |
| CONTRACTOR: License #                           |  |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxxx)                            |
| Wellsite Geologist:                             | Datum: NAD27 NAD83 WGS84                                 |
| Purchaser:                                      | County:  |
| Designate Type of Completion:                   | Lease Name: Well #:                                      |
| New Well Re-Entry Workover                      | Field Name:  |
|   | Producing Formation:                                     |
|   | Elevation: Ground: Kelly Bushing:                        |
| ☐ Gas ☐ DH ☐ EOR<br>□ OG □ GSW                  | Total Vertical Depth: Plug Back Total Depth:             |
| CM (Coal Bed Methane)                           | Amount of Surface Pipe Set and Cemented at: Feet         |
| Cathodic Other (Core, Expl., etc.):             |  |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet                             |
| Operator:                                       |  |
| Well Name:                                      |  |
| Original Comp. Date: Original Total Depth:      |  |
| Deepening Re-perf. Conv. to EOR Conv            |  |
| Plug Back Liner Conv. to GSW Conv.              |  |
|   |  |
| Commingled Permit #:                            | Chloride content: ppm Fluid volume: bbls                 |
| Dual Completion Permit #:                       | Dewatering method used:                                  |
| SWD         Permit #:                           | Location of fluid disposal if hauled offsite:            |
| EOR         Permit #:                           | Operator Name:   |
| GSW Permit #:                                   |  |
|   | Quarter Sec TwpS. R [] East [] West                      |
| Spud Date or Date Reached TD Completion D       | ate or   |
| Recompletion Date Recompletion                  | Date County: Permit #:                                   |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

#### Submitted Electronically

| KCC Office Use ONLY                             |
|---|
| Confidentiality Requested                       |
| Date:   |
| Confidential Release Date:                      |
| Wireline Log Received Drill Stem Tests Received |
| Geologist Report / Mud Logs Received            |
| UIC Distribution                                |
| ALT I II III Approved by: Date:                 |

#### KOLAR Document ID: 1411593

| Operator Nam | ne: |      |           | Lease Name: | _ Well #: |
|--------------|-----|------|-----------|-------------|-----------|
| Sec          | Twp | S. R | East West | County:     |           |

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

|   | lien           |                                | ,                      |                                  |                               |   | og Formatia      | n (Tan) Danth a    | nd Datum  |                               |
|---|----------------|--------------------------------|------------------------|----------------------------------|-------------------------------|---|------------------|--------------------|---|-------------------------------|
| Drill Stem Tests Ta<br>(Attach Addition   |                |                                |                        | Yes No                           |                               |   | -                | n (Top), Depth a   |   | Sample                        |
| Samples Sent to C   | Geological S   | Survey                         |                        | Yes 🗌 No                         |                               | Nam   | e                |                    | Тор   | Datum                         |
| Cores Taken<br>Electric Log Run<br>Geologist Report /<br>List All E. Logs Ru              | -              |                                |                        | Yes No<br>Yes No<br>Yes No       |                               |   |                  |                    |   |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                | Rep                    | CASING<br>port all strings set-c |                               | Ne<br>e, inte   |                  | on, etc.           |   |                               |
| Purpose of Strir  | ng             | Size Hole<br>Drilled           |                        | ize Casing<br>et (In O.D.)       | Weight<br>Lbs. / Ft.          |   | Setting<br>Depth | Type of<br>Cement  | # Sacks<br>Used   | Type and Percent<br>Additives |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                |                        | ADDITIONAL                       | CEMENTING                     | SQL   | JEEZE RECORD     |                    |   |                               |
| Iop Bottom  |                | Тур                            | Type of Cement # Sacks |                                  | ed Type and Percent Additives |   |                  |                    |   |                               |
| Perforate Protect Casi Plug Back T  | D              |                                |                        |                                  |                               |   |                  |                    |   |                               |
| Plug Off Zor  | ne             |                                |                        |                                  |                               |   |                  |                    |   |                               |
| <ol> <li>Did you perform a</li> <li>Does the volume</li> <li>Was the hydraulic</li> </ol> | of the total b | ase fluid of the h             | ydraulic f             | racturing treatment              |                               | -   |                  | No (If No, s       | kip questions 2 ar<br>kip question 3)<br>I out Page Three |                               |
| Date of first Product<br>Injection:   | ion/Injection  | or Resumed Pro                 | oduction/              | Producing Meth                   | od:                           |   | Gas Lift 🗌 O     | ther (Explain)     |   |                               |
| Estimated Production<br>Per 24 Hours  | on             | Oil I                          | 3bls.                  | Gas                              | Mcf                           | Wate  | er Bb            | bls.               | Gas-Oil Ratio   | Gravity                       |
| DISPOS  | SITION OF G    | AS:                            |                        | N                                | IETHOD OF CO                  | MPLE  | TION:            |                    | PRODUCTIC<br>Top  | DN INTERVAL:<br>Bottom        |
|   | Sold 🛛 🗌 l     | Jsed on Lease<br>- <i>18.)</i> |                        | Open Hole Perf.                  |                               | Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4) |                  | юр                 |   |                               |
| Shots Per   | Perforatio     | n Perfora                      | tion                   | Bridge Plug                      | Bridge Plug                   |   | Acid             | Fracture, Shot, Ce | menting Squeeze   | Becord                        |
| Foot  | Тор            | Botto                          |                        | Туре                             | Set At                        |   |                  |                    | d of Material Used)                                       |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
|   |                |                                |                        |                                  |                               |   |                  |                    |   |                               |
| TUBING RECORD:  | : Siz          | 20:                            | Set At                 |                                  | Packer At:                    |   |                  |                    |   |                               |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | Altavista Energy, Inc. |
| Well Name | SECTION 35 A-3         |
| Doc ID    | 1411593                |

## Casing

|         | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight | Setting<br>Depth | Type Of<br>Cement |    | Type and<br>Percent<br>Additives |
|---------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 9.875                | 7                     | 17     | 43               | Portland          | 10 | NA                               |
|         |                      |                       |        |                  |                   |    |                                  |
|         |                      |                       |        |                  |                   |    |                                  |
|         |                      |                       |        |                  |                   |    |                                  |

# LEIS OIL SERVICES, LLC 1410 150<sup>TH</sup> Rd. Yates Center, KS 66783 (620) 212-0752

| Operator License #: 34350                       | API #: 15-207-29533-00-00             |  |  |  |  |
|---|---------------------------------------|--|--|--|--|
| Operator: Altavista Energy, Inc.                | Lease: Section 35                     |  |  |  |  |
| Address: Box 128 Wellsville, KS 66092           | Well #: A-3                           |  |  |  |  |
| Phone: (785) 883-4057                           | Spud Date: 3-21-18 Completed: 3-23-18 |  |  |  |  |
| Contractor License: 34036                       | Location: SE-NW-NE-NE of 35-23-16E    |  |  |  |  |
| T.D.: 976 T.D. of Pipe: N/A                     | 4795 Feet From South                  |  |  |  |  |
| Surface Pipe Size: 7" Depth: 43' w/10 sx cement | 825 Feet From East                    |  |  |  |  |
| Kind of Well: Dry Hole                          | County: Woodson                       |  |  |  |  |

# LOG

| Thickness | Strata          | From | То  | Thickness | Strata           | From | То  |
|-----------|-----------------|------|-----|-----------|------------------|------|-----|
| 18        | Soil/Clay       | 0    | 18  | 9         | Lime             | 766  | 775 |
| 114       | Shale           | 18   | 132 | 60        | Shale            | 775  | 835 |
| 7         | Lime            | 132  | 139 | 1         | Lime             | 835  | 836 |
| 9         | Shale           | 139  | 148 | 4         | Shale            | 836  | 840 |
| 20        | Lime            | 148  | 168 | 13        | Lime             | 840  | 853 |
| 3         | Shale           | 168  | 171 | 13        | Shale            | 853  | 866 |
| 20        | Lime            | 171  | 191 | 3         | Lime             | 866  | 869 |
| 76        | Shale           | 191  | 267 | 2         | Black Shale      | 869  | 871 |
| 18        | Lime            | 267  | 285 | 12        | Shale            | 871  | 883 |
| 17        | Shale           | 285  | 302 | 4         | Lime             | 883  | 887 |
| 3         | Lime            | 302  | 305 | 16        | Shale            | 887  | 903 |
| 35        | Shale           | 305  | 340 | 4         | Lime             | 903  | 907 |
| 11        | Lime w/sh strks | 340  | 351 | 3         | Shale            | 907  | 910 |
| 10        | Shale           | 351  | 361 | 3         | Black Shale      | 910  | 913 |
| 15        | Lime            | 361  | 376 | 4         | Shale            | 913  | 917 |
| 6         | Shale           | 376  | 382 | 3         | Lime             | 917  | 920 |
| 24        | Lime            | 382  | 406 | 4         | White Shale      | 920  | 924 |
| 3         | Shale           | 406  | 409 | 6         | Broken Dead Oil  | 924  | 930 |
| 1         | Lime            | 409  | 410 | 28        | Shale            | 930  | 958 |
| 41        | Shale           | 410  | 451 | 1         | Lime             | 958  | 959 |
| 75        | Lime            | 451  | 526 | 2         | Shale            | 959  | 961 |
| 3         | Shale           | 526  | 529 | 1         | Lime             | 961  | 962 |
| 2         | Black Shale     | 529  | 531 | 4         | Very broken sand | 962  | 966 |
| 3         | Shale           | 531  | 534 | 11        | Shale            | 966  | 976 |
| 19        | Lime            | 534  | 553 |           |                  |      |     |
| 4         | Black Shale     | 553  | 557 |           |                  |      |     |
| 21        | Lime            | 557  | 578 |           |                  |      |     |
| 188       | Shale           | 578  | 766 |           |                  |      |     |