KOLAR Document ID: 1412070

For	ксс	Use:
-----	-----	------

Effective	Dat
-----------	-----

District	#	

SGA?	Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation:
Directional. Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
NOO DI(1 #	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required _	feet per ALT. I
Approved by:	
This authorization expires: (This authorization void if drilling no	ot started within 12 months of approval date.)
Spud date:	Agent:

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent: For KCC Use ONLY

API # 15 -


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KOLAR Document ID: 1412070

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

	Su	bmit in Duplicat	e
Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		·
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
		No	
Pit dimensions (all but working pits):	•		Width (feet)N/A: Steel Pits
Depth fro	m ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		inter integrity, i	cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of wor	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	ксс	OFFICE USE O	
Date Received: Permit NumI	per:	Permi	Liner Steel Pit RFAC RFAS
			·

KOLAR Document ID: 1412070

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

FORM CP-4

STATE OF KANSAS STATE CORFORATION CONNISSION CONSERVATION DEVISION P. C. BOX 17027 WICHITA, KANSAS

4

6 - 1. -

ALAMANA AN ANALAMANA ANALAMANA ACCENT. 2.2. 2

WELL PLUCGING RECORD

ichita, kansas 672 17	Elli		-		-	17_ (E)(W
NORTH	Location as "NH	· _				
	Lease Owner_	Patton 0	il Compa	iny	. <u></u>	
	Lesse Namo Office Address	Hadley	E	Je 13 7		
	Office Address	sout sout	n pannoc	<u>K Engle</u>	rood, Col	<u>o. 80110</u>
	Character of W	ell (completed	as Oil, Gas or	Dry Hole)	011	19.56
	Date well comy	leted	June	~		
	Application for	plugging filed	Jun	e_5,		<u>19_/2</u>
X	Application for p	plugging approv	ed Jun	e 9,		19 75
	Plugging comm					
	Plugging comple	eted	July	- <u>16,</u>	advetier	
	Reason for aban	donment of wel	or producing	tormation	ouderion	not Prolitar
	If a producing	mill is chunden	nd data of los	t moduction	· · · · ·	1973
<u> </u>						ore plugging was com
Locate well convertly on above Section Plat	menced?	yes			in ogning om	ore progenite was com
ine of Conservation Agent who su	nervised phyging of this	Leo	Massey			
elacing formation Conglom	erate D	coth to top 2.2	85 Bottom	3415'	Total Death of	well_3435'
we depth and thickness of all wate	er, oil and gas formation	مورد ۲۰۰ میں 1.	<u> </u>			····
-	-	-				
OIL, CAS OR WATER RECOR	RDS					CASING RECORD
FORMATION	CONTENT	FROM	τα	SIZE	PUT IN	PULLED OUT
Conglomerate	Oil & Water	33851	34351	<u> 815/8"</u>	161	None -
			5455	5 <u>5</u> 4/ 9	<u>3415'</u>	
					-	ļ
			ļ			
			L			`
						·
						L
fect for each plug sxs Gel, 1 rubber	Allied Cement	ing Co. p	oumped 25	5 sxs. ce	ment . 34	
fect for each plug	Set. Allied Cement	ing Co. p	oumped 25	5 sxs. ce	ment . 34	
fect for each plug SXS Gel, 1 rubber	Allied Cement r plug and 50 (Weddwood Allied Cement	sing Co. p sxs. ceme	oumped 25 ent on to	j sxs. ce	ment . 34	
fect for each plug SXS Gel, 1 rubber	set. Allied Cement r plug and 50	sing Co. p sxs. ceme	oumped 25 ent on to	j sxs. ce	ment . 34	
fect for each plug SXS Gel, 1 rubber me of Plugging Contractor tressRussel	Allied Cement r plug and 50 (Meddmond Allied Cement L1, Kansas	description is necessing	oumped 25 ent on to	5 SXS . Ce DD . of this sheet)	ment . 31	
fect for each plug SXS Gel, 1 rubber me of Plugging Contractor tressRussel	Allied Cement r plug and 50 (Weddwood Allied Cement	description is process	oumped 25 ent on to my, use BACK	5 SXS . CE	ment <u>3</u>	nulls, 30
fect for each plug SXS Gel, 1 rubber me of Plugging Contractor dressRussel ATE OF	Allied Cement r plug and 50 (If eddstored Allied Cement Ll, Kansas	description is necessing	ant on to	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
fect for each plug 	set. Allied Cement r plug and 50 (If eddmonal Allied Cement Ll, Kansas . course.	description is process ing	ant on to	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
fect for each plug 	set. Allied Cement r plug and 50 (If edd#iceal Allied Cement Ll, Kansas 	description is precessing	ant on to	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
fect for each plug 	set. Allied Cement r plug and 50 (If edd#iceal Allied Cement Ll, Kansas 	description is process ing	ant on to	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
fect for each plug 	set. Allied Cement r plug and 50 (If edd#iceal Allied Cement Ll, Kansas 	description is precessing	ant on to	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is necessing	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
fect for each plug 	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is precessing	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is necessing	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is necessing	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	nulls, 30
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is necessing	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS . C() DD . of this sheet) Sumer) or (comp	<u>ment 31</u>	of the above described and the log of the
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	description is necessing MTY OI	ent on to ent on to any, use BACK of many, use BACK of any of the back of any of the back of the back of the back of the back of the back of the back of the back of the back of the back of the back	5 SXS. Ce DP. of this sheet) of this sheet) wher) or (owner) ats, and mattern K. Ke f. ton (A M. C. (A)	<u>ment 31</u>	of the above described and the log of the
	set. Allied Cement r plug and 50 (Meddmonal Allied Cement L1, Kansas 	sing Co. p SXS. ceme SXS. ceme description is necess ing NTY OI weledge of the is d conject. So h (Signature) STATE OUN	amployee of or acts, statemer elbert House	5 SXS. Cel DP. of this sheet) wher) or (owner) max, and mattern K. Ke f. to (A MMISSION	<u>ment 31</u>	of the above described and the log of the

. · · .	508 East Muidoch		CLOGICAL SOCIETY Wichita, Kansas		PY
Company. MURFIN Farm. Hadley "	DRILLING CO. E" No. 1	· · · ·	SEC. 20 NW	T. 11 NV SE	R. 17W
Total Depth. 3435 Comm. 6-8-56 Shot or Treated. Contractor. Murfin D	Comp. 6-20-56 rilling Co.	5	Courty El	lis KANSAS	
Lasued. 9-15-56 CASING: // 8 5/8 @ 161' w	/ 130 sx cmt.		Elevation.	1886 RB	
5 1/2 @ 3416' w	/ 75 sx cmt.	• •	Production.	25 BOPD	
	Figures In	Cleate Duttern of	Formations.		
blue shale shale & shells sand red rock & shale sand pyrite, shale & sand red bed & shale anhydrite shale & shells salt & shale shale & lime lime lime & shale lime lime & shale lime lime & shale lime fime & shale shale, lime & shale fime lime & chert lime fime & shale fime fime & shale fime & shale & shale fime & shale & shal	shells ells	35 300 330 435 530 545 626 780 118 156 1485 1670 1765 2090 2175 3024 3050 3130 3209 3245 3270 3327 3327 3327			
Topeka Hecbner Toronto Lansing Conglomerate Conglomerate sand		2837 3070 3090 3115 3385 3415			• • • •
DST #1: 3016-50, 5 min: rec. 12' 1 FP O#, BHP 860#	open 30 min. w mud w/ specks d	vk. bl. Dil,	06 - 0 4 CONSERVATIO Wichita,	DN DIVISION	· · · · · · · · · · · · · · · · · · ·
DST #2: 3268-331 bl 10 min. rec. FP & BHP O#	7, open 30 min. 18' mud sl. oil	wk. specked			· .
DST [#] 3: 3408-22, 16 min. rec. 30' oil, BHP 700#	open 1 hr. wk. OCM, approx 5-	bl. 10%			
DST #4: 3416-35, 14 min. rec. 35			• • • • • • • • • • • • • • • • • • • •	· · · ·	* •

A. . .

API # 15 -


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Dorzweiler, Leo R. dba Cattlemans Oil Operations	Location of Well: County: Ellis		
Lease: Hadley	2,310 feet from N / X S Line of Section		
Well Number: 14	2,310 feet from X E / W Line of Section		
Field: Bemis-Shutts	Sec.20Twp. 11S. R. 17 E 🛛 W		
Number of Acres attributable to well:	Is Section: 🛛 Regular or 🔲 Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NENW SESSW		

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 Ft

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D. Shari Feist Albrecht, Chair | Jay Scott Emler, Commissioner | Dwight D. Keen, Commissioner

June 19, 2018

Leo Dorzweiler Dorzweiler, Leo R. dba Cattlemans Oil Operations 2260 CATHERINE RD HAYS, KS 67601-4610

Re: Drilling Pit Application Hadley 14 SE/4 Sec.20-11S-17W Ellis County, Kansas

Dear Leo Dorzweiler:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.