KOLAR Document ID: 1414267

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
	If yes, show depth set: Feet				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR	·				
GSW	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1414267

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:								
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 12.00 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Castle Resources, Inc.
Well Name	HJP 1
Doc ID	1414267

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Conductor	12.25	13.375	48	129	common		3%CC 2%Gel
Surface	12.25	.625	23	374	common	425	60/40poz

GLOBAL OIL FIELD SERVICES, LLC0013179

REMIT TO 24 S. Lincoln			SERVICE POINT				
	Russell, KS 67665		orden 1940. An offinisk profesional of the State of the St	- Kei	thorn - J		
		DANGE	CALLED OUT	ONLLOCATION	JOB START	JOB FINISH	
DATE 9-76-	SEC WP.	RANGE	CALLEDOOT	ON LOCATION	JOB SIAKI	10:15 m	
	er en		Visita	1.9	COUNTY	STATE	
LEASE 4512	WELL#.	LOCATION (-AND	MEX ZWIS	1/2 Month	Salina	1 ES	
OLD OR NEW	(CIRCLE ONE)		ing transport in design of the control of the contr			en e	
		A	Saria is bilena	12	10		
CONTRACTOR /	White Knight P	Villing Hintel	OWNER	Cale	o Kes	<u>'</u>	
TYPE OF JOB ≤ 4			tanti kitur - rati		A STATE OF THE STA		
HOLE SIZE /2		D. 377	CEMENT	4 2	12/60	16 Po-	
TUBING SIZE	· · · · · · · · · · · · · · · · · · ·	PTH 376	AMOUNT ORI			1770102	
DRILL PIPE		PTH	3 7 CC		YA FOUS		
TOOL		PTH	GOOHS	17-17-6115		The state of the s	
PRES. MAX		INIMUM	COMMON		· @		
MEAS. LINE	SH	IOE JOINT	POZMIX		@		
CEMENT LEFT IN	CSG. 25/6	er gang bere salah 1994	GEL:		@		
PERFS	A CONTRACTOR OF THE SECOND	and the second of the	CHLORIDE		@	1. 10 人 图, 4组;	
DISPLACEMENT		<u>e salidir sajik, dak </u> e	ASC.	1.00	@	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	EQUIPMENT		<u> </u>		@		
DI II AD ADLI COR					@	<u> </u>	
PUMP TRUCK # 109	CEMENTER HELPER	A Super Stands	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		@		
BULK TRUCK	HELFER DE S				@		
•	DRIVER		to the second se		@		
BULK TRUCK					@		
#	DRIVER				@	***	
			HANDLING_	رياني د	@	Company of Partitions	
	- And English	4- J	MILEAGE				
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	REMARKS:	The second of the second	The second second second	the state of the state of	TOTAL	1 <u>28 1 8 888</u>	
Page 8	 (4) ** ** ** ** ** ** ** ** ** ** ** ** **	+ Hodladia		14.	en e		
Down Lynn of		Sax of Conent		CENT	NT 11 (1975)		
+ directional	27 Va Spend H	20.454.474		SEI	RVICE		
1 36 14 15 15			DEPTH OF JOE	·			
The section of the			PUMP TRUCK		ng gara jin sas T		
	- AOL		EXTRA FOOTA		@		
Cement	D.D'Cusculare to	Surface	MILEAGE	No. 10	@		
			MANIFOLD		@	·	
					@		
	1 190 1 200 DO				@	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CHARGE TO:	<u> 03414 (88)</u>				was the conjugate	and the second	
STREET			•		TOTAL		
CITY	STATEZII	·					
				PLUG & FLO.	AT EQUIPMEN	T · ·	
			A TEACH SHOWN		A STANDARD S		
	eld Services, LLC		, 1919 yay ya galamata ay ara ara a ara ay marangan ara ara ara ara ara ara		<i>(</i>		
You are hereby	requested to rent cemen	ting equipment and	and the second s		@	1955	
	r and helper(s) to assist ov				<u>@</u>	., GNA,	
	ted. The above work was				<u>@</u>		
and supervision	of owner agent or contrac "GENERAL TERMS AN	NOT. I have read and			@	 	
listed on the reve		AD COMPITIONS.	·			។ ស្រុក ផ្ទុ	
nous on the 16ve	2130 31QC.	in the second second	and the second	1.1	TOTAL		
7515 IL 77715175 'S. f. f. 5 475				, , , , , , , , , , , ,	et e egyptischen		
PRINTED NAME			SALES TAX (If	Any)			
SIGNATURE	und die	Sun	TOTAL CHARC	ES	1 to		
سيوسب للكاب عد ١٠١٠					ş		
			DISCOUNT		IF	PAID IN 30 DAYS	

GLOBAL OIL FIELD SERVICES, LLC₀₀₁₃₂₃₄ 24 S. Lincoln SERVICE POINT: Russell VS

24 S. Lincoln

EMIT TO

Russell, KS 67665			Kussell	15
DATE 10-1-16 SEC. TWP. RANGE CA	LLED OUT	ON LOCATION	JOB START	JOB FINISH 2:309m
LEASE # WELL# LOCATION Location Location	EValum	1/2 Morth	COUNTY Sq/104	STATE
OLD OR NEW (CIRCLE ONE)			207704	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				and the relative
CONTRACTOR Whit Knight Drilling Ris #1 TYPE OF JOB Retary 18145	OWNER	<u>C93+18</u>	Res	
HOLE SIZE うつっ T.D. 3596'	CEMENT			
CASING SIZE DEPTH TUBING SIZE DEPTH	AMOUNT ORD	DERED / 303	C 1702 6	10/40 Mabel
DRILL PIPE DEPTH 3535	Just perti	245KA/		W/ <u>CES</u> 2426 14
TOOL DEPTH	State of the state of			
PRES. MAX MINIMUM	COMMON		@	
MEAS. LINE SHOE JOINT	POZMIX		@	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
CEMENT LEFT IN CSG. PERFS	GEL	A Company	@	
DISPLACEMENT	CHLORIDE		@	2007年 1907年 19
EQUIPMENT	ASC		@	
			@	
PUMP TRUCK CEMENTER Cody			@	The Asia
# 409 HELPER Bysd BULKTRUCK			@	- New York
# 751 DRIVER TON			@ ———	
BULK TRUCK	-		@	
# DRIVER			@	
	HANDLING		@	
	MILEAGE		10.00	15.400A 46.
REMARKS:		•	TOTAL	(A)
3558 358×				A Base
425 405X		SEI	RVICE	
60' 255% winer pluce	DEPTH OF JOB			e e e e e e e e e e e e e e e e e e e
60' 2554 wiper plug	PUMP TRUCK (
RH 305V	EXTRA FOOTA		@	g <u></u>
	MANIFOLD		@	
			@	<u> </u>
CHARGE TO COST 16 Res			@	
CHARGE TO:			The second second	· · · · · · · · · · · · · · · · · ·
STREET			TOTAL	1.054.44.4003
CITYSTATEZIP		DELIC S PLO	ATE POT HIS APEN	
	V	PLUG & FLOA	AT EQUIPMEN	
Global Oil Field Services, LLC	3 <u>22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 </u>			erski,
You are hereby requested to rent cementing equipment and			@	<u> </u>
furnish cementer and helper(s) to assist owner or contractor to	ne <u>ssa sa Kilong La</u>	· · · · · · · · · · · · · · · · · · ·	@	<u> </u>
do work as is listed. The above work was done to satisfaction	· · · · · · · · · · · · · · · · · · ·		@	
and supervision of owner agent or contractor, I have read and			@	
understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.				the state of
nsted on the reverse side.			TOTAL	<u> </u>
PRINTED NAME	SALES TAX (If A	Anv)	. /	
SIGNATURE Keyin Mich	TOTAL CHARG			Jan Jan
SIGNAL ONE OF THE PARTY OF THE PROPERTY OF THE PARTY OF T	DISCOUNT		TIE TIE	PAID IN 30 DAYS

GLOBAL OIL FIELD SERVICES, LLC

24 S. Lincoln REMIT TO SERVICE POINT: Russell, KS 67665 455ell KS TWP. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH DATE 9-25-18 COUNTY STATE LEASE HJP WELL# LOCATION Linshorges FX,+ Saling OLD OR NEW (CIRCLE ONE) CONTRACTOR OWNER 457/e ~S TYPE OF JOB HOLE SIZE T.D. 128 CEMENT CASING SIZE DEPTH /2C 1505x Com AMOUNT ORDERED TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL DEPTH PRES. MAX MINIMUM s expenses to COMMON (a) MEAS. LINE SHOE JOINT POZMIX (a) CEMENT LEFT IN CSG. GEL (a) PERFS CHLORIDE @ DISPLACEMENT 75 35° (a) **EQUIPMENT** @ @ PUMP TRUCK CEMENTER / (a) HELPER (a) BULK TRUCK a) 374 a, BULK TRUCK (a) (a) HANDLING MILEAGE TOTAL REMARKS: SERVICE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE (a) MILEAGE : (a) MANIFOLD (a) @ CHARGE TO: 3543.95 STREET. TOTAL PLUG & FLOAT EQUIPMENT Global Oil Field Services, LLC You are hereby requested to rent cementing equipment and @ @ furnish cementer and helper(s) to assist owner or contractor to @ do work as is listed. The above work was done to satisfaction @ and supervision of owner agent or contractor. I have read and (a) understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. TOTAL PRINTED NAME SALES TAX (If Any)

TOTAL CHARGES

IF PAID IN 30 DAYS

DISCOUNT_

SIGNATURE SIGNATURE

