KOLAR Document ID: 1414549

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HIGTODY	- DESCRIPTION		
VVELL	NISIONI		UF WELL Q	LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (<i>Core, Expl., etc.</i>):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Canad Data are Data Data Data TD Completing Data are	Quarter Sec Twp S. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1414549

Operator Nam	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Take				Yes] No			Log	Formatio	n (Top), Deptl	n and Datum	Sample
(Attach Additiona				<i>(</i>	1		Nan	ne			Тор	Datum
Samples Sent to Ge Cores Taken Electric Log Run Geologist Report / M List All E. Logs Run:	Mud Logs	rvey		Yes Yes Yes] No] No] No] No							
			Rep			RECORD			Used	on, etc.		
Purpose of String		ze Hole Drilled	S	ize Casing et (In O.D.]	Wei Lbs.	ght	5	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Purpose:		Depth	Tur	ADDI e of Ceme		_ CEMENTI # Sacks		UEEZE	RECORD	Tupo or	nd Percent Additives	
Perforate		Bottom	Typ		5111	# 54068	oseu			Type at	iu Fercent Additives	
Protect Casing Plug Back TD Plug Off Zone												
 Did you perform a h Does the volume of Was the hydraulic fr Date of first Production Injection: 	the total base	e fluid of the h	ydraulic f ion subm	racturing t itted to the Produce		cal disclosure	e registry		☐ Yes ☐ Yes ☐ Yes ft ☐ O	No (If No	, skip questions 2 ar , skip question 3) , fill out Page Three	
Estimated Production Per 24 Hours	ו	Oil B	Bbls.	Ga	as	Mcf	Wa	ter	Bt	bls.	Gas-Oil Ratio	Gravity
DISPOSIT	TION OF GAS	5:			1		COMPL	ETION:			PRODUCTIC Top	DN INTERVAL: Bottom
	old Use	ed on Lease 3.)		Open Ho	le	Perf.		y Comp it ACO-5		nmingled nit ACO-4)	100	
Shots Per Foot	Perforation Top	Perforat Bottor		Bridge F Type	Plug	Bridge Plu Set At	ıg		Acid,		Cementing Squeeze Kind of Material Used)	
TUBING RECORD:	Size:		Set At	:		Packer At:						

Form	ACO1 - Well Completion
Operator	McFadden, Jack W. dba McFadden Oil Co.
Well Name	WINSLOW F5
Doc ID	1414549

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	12	20	portland	3	0
Production	6.125	2.875	4.7	865	portland	115	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. CLOID O

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract an result in the filing of a mechanic's lien on the property which is the subject of this contract.

MCØØ2 JACK MCFADDEN P.O. BOX 394

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash hout. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE NAME WINSLOW WELL #F5 SHIP TO.

KS 66755 MORAN 54 E TO 3600 (2MI B4 MORAN) S 1MI TO NEB E 1/4MI NSD

1000 - 2 - 10

, IOLA		KS 66	11 4 3			% Air		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	A Contractor	DRIVER/TRUCK		PLANT/TRANSACTION #	
3:12 PM	WELL	11.50	11.50		35		ALLCO	
DATE	Terry & the base of the base of the	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
4/11/18		1	11.50	10	0.00 4	.00 in	44158	
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical			(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this t you for your signature is of the op truck may possibly cause damage	WAGE RELEASE O BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to inion that the size and weight of his e to the premises and/or adjacent this load where you desire it. It is	Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X			
Attention. KEEP CHILDRE CONCRETE is a PERISHABL LEAVING the PLANT. ANY TELEPHONED to the OFFICE	EN AWAY. E COMMODITY and BECOMES the PROF CHANGES OR CANCELLATION of ORIG EBEFORE LOADING STARTS.	ERTY of the PURCHASER UPON	our wish to help you in every way the driver is requesting that you s this supplier from any responsibilit to the premises and/or adjace driveways, curbs, etc., by the del also agree to help him remove mu	that we can, but in order to do this ign this RELEASE relieving him and y from any damage that may occur nt property, buildings, sidewalks, ivery of this material, and that you di from the wheels of his vehicle so	WEIGHMASTER	1		
any sums owed. All accounts not paid within 30	 pay all costs, including reasonable attor days of delivery will bear interest at the rate Aggregate or Color Quality. No Claim 	e of 24% per annum.	tion, the undersigned agrees to inc of this truck and this supplier for a	eet. Further, as additional considera- iemnify and hold harmless the driver any and all damage to the premises ay be claimed by anyone to have	NOTICE: MY SIGNATURE BEI NOTICE AND SUPPLIER WI WHEN DELIVERING INSIDE CO LOAD RECEIVED BY:	LOW INDICATES THAT I HAVE F LL NOT BE RESPONSIBLE F JRB LINE.	READ THE HEALTH WARNING OR ANY DAMAGE CAUSED	
	Loss of the Cash Discount will be collect \$60/HR.	ted on all Returned Checks.	X	Provide State	x			
QUANTITY	CODE	DESCRIPTION			11	UNIT PRICE	EXTENDED PRICE	
QUANTITY	CODE WELL		ACKS PER L	NIT)	11.60	UNIT PRICE	EXTENDED PRICE	
THE REAL PROPERTY AND		WELL (10 E TRUCKING C	HARGE		1.50	UNIT PRICE	EXTENDED PRICE	
11.50	WELL	WELL (10 5	HARGE		11.50	UNIT PRICE	EXTENDED PRICE	
11.50	WELL	WELL (10 E TRUCKING C	HARGE		1.50	UNIT PRICE	EXTENDED PRICE	
11.50	WELL	WELL (10 E TRUCKING C	HARGE		TIME ALLOWED		EXTENDED PRICE	
11.50 1.50 11.50	WELL TRUCKING MIX&HAUL	WELL (10 E TRUCKING C MIXING AND	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AFEAD ON JOB	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	1.50	UNIT PRICE	EXTENDED PRICE	
11.50 1.50 11.50	WELL TRUCKING MIX&HAUL	WELL (10 E TRUCKING C MIXING AND	DELAY EXPLANATION/C	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACIDENT	TIME ALLOWED		EXTENDED PRICE	
11.50 1.50 11.50 RETURNED TO PLANT	WELL TRUCKING MIX&HAUL	WELL (10 E TRUCKING C MIXING AND FINISH UNLOADING 4.22	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AREAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED			
11.50 1.50 11.50 RETURNED TO PLANT	WELL TRUCKING MIX&HAUL LEFTJOB	WELL (10 E TRUCKING C MIXING AND FINISH UNLOADING 4.22 START UNLOADING	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AREAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED	x 7.75		

Drille- Los Winder F-5

815 817

Red had Black

x

Top Scal

817-	821	Reel	For B	leal
+ 820-	825	Excellent	Blen	
825 -			1/	
829 -	833	Shele		

31509

20Ft Sufie 4/10/18 865 Lonstrij 4/11/18