KOLAR Document ID: 1414563

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
☐ Oil ☐ WSW ☐ SWD	Producing Formation:				
Gas DH EOR	Elevation: Ground: Kelly Bushing:				
□ OG □ GSW	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set:Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
☐ Commingled Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Location of fluid disposal if flauled offsite.				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II Approved by: Date:								

KOLAR Document ID: 1414563

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests Taken (Attach Additional Sheets) Drill Stem Tests Taken Dr										Sample
Samples Sent to Geological Survey Yes No									Datum	
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:				es No es No es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Casing Plug Back TD		Type of Cement		# Sauks Useu		Type and Percent Additives				
Plug Off Z										
1. Did you perform a hydraulic fracturing treatment on this well? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, skip questions 2 and 3) No (If No, skip question 3) No (If No, skip question 3)										
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented Sold Used on Lease							Dually Comp. Commingled Top			Bottom
(If vente	(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)									
Shots Per Perforation Perforation Foot Top Bottom		on	Bridge Plug Type Bridge Plug Set At		Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)			Record		
TUBING RECORD: Size: Se				Set At: Packer At:						

Form	ACO1 - Well Completion				
Operator McFadden, Jack W. dba McFadden Oil Co.					
Well Name	WEATHERBIE W-3				
Doc ID	1414563				

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	12	20	portland	3	0
Production	on 6.125 2.875		4.7	845	portland	115	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

MC005 JACK MCFADDEN P.O. BOX 394

LEASE NAME: WEATHERBIE WELL# W-3

MORAN KS 66755 54 E TO 3800 (1MI B4 MORAN) S 1/2 MI E 5D

0 2	W 2751 275		VC CC	749 ~				
	TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	% Air	PLANT/TRANSACTION #
12			4	San San		BC		
-	Y - A ET L'IN	1 . 1 10-7 1	1 1 517	11 517		37		ALLCO
7.5	DATE	O NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
		Table 1 1 mar 1 d dar dans 1 h						
1	/10//10		1	11.50	7	0.00 4	.00 in	44186

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANGELLATION of ORIGINAL INSTRUCTIONS, MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

QUANTITY

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR. CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if I places the material in this load where you desire it. It is
our wish to help you in every way, that, we can, but in order to do this
the driver is requesting that you's sign this RELEASE releving lim and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove must form the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED CURB LINE.

UNIT PRICE

11.50 WELL (10 SACKS PER UNIT) 11.50 1:50 1,50 TRUCKING TRUCKING CHARGE 1,1.50 MIX&HAUL MIXING AND HAULING 11.50 RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1. JOB NOT READY

 TRUCK BROKE DOWN
 ACCIDENT
 CITATION
 OTHER 2. SLOW POUR OR PUMP
3. TRUCK AHEAD ON JOB
4. CONTRACTOR BROKE DOWN
5. ADDED WATER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME DELAY TIME

DESCRIPTION

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

EXTENDED PRICE

Weither bis W-3 Driller Los Shall 806 806 - 808 - Shale 808 - 810 - Top Sand Red hod plus 810 - 813 - Red 60.0 Blee 813 - 816 - Exalled Bles Q 816-818 - Real hood Shale 818-