

Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West County: _____

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | | | | | |
|---|------------------------------|-----------------------------|------------------------------|----------------------------------|---------------------------------|
| Drill Stem Tests Taken <i>(Attach Additional Sheets)</i> | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> Log | Formation (Top), Depth and Datum | <input type="checkbox"/> Sample |
| Samples Sent to Geological Survey | <input type="checkbox"/> Yes | <input type="checkbox"/> No | Name | Top | Datum |
| Cores Taken | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| Electric Log Run | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| Geologist Report / Mud Logs | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| List All E. Logs Run: | | | | | |

| <div style="text-align: center;"> CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used Report all strings set-conductor, surface, intermediate, production, etc. </div> | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|---|---------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate | | | | |
| <input type="checkbox"/> Protect Casing | | | | |
| <input type="checkbox"/> Plug Back TD | | | | |
| <input type="checkbox"/> Plug Off Zone | | | | |

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☐ No (If No, skip questions 2 and 3)
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No (If No, skip question 3)
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No (If No, fill out Page Three of the ACO-1)

| | | | | | |
|---|----------------|---|-------|-------|----------------------------|
| Date of first Production/Injection or Resumed Production/Injection: | | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____ | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water | Bbls. | Gas-Oil Ratio Gravity |

| | | | |
|--|--|----------------------|--------|
| DISPOSITION OF GAS: | METHOD OF COMPLETION: | PRODUCTION INTERVAL: | |
| <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> | Top | Bottom |
| | | | |
| | | | |

| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used) |
|----------------|-----------------|--------------------|------------------|--------------------|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | |
|----------------|-------|---------|------------|--|
| TUBING RECORD: | Size: | Set At: | Packer At: | |
|----------------|-------|---------|------------|--|

| | |
|-----------|------------------------|
| Form | ACO1 - Well Completion |
| Operator | Laymon Oil II, LLC |
| Well Name | GLADES 120-18 |
| Doc ID | 1414669 |

Tops

| Name | Top | Datum |
|---------------------|------|-------|
| Soil | 0 | 9 |
| Shale | 9 | 170 |
| Lime | 170 | 440 |
| Shale | 440 | 480 |
| Lime | 480 | 660 |
| Shale | 660 | 990 |
| Upper Squirrel Sand | 990 | 1000 |
| Shale | 1000 | 1045 |
| Lower Squirrel Sand | 1045 | 1050 |
| Shale | 1050 | 1160 |

| | |
|-----------|------------------------|
| Form | ACO1 - Well Completion |
| Operator | Laymon Oil II, LLC |
| Well Name | GLADES 120-18 |
| Doc ID | 1414669 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|-------------------|-------------------|-----------------|--------|---------------|----------------|----------------------|----------------------------|
| Surface | 10.250 | 8.625 | 24 | 40 | portland | 10 | na |
| Production | 6.125 | 2.875 | 7 | 1145 | common | 170 | na |
| | | | | | | | |
| | | | | | | | |

THE NEW KLEIN LUMBER COMPANY
201 W. MADISON
P.O. BOX 805
IOLA, KS 66749
PHONE: (620) 365-2201

LAYMON OIL II
1998 SQUIRREL RD

CUST # 3447
TERMS: NET 10TH OF MONTH

NEOSHO FALLS KS 66758

ORDR # 384136
DATE : 11/11/17
CLERK: SE
TERM # 553

TIME : 9:33

* ORDER *

| QUANTITY | UM | PC | ITEM | DESCRIPTION | LOC | PRICE/PER | EXTENSION |
|-----------------------------|----|----|---------------------|------------------------|-----|-------------|-----------|
| 200 | EA | PC | | PORTLAND CEMENT | | 10.99 /EA | 2,198.00 |
| | | | Glades 106-10 Dacks | Kelake 3D-18-10 Dacks | | | |
| | | | Glades 107-10 Dacks | Keske 31-18 10 Dacks | | | |
| | | | Glades 108-10 Dacks | Glades 115-18 10 Dacks | | | |
| | | | Glades 109-10 Dacks | Glades 116-18 10 Dacks | | | |
| | | | Glades 110-10 Dacks | Glades 117-18 10 Dacks | | | |
| | | | Glades 111-10 Dacks | Glades 118-18 10 Dacks | | | |
| | | | Glades 112-10 Dacks | Glades 121-18 10 Dacks | | | |
| | | | Glades 113 10 Dacks | Glades 120-18 10 Dacks | | | |
| | | | Glades 114 10 Dacks | | | | |
| **ORDER*ORDER*ORDER*ORDER** | | | | | | | |
| DEPOSIT AMT | | | | | | TAXABLE | 2198.00 |
| BALANCE DUE | | | | | | NON-TAXABLE | 0.00 |
| | | | | | | SUB-TOTAL | 2198.00 |
| | | | | | | TAX AMOUNT | 192.33 |
| | | | | | | TOTAL ORDER | 2390.33 |

No Signature Required

X Received By



**Hammerson
Ready Mix**

1300 2200 Rd.
Gas, KS 66742
620-365-7200

| | | | | | | |
|-------------|---------------|------------------|-------------------|--------------|-----------------|-----------------|
| PLANT 01 | TIME 13:35 | DATE 06/07/18 | ACCOUNT LAYMON | TRUCK 111 | DRIVER CHRIS | TICKET 12521 |
|-------------|---------------|------------------|-------------------|--------------|-----------------|-----------------|

| | |
|--|--|
| CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758 | DELIVERY ADDRESS WELL GLADES 120-18 |
|--|--|

| | | | | | |
|----------------|---------------------|-------------------|--------|--|------------------|
| PURCHASE ORDER | SALES ORDER 1304 | TAX WOODSON CO | CREDIT | | SLUMP 8.00 in |
|----------------|---------------------|-------------------|--------|--|------------------|

| LOAD QTY. | PRODUCT | DESCRIPTION | ORDERED | DELIVERED | UNIT PRICE | AMOUNT |
|-----------|-----------|--------------------------|---------|-----------|------------|--------|
| 8.50 yd | WELL MUD | WELL (10 SACKS PER YARD) | 17.00 | 8.50 | | |
| 8.50 ea | HAUL & MI | HAUL & MIX | 17.00 | 8.50 | | |

| | | | | |
|----------------|-------------------------|-------------------------|--------------------------|-------------------|
| LOADED 2:02 | ARRIVE JOB SITE 2:47 | START DISCHARGE 2:50 | FINISH DISCHARGE 3:08 | ARRIVE PLANT : |
|----------------|-------------------------|-------------------------|--------------------------|-------------------|

180TH AND QUAIL


SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

| | | | |
|--|------------------------------------|---------|----|
| This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver. | ADDITIONAL WATER ADDED ON JOB → | Gallons | By |
|--|------------------------------------|---------|----|

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water.
If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention.
KEEP OUT OF REACH OF CHILDREN

| |
|---|
| UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES → |
| RECEIVED IN GOOD CONDITION BY <input checked="" type="checkbox"/> Mike [Signature] |

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line.
If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.



**Hammerson
Ready Mix**

1300 2200 Rd.
Gas, KS 66742
620-365-7200

| | | | | | | |
|-------------|---------------|------------------|-------------------|--------------|-----------------|-----------------|
| PLANT 01 | TIME 13:51 | DATE 06/07/18 | ACCOUNT LAYMON | TRUCK 111 | DRIVER CHRIS | TICKET 12522 |
|-------------|---------------|------------------|-------------------|--------------|-----------------|-----------------|

| | |
|--|--|
| CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758 | DELIVERY ADDRESS WELL GLADES 120-18 |
|--|--|

| | | | | | |
|----------------|---------------------|-------------------|--------|--|------------------|
| PURCHASE ORDER | SALES ORDER 1504 | TAX WOODSON CO | CREDIT | | SLUMP 8.00 in |
|----------------|---------------------|-------------------|--------|--|------------------|

| LOAD QTY. | PRODUCT | DESCRIPTION | ORDERED | DELIVERED | UNIT PRICE | AMOUNT |
|-----------|-----------|--------------------------|---------|-----------|------------|--------|
| 8.50 yd | WELL MUD | WELL (10 SACKS PER YARD) | 17.00 | 17.00 | | |
| 8.50 ea | HAUL & MI | HAUL & MIX | 17.00 | 17.00 | | |

| | | | | |
|----------------|---------------------------|---------------------------|----------------------------|-------------------|
| LOADED 2 02 | ARRIVE JOB SITE 2 : 47 | START DISCHARGE 2 : 50 | FINISH DISCHARGE 3 : 06 | ARRIVE PLANT : |
|----------------|---------------------------|---------------------------|----------------------------|-------------------|

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

180TH AND QUAIL

| | | | |
|--|------------------------------------|---------|----|
| This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver. | ADDITIONAL WATER ADDED ON JOB → | Gallons | By |
|--|------------------------------------|---------|----|

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water.
If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention.
KEEP OUT OF REACH OF CHILDREN

| |
|--|
| UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES → |
| RECEIVED IN GOOD CONDITION BY X <i>[Signature]</i> |

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line.
If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.

5:05 5 41 5 20 3 08