KOLAR Document ID: 1415646

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #  | API No.:  |  |  |  |  |
|--|---|--|--|--|--|
| Name:  | Spot Description:   |  |  |  |  |
| Address 1:   | SecTwpS. R  |  |  |  |  |
| Address 2:   | Feet from North / South Line of Section   |  |  |  |  |
| City:  | Feet from East / West Line of Section   |  |  |  |  |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner:                                |  |  |  |  |
| Phone: ()  | □NE □NW □SE □SW   |  |  |  |  |
| CONTRACTOR: License #  | GPS Location: Lat:, Long:   |  |  |  |  |
| Name:  | (e.g. xx.xxxxx) (e.gxxx.xxxxxx)   |  |  |  |  |
| Wellsite Geologist:  | Datum: NAD27 NAD83 WGS84  |  |  |  |  |
| Purchaser:   | County:   |  |  |  |  |
| Designate Type of Completion:  | Lease Name: Well #:   |  |  |  |  |
| New Well Re-Entry Workover   | Field Name:   |  |  |  |  |
|  | Producing Formation:  |  |  |  |  |
| Gas DH EOR   | Elevation: Ground: Kelly Bushing:   |  |  |  |  |
|  | Total Vertical Depth: Plug Back Total Depth:  |  |  |  |  |
| CM (Coal Bed Methane)  | Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used? |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):  |   |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:  | If yes, show depth set: Feet  |  |  |  |  |
| Operator:  | If Alternate II completion, cement circulated from:                                     |  |  |  |  |
| Well Name:   | feet depth to: w/ sx cmt.   |  |  |  |  |
| Original Comp. Date: Original Total Depth:   |   |  |  |  |  |
| □ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer  | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)            |  |  |  |  |
| Committee of the Commit | Chloride content: ppm Fluid volume: bbls  |  |  |  |  |
| ☐ Commingled     Permit #:   | Dewatering method used:   |  |  |  |  |
| SWD Permit #:  | Location of fluid disposal if hauled offsite:   |  |  |  |  |
| EOR Permit #:  | Location of haid disposal in hadiod offsite.  |  |  |  |  |
| GSW Permit #:  | Operator Name:  |  |  |  |  |
|  | Lease Name: License #:  |  |  |  |  |
| Spud Date or Date Reached TD Completion Date or  | Quarter Sec. Twp. S. R. East West   |  |  |  |  |
| Recompletion Date Recompletion Date  | County: Permit #:   |  |  |  |  |
| ·  | County: Permit #:   |  |  |  |  |

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

| KCC Office Use ONLY                             |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Confidentiality Requested                       |  |  |  |  |  |  |
| Date:   |  |  |  |  |  |  |
| Confidential Release Date:                      |  |  |  |  |  |  |
| Wireline Log Received Drill Stem Tests Received |  |  |  |  |  |  |
| Geologist Report / Mud Logs Received            |  |  |  |  |  |  |
| UIC Distribution                                |  |  |  |  |  |  |
| ALT I III Approved by: Date:                    |  |  |  |  |  |  |

KOLAR Document ID: 1415646

#### Page Two

| Operator Name:   |   |  |                                     |                                  | Lease Na   | ame: _  |                                      |                      | Well #:   |   |
|--|---|--|-------------------------------------|----------------------------------|--|---|--------------------------------------|----------------------|---|---|
| SecTwp   | oS.   | R  | East                                | West                             | County: _  |   |                                      |                      |   |   |
| open and closed,<br>and flow rates if g                                    | flowing and s<br>gas to surface<br>y Log, Final L | hut-in pressu<br>test, along wi<br>ogs run to ob | res, whe<br>ith final c<br>tain Geo | ther shut-in prechart(s). Attach | essure reache<br>extra sheet i<br>and Final Elec | ed stati<br>if more<br>ctric Lo   | c level, hydrosta<br>space is needed | tic pressures,<br>d. | bottom hole tempe   | val tested, time tool rature, fluid recovery,  Digital electronic log |
| Drill Stem Tests To  |   |  | Y                                   | es No                            | Log Formation (Top), Depth                       |   |                                      | n and Datum Sample   |   |   |
| Samples Sent to  | ,   | ırvey  | Y                                   | es No                            |  | Nam   | е                                    |                      | Тор   | Datum   |
| Cores Taken<br>Electric Log Run<br>Geologist Report<br>List All E. Logs Ri | _   |  | Y                                   | es No<br>es No<br>es No          |  |   |                                      |                      |   |   |
|  |   |  | David                               |                                  | RECORD   | ☐ Ne  |                                      |                      |   |   |
|  | 9   | ize Hole   | -                                   | ze Casing                        | Weight   |   | ermediate, producti                  | on, etc.             | # Sacks   | Type and Percent  |
| Purpose of Str   |   | Drilled  |                                     | t (In O.D.)                      | Lbs. / F   |   | Depth                                | Cement               | Used  | Additives   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
|  | '   |  |                                     | ADDITIONAL                       | . CEMENTING                                      | 3 / SQL   | JEEZE RECORD                         |                      | '   |   |
| Purpose:   | To  | Depth<br>p. Bottom                               | Туре                                | of Cement                        | # Sacks Used Type and Percent Additives          |   |                                      |                      |   |   |
| Perforate Protect Cas Plug Back  | Protect Casing                                    |  |                                     |                                  |  |   |                                      |                      |   |   |
| Plug Off Zo  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
| Did you perform     Does the volume     Was the hydraulic                  | of the total bas                                  | e fluid of the hy                                | draulic fra                         | acturing treatmen                |  | •   |                                      | No (If No            | o, skip questions 2 an<br>o, skip question 3)<br>o, fill out Page Three o |   |
| Date of first Produc   | ction/Injection or                                | Resumed Prod                                     | duction/                            | Producing Meth                   |  |   | 0.1%                                 | W 45 ( )             |   |   |
| Flowing  |   |  | _ •                                 | Pumping Gas Lift Other (Explain) |  |   |                                      |                      |   |   |
| Estimated Product<br>Per 24 Hours  | tion  | Oil Bl   | bls.                                | Gas                              | Mcf  | Wate  | er Bl                                | ols.                 | Gas-Oil Ratio   | Gravity   |
| DISPOSITION OF GAS:  |   |  | N                                   | METHOD OF COMPLETION:            |  |   | PRODUCTION INTERVAL:                 |                      |   |   |
| ☐ Vented ☐ Sold ☐ Used on Lease ☐ C  |   |  |                                     |                                  |  | nmingled  | Тор                                  | Bottom               |   |   |
| (If vented   | d, Submit ACO-1                                   | 8.)  |                                     |                                  |  | (Submit   | ACO-5) (SUD                          | mit ACO-4)           |   |   |
| Shots Per Perforation Perforation Bridge Plug Foot Top Bottom Type         |   |  | Bridge Plug<br>Set At               |                                  | Acid,  | Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used) |                                      |                      |   |   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
|  |   |  |                                     |                                  |  |   |                                      |                      |   |   |
| TUBING RECORD  | ): Size.  | :  | Set At:                             |                                  | Packer At:                                       |   |                                      |                      |   |   |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | J-V Oil, LLC           |
| Well Name | FN REECE 1-H           |
| Doc ID    | 1415646                |

## Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight |     | Type Of<br>Cement |     | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|--------|-----|-------------------|-----|----------------------------------|
| Surface              | 12                   | 8.625                 | 18     | 20  | portland          | 6   | n/a                              |
| Production           | 5.875                | 2.875                 | 6      | 982 | portland          | 135 | n/a                              |
|                      |                      |                       |        |     |                   |     |                                  |
|                      |                      |                       |        |     |                   |     |                                  |

CONDITIONS

Controlle to be delivered to the nearest accessible point over passable road, under tuck's own power. Due to delivery at owner's or intermediary's direction, under tuck's own power. Due to delivery at owner's or intermediary's direction, seller assurances no responsibility for diamages in any manner to sidewalks, croadways, diveways, buildings, thees, shrubbey, etc., which are at customer's field. The manner is 5 minutes per yard. A charge will be made for holding tucks longer. This concrete contains correct strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per tuck for contractor or contractor or contractor or contractor or contractor or contractor do to the contractor of supply a place to wash ruck out. Tow charges are buyers responsibility. PLANT/TRANSACTION # NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING MOTICE: AND SIPPLER WILL NOT BE RESPONSIBLE FOR ANY DANAGE CAUSED WHEN DELIVERING INSIDE CURE LINE. EXTENDED PRICE TICKET NUMBER 8 8 \$337,50 \$942.00 \$150.00 \$1,432,50 7,50 \$107.44 \$1,539,94 Excessive Water is Detrimental to Concrete Performance 44278 \$1,539. CHANUTE W 4 MI TO WICHITH RD H<sub>2</sub>0 Added By Request/Authorized By MI TO 1600, E 1/4MI., S SD 169 S TO CHERRY ST EXIT @ ADDITIONAL CHARGE 2 ADDITIONAL CHARGE 1 WELL#1H GRAND TOTAL 1.486-19 UNIT PRICE SLUMP oo in \$25,00 \$70.00 \$50.00 LEASE IF N REECE GAL X DRIVER/TRUCK TIME ALLOWED × WATER TRIM **DELAY TIME** TIME DUE WEIGHMASTER LOAD RECEIVED BY 13,50 00.00 34 2.50 × Deer Customer-The driver of this truck in presenting this RELEASE to you of your agridance is of the option that the scale and wright of his proof your agridance is of the option that the scale and wright of his proof which the property it places the metalen in the scale where you deere it, it is our with to help you in every way that we can, but in order to do this the other is equally that you spin the RELEASE leveling this and the stronger subtilities, sciencially and the spin the promises and ordinance in the RELEASE levelings, science, to this promises and ordinance property, buildings, science, driveways, cutte, etc., by the others you also spin the truth of the truck and the will not like the public street. Entire, as additional considered for, the undestigned agrees to indemity and hold harmless the other don the undestigned agrees to indemity and hold harmless the other don the undestigned agrees to indemity and hold harmless the other don the cutter of this known and an analyse signed troppyty which may be claimed by anyone to have also up of claikery of this order. Payless Concrete Products, Inc. TRUCK BHOKE DOWN
 ACCIDENT
 CITATION
 OTHER (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) DELAY EXPLANATION/CYLINDER TEST TAKEN BATCH# PROPERTY DAMAGE RELEASE WELL (10 SACKS PER UNIT JOB NOT READY
 SLOW POUR OR PUMP
 TRUCK AHEAD ON JOB
 CONTRACTOR BROKE DOWN
 ADDED WATER MIXING AND HAULING YARDS ORDERED 13.50 YARDS DEL TRUCKING CHARGE KS 66720 FINISH UNLOADING START UNLOADING WARNING
Ontains Portand Cernett, Wer Bubber Boots and Gloves, PROLONGED CONTACT MAY
CAUSE BUNKS, And Contact With Eyes and Prolonged Contact With Skin or Eyes, Flush Thoroughly With Water, If Intlation Presists, Get Medical Attention, KEEP CHLIDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEANING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. UNLOADING TIME Not Responsible for Beactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. DESCRIPTION NOTICE TO CONTROL TO SENT TO SENT THE SENT TO SENT THE SENT TO SENT THE SEN LOAD SIZE LOAD # 14 \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. 2.39 13.50 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Baid MIXSHAUL TOTAL AT JOB FORMULA ARRIVED JOB LEFT JOB CODE Phone: (620) 365-5588 802 N. Industrial Rd. JU OIL LLC PO BOX 151 Iola, Kansas 66749 Excess Delay Time Charged @ \$60/HR. P.O. Box 664 NOTICE TO OWNER RETURNED TO PLANT TOTAL ROUND TRIP 114 PM QUANTITY LEFT PLANT DATE TIME 3, 50 3, 50

WAC-5

81129816

IOLA REGISTER PRINTING - IOLA, KS 66749

Driller's Log

| Lease: FN Reece | Well#     |       | Cement: 65acks Pipe: Surface  |
|-----------------|-----------|-------|---|
| 2004 12"61+     | Formation | Total | Remarks Set 8 % 20 ft with 6 sacks Portland  Fun 24 pipe 20 ft on outside of casing filled to surface with 6s acks  Portland coment |
|                 |           |       |   |
|                 |           |       |   |
|                 |           |       |   |
|                 |           |       |   |
|                 |           |       |   |
|                 |           |       |   |