For KCC Use:			
Effective Date:			
District #			
SGA?	Yes No		

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E V
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
S. C. L.D	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Sottom Flore Eccation.	(Note: Apply for Permit with DWR)
(CC DKT #:	
CCC DKT #:	Will Cores be taken?
AF	
AF	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: FIDAVIT
	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; If Yes In Yes In
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; If Yes In Yes In
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating rig; by circula
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drilling rig; by circulating rig;
AF The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the disentation of the set	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating rig; b
AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sufficient of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating rig; by circula
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. In drilling rig; by circulating rig; by circula
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. First office on plug length and placement is necessary prior to plugging; Find or production casing is cemented in; If I to the complete of the complet
The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distance of the surface pipe as specified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. First office on plug length and placement is necessary prior to plugging; Find or production casing is cemented in; If I case is a complete in the complete is necessary prior to plugging; Find or production casing is cemented in; If I case is a complete is necessary prior to plugging; Find or production casing is cemented in; If I case is a complete is necessary prior to plugging; Find or production casing is cemented in; If Yes is not in the case is a complete in the case is a co
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plug of the surface of the surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In all cases surface pipe shall be set enderlying formation. In all cases, prior to plugging; In all cases, prior to plugging; In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. First office on plug length and placement is necessary prior to plugging; Figure of production casing is cemented in; If I to the first of
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set of the set into the set of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. In all cases surface pipe shall be set enderlying formation. In all cases, prior to plugging; In all cases, prior to plugging; In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the spud date or the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be set into the set in	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enunderlying formation. First office on plug length and placement is necessary prior to plugging; Figure of production casing is cemented in; If the form below any usable water to surface within 120 DAYS of spud date. File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set of the set into the set of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It is by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In a drilling rig; It is a underlying formation. In a price on plug length and placement is necessary prior to plugging; It is defined or production casing is cemented in; If it is a plugging of this well will comply with the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set of the set into the set of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drict office on plug length and placement is necessary prior to plugging; If yed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In drict office on plug length and placement is necessary prior to plugging; If yed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• /	cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inform	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East _ West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Contact Person:				
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address.			
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1				
Submitted Electronically				

Kansas Olland Gas



STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

July 20, 2018

P J Buck Kansas Energy Company, L.L.C. BOX 68 SEDAN, KS 67361-0068

Re: Drilling Pit Application Hyder JBD #12 SW/4 Sec.32-34S-13E Chautaugua County, Kansas

Dear P J Buck:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.