For KCC	Use:		
Effective I	Date:		
District #			

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License# Sec. Twp S. R Address 1: Sec. Twp S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular? Interest Inte	DPERATOR: License#	,	Sec Twp S. R E E S. Line of Section N / S. Line of Section N / S. Line of Section S. Line of Section N / S. Line of Section S. Line of Section N / S. L
County: State Zip: + County: County: Lease Name: Well #: Field Name: Lease Name: Well #: Field Name: Is this a Prorated / Spaced Field? Yes Target Formation(s): Name Target Formati	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone: County County County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Other Other: ### Surface Pipe Planned to be set: Depth to bottom of tresh water: Depth to bottom of usable water water. Depth to	none.		Field Name:
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Seismic : Infield Mud Rotary Water well within one-quarter mile: Yet Yet Seismic : # of Holes Other			Is this a Prorated / Spaced Field?
Oil Enh Rec	ame:		Target Formation(s):
Gals Storage Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Gals Gals Storage Pool Ext. Air Yotary Public water supply well within one mile: Yet Yet Water well within one-quarter mile: Yet Yet Gals Wildcat Gable Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Water Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas Slorage Pool Ext. Air Rotary Public water supply well within one mile: Yes Depth to bottom of fresh water: Depth to bottom of susable water: Depth to bottom of usable water to bottom of the port of pulling ing: Depth to bottom of the port of the pulling ing: Depth to bottom of the port of the pulling ing: Depth to bottom of the port of the pulling ing: Depth to bottom of the port of pulling ing: Depth to bottom of the port of pulling ing: Depth to bottom of the port of the pulling ing: Depth to bottom of the port of the pulling ing: Depth to bottom of the	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Will Cores be taken? Notify the paper of the properties district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; A repropriate district office of intent to drill shall be posted on each drilling rig; The appropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be noti	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Solution Hole Location: CC DKT #: No Wes, true vertical depth: Solution Hole Location: CC DKT #: No Will Cores be taken? If Yes, proposed zone: AFFIDAVIT In eundersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Formation at Total Depth: - File Completion Format	Other:		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #: Water Source for Drilling Operations: Water Source for Drilling Ope	It OWNO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestical depth: Interes	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations: Water Source for Drill operations: Water Source for Drill operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Date Form Accentually Operations: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? If Yes, proposed zone: Water Source for Drill Operation Drill D			
rectional, Deviated or Horizontal wellbore? Yes, true vertical depth: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #: DWR Permit #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone:			
ottom Hole Location: CC DKT #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Certification (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: 	is agreed that the following	ng minimum requirements will be met	
Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:	 A copy of the approvations. The minimum amount through all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appe 	wed notice of intent to drill shall be po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	_


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	Sec Twp S. R 🗌 E 🔲 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		onnit in Dupilcat			
Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit Proposed		Existing	SecTwp R		
Settling Pit Drilling Pit	Drilling Pit If Existing, date cons		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:			Feet from East / West Line of Section		
(ii iii Guppiy Al Frio. or feat Diffied)		(bbls)	County		
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
Pit dimensions (all but working pits):Length (fee		et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.	ncluding any special monitoring.				
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	it Date: Lease Inspection: Yes No		

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	3	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat	
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.	
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1		
Submitted Electronically		

AMERICAN OIL, LLC BRADLEY LEASE N. 1/2. SECTION 36. T175. R11W BARTON COUNTY, KANSAS Kectric ROAD GRAVEL (NE. 120 RD.) Old Well Location Lead Line Tanks Bradley Unit #1 O.W.W.O. N. 1/2 N. 1/2 -660'FNL 2640'EEL Ground Elevation = 1820 0 $Y = 680149 \quad X = 2003124$ MILO OF LOCATION State Plane-NAD 27-Kansas South Latitude 38.53460 Longitude -98.48946 ROAD ROAD WG5 84-NAD 83 0 0 os sh / not / f land 0 \Diamond 0 150 36 -Notes: 1. Set (2) wood stakes at old well site. t egress usage c public county 2. All flagging Red & Yellow. 3. Overhead power available at N., S., E. & W. for for lines, Sec. 36. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). *Ingress
Diatis
Copened f 5. CAUTION: Various pipelines in Sec. 36. 6. Found old well per magnetic response. 7. Contact landowner for best access. HIGHWAY 4 Farhman Odjr 40 156 35 (1) Redwing HOISINGTON 智



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1206355

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:	6569	NA.N.	. 02-0-11	, API No. 15	_{5 -} 15-009-251	43-00-00		
Name: Carmen Schmitt, Inc.				Spot Desc	Spot Description:			
Address 1: PO BOX 47					N2_ N2_ Sec. 36_ Twp. 17_ S. R. 11_ East West			
Address 2:				_660				
City: GREAT BEND	State:	KS Zip: <u>67530_</u> + <u>0</u> 0	47_	_2640				
	•			Footages	Footages Calculated from Nearest Outside Section Corner:			
Phone: (620_) 793-5100					✓ NE NW SE SW			
=	_	OG • D&A Catho			Barton			
Water Supply Well		SWD Permit #:s Storage Permit #:		Lease Nar	Lease Name: BRADLEY UNIT Well #: 1 Date Well Completed:			
		well log attached? Yes		1				
Producing Formation(s): List			No					
• ,	•	Bottom: T.D		1		(KCC District Agent's Name)		
		Bottom: T.D			Commenced: 01/1	<u>4/2008</u> 5/2008		
		Bottom:T.D		Plugging (Completed: 01/1	0/2000		
	·							
Show depth and thickness of	f all water, oil and gas f	ormations.						
Oil, Gas or Wate	er Records		Casing	Record (Surfa	ace, Conductor & Produ	uction)		
Formation	Content	Casing	Size		Setting Depth	Pulled Out		
		surface	8.62	25	346			
cement or other plugs were t	used, state the characte	er of same depth placed from (k	oottom), to	(top) for each	n plug set.	ods used in introducing it into the hole. If x total 60/40 w/ 4% gel		
Plugging Contractor License Address 1: 612 N CL								
						z _{ip:} <u>67104</u> +		
				State: _ rx	.			
Phone: (620) 793-5		0.1. "1.1						
Name of Party Responsible t								
State of Kansas	Cour	nty, Barton		, ss.				
Matt Suchy				_ Em	Employee of Operator or Operator on above-described well,			

Submitted Electronically

(Print Name)

the same are true and correct, so help me God.

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and