

Lone Jack Oil Company  
Blue Mound, KS  
1-913-756-2307 1-620-363-0492

Lease: Fred Hughes Operator: Peoples Oil LLC API # 15-121-31452-00-00  
 Contractor: Lone Jack Oil Company Date Started: 2/1/18 Date Completed: 2/9/18  
 Total Depth: 562 feet Well # I-1 Hole Size: 5 5/8  
 Surface Pipe: 20' 7" Surface Bit: 9 7/8 Sacks of Cement: 5  
 Depth of Seat Nipple: \_\_\_\_\_ Rag Packer At: \_\_\_\_\_  
 Length and Size of Casing: 549' 2 7/8 Sacks of Cement: 65  
 Legal Description: NW SW NW NW Sec: 26 Twp: 17S Range: 21E County: Miami

Thickness	Depth	Type of Formation	Thickness	Depth	Type of Formation
2	2	Top Soil	8	508	Good Bleed
6	8	Clay	4	512	Sand is Shaley
1	9	Lime	17	529	Black Sand
1	10	Clay	23	562	Shale
16	26	Lime		562	T.D.
25	51	Shale			
3	54	Lime			
39	93	Shale			
17	110	Lime			
11	121	Shale			
28	149	Lime			
8	157	Shale			
23	180	Lime			
4	184	Shale			
12	196	Lime			
132	328	Shale			
3	331	Sandy Shale			
5	336	Oil Sand (Good Bleed)			
17	347	Oil Sand (Really Good)			
1	348	Sand (Not as Good)			
2	350	Sand (Shaley)			
16	366	Lime *Trouble Tight*			
38	404	Shale			
4	408	Lime			
15	423	Shale			
3	426	Lime			
13	439	Shale			
4	443	Lime			
22	465	Shale			
6	471	Lime			
8	479	Shale			
3	482	Oil Sand			
8	490	Oil Sand (Good Bleed)			
2	492	Sand (Not as Good)			
2	494	Oil Sand (Good Bleed)			
2	496	Not as Good			
2	498	Good Bleed			
2	500	Not as Good			

PERF. 508  
 478-508

**Lone Jack Pulling**  
**509 E Walnut Street**  
**Blue Mound, KS 66010**

**Invoice**

<b>Date</b>	<b>Invoice #</b>
2/12/2018	94

<b>Bill To</b>
Peoples Oil LLC 928 W 4th Street Ottawa, KS 66067

<b>P.O. No.</b>	<b>Terms</b>	<b>Project</b>

Quantity	Description	Rate	Amount
	<b>Fred Hughes I-1</b>		
1	2/9/18, Circulated 65 sacks of cement to surface, pumped plug and shut in.	400.00	400.00
1	Water Truck	100.00	100.00
	Sales Tax	8.00%	0.00
<b>Thank you for your business.</b>		<b>Total</b>	<b>\$500.00</b>



# BUILDERS CONCRETE COMPANY CHOICE

82803

P.O. Box 106 • 745 North Locust  
Ottawa, KS 66067 • (785) 242-1045

PLANT 504	MIX NO. 2901007	YARDS 9.25	TRUCK 0092	B. SAGE	TIME 8:21	DATE 2/9/18	TICKET NO. 5047560
--------------	--------------------	---------------	---------------	---------	--------------	----------------	-----------------------

CUSTOMER NAME CASH SALES-Andy Peop	DELIVERY ADDRESS Stanton & 319 68 E Vermont S 327 E Stanton N 319 W 1/4	CUST. R.O. NO.
		NOTES

YARDS 9.25	DESCRIPTION 7 SK SLURRY MIX	YARDS ORDERED 9.25	YARDS DELIVERED 9.25	DELIVERED TODAY
---------------	--------------------------------	-----------------------	-------------------------	-----------------

9.25	CYDS	2901007	7 SK SLURRY MIX	\$126.00	\$1,165.50
9.25	/y	9000	Winter Charge	\$4.50	\$41.63

Arrive on Job	Start Pouring	Finish Pouring


DRAYAGE	\$1,207.13
TOTAL MATL TAX	\$115.88
SALES TAX	\$1,323.01
TOTAL AMT. DUE	\$1,323.01

MSDS available upon request.

Not responsible for quality of concrete if water is added on job. Note here if water is added GAL. RECEIVED BY

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water. If any cementitious material gets into eye, rinse immediately and repeatedly with water and get prompt medical attention. KEEP OUT OF REACH OF CHILDREN

Not responsible for damage beyond curb line  
Special Instructions



SLUMP 6.00 in

Ticket Num	560	Ticket ID	5243	Time	8:21	Date	2/9/18
Mix Age		Seq	D	Load ID	5929		
% Var	3.87%	% Moisture		Actual Wat	225.4 gl		
	-0.54%				226.4 gl		
	-0.11%						

Actual Load Total: 9990 lb  
 Slump: 6.00 in  
 Actual W/C Ratio: 1.555  
 New Batches: 2  
 Design 1.460 Water/Cement 1.555 A  
 Water in Truck: 0.0 gl Adjust Water: 0.0 gl  
 Actual Water: 452 gl Batched Cement: 2425 lb  
 Design 425.5 gl Actual 451.8 gl To Add:  
 Load Trim Water: 0.0 gl / CYD Note: Manual feed  
 Allowable Water: 0 gl

CUSTOMER COPY