KOLAR Document ID: 1418007

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Expected Spud Date:	Spot Description:			
month day year				
	Sec Twp S. R E W feet from N / S Line of Section			
OPERATOR: License#	feet from E / W Line of Section			
Name:	Is SECTION: Regular Irregular?			
Address 1: Address 2:	(Check directions from nearest outside corner boundries)			
City: State: Zip: +	(Check directions from hearest outside corner boundnes)			
Contact Person:	County:			
Phone:	Facility Name:			
	Borehole Number:			
CONTRACTOR: License#	Ground Surface Elevation: MS Cathodic Borehole Total Depth: fee			
Name:	Depth to Bedrock:			
Type Drilling Equipment: Mud Rotary Cable	Water Information			
☐ Air Rotary ☐ Other Construction Features	Aquifer Penetration: None Single Multiple			
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:			
Planned to be set: feet	Depth to bottom of usable water:			
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No			
Surface casing borehole size: inches	Public water supply well within one mile: Yes No			
Cathodic surface casing size: inches	Water Source for Drilling Operations:			
Cathodic surface casing centralizers set at depths of:;;	Well ☐ Farm Pond ☐ Stream ☐ Other			
;;;;	Water Well Location:			
Cathodic surface casing will terminate at:	DWR Permit #			
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =			
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)			
Anode installation depths are:;;; ;; ;	Annular space between borehole and casing will be grouted with: Concrete Neat Cement Bentonite Cement Bentonite Clay			
•				
;;;;;;	Anode vent pipe will be set at: feet above surface Anode conductor (backfill) material TYPE:			
	Depth of BASE of Backfill installation material:			
A FEID AVIT	Depth of TOP of Backfill installation material:			
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No			
he undersigned hereby affirms that the drilling, completion and eventual pluggin	g · · · · · · · · · · · · · · · · · ·			
f this well will comply with K.S.A. 55-101 et. seq.				
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the				
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior to plugging.				
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the				
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.	or to any grouting.			
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
if this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification			
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 -	or to any grouting. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set. If grouting to the top when the cathodic surface casing is set.			
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	or to any grouting. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.			
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.			
If this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	or to any grouting. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.			
f this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet Approved by: This authorization expires: feet	or to any grouting. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.			
If this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	or to any grouting. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below. Permit Expired Well Not Drilled Well Not D			
If this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet Approved by: This authorization expires: final plugring expires:	or to any grouting. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.			

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:							_ Loc	Location of Well: County:				
acility Name:								feet from N / S Line of Section				
orehole Number:								feet from L E / L W Line of Sectio				
							Sed	Sec Twp S. R 🗌 E 🔲 W				
								Is Section: Regular or Irregular				
								ection is I	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW			
	Show loc	ation of the	e Cathodic	Borehole.	Show foo	tage to the	PLAT e nearest l	ease or un	nit boundary line. Show the predicted locations of			
						-			sas Surface Owner Notice Act (House Bill 2032).			
	000 (1				You m	ay attach a	a separate	plat if desi	sired.			
	228 ft.	•							_			
ft.	Φ	:	:	:		:	:	:				
	$\overline{\mathbf{v}}$	-	•									
		•	:	•			:	:	LEGEND			
			:		•••••		<u></u>					
			: : :		······		: :					
			:						O Well Location			
			:	•		•	: : :		O Well Location Tank Battery Location			
			:	•		•	: : :		O Well Location Tank Battery Location Pipeline Location			
				•	•••••	•	: : :		O Well Location Tank Battery Location Pipeline Location Electric Line Location			
					•••••				O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
									O Well Location Tank Battery Location Pipeline Location Electric Line Location			
					•••••				O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
				2	3				O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
				2					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
				2	3				O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
				2					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1418007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
•		Phono Number:			
Contact Person:		Phone Number:			
Lease Name & Well No.:	T		Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date con-	structed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Tit capacity.	(bbls)	County		
la the mit leasted in a Constitut Constant Water A	2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,	,		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes No	0			
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the liming material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
,		0 7			
Distance to nearest water well within one-mile of	of nit:	Denth to shallo	west fresh water feet.		
Distance to nearest water wer within one time of	or pic.	Source of inforr			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all slow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
Oubilitied Lieutionically					
	KCC C	OFFICE USE OI	NLY		
			Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		

KOLAR Document ID: 1418007

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:				
Address 1:				
Address 2:				
City: State: Zip:+				
Contact Person:				
Phone: () Fax: () Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat			
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.			
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1				
Submitted Electronically				
Ι	_			

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Rose Rock Midstream Crude, L.P.
Well Name	MP 0 1
Doc ID	1418007

Anode Installation Depths

Depth
95
285
275
265
255
245
235
225
215
205
95
85
75
65
55
45
35
25
15
05

For KCC Use ONLY	
API # 15	_

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.


Operator:							_ Loc	Location of Well: County:			
acility Na	me:						feet from N / S Line of Section				
Borehole Number:									feet from E / W Line of Section		
							Sec Twp S. R				
							Is S	Section:	Regular or Irregular		
							If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				
					d electrica	l lines, as	required b		nit boundary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).		
	228	ft.			100 111	ay allaon e	зорагаю	piat ii dosi			
		:	:	:		:	:	:			
			:	:		:	:	:			
11ft	\bigcirc	:	:	:		:	:	:	LEGEND		
1 111	Ų				•••••				O Well Location		
		:	:	:		:	:	:			
		:	:	:		:	:	:	Tank Battery Location		
			•	•				•	Pipeline Location		
		:	:	:		:	:	:	Electric Line Location		
		:	:	:		:	:	:			
		:	:	:		:	:	:	Lease Road Location		
			• • • • • • • • • •		•••••			• • • • • • • • • • • • • • • • • • • •			
		:	:	:		:	:	:			
		:	:	:		:	:	:	EXAMPLE : :		
		:	:	: . 2	2	:	:	:	EXAMPLE		
		:	:	: -	3	:	:	:			
		:	:	:			:	:			
		:	:	:			:	:			
	•••••			• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •			
		:	:	:			:	:			
			:	:			:	:			
		:	:				•	:	1980' FSL		
			:	:			:	:			
		· :	· :	· ······· :		· ······· :	:	· :			

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

August 13, 2018

Rose Rock Midstream Crude, L.P. Two Warren Place 6120 S Yale Ste 1500 Tulsa, OK 74136

RE: Drilling Pit Application

MP 0 1

NW/4 Sec. 23-22S-22W Hodgeman County, Kansas

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 6 mil. Integrity of the liner must be maintained at all times.

The free fluids in the reserve pit should be removed as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Also, please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathleen Haynes
Environmental Protection and Remediation Department